

UNIT-SPECIFIC TECHNICAL MEMORANDUM: NK UNDEVELOPED LAND-
OUTSIDE STORAGE AREA

PRATT & WHITNEY, EAST HARTFORD, CT

AREA: North Klondike

SUB-AREA: Undeveloped Land

ENVIRONMENTAL UNIT: Outside Storage Area

Location: In the North Klondike Area, this unit is located at northern-most portion of the North Klondike, approximately 100 feet east of Perimeter Road (Drawing 1).

Description: This unit, which appears to be the result of historic-filling operations, was located within the North Klondike Undeveloped Land Area. The unit is located to the northeast of the Undeveloped Land Area and measures approximately 180 feet by 360 feet. Based upon a review of aerial photographs, the unit is located in an area that may have been a pond between 1965 and 1969. After the area had been filled, this area was used until the mid-1970s for the storage of equipment and materials, including but not limited to, concrete pipe, large vehicles, and heavy equipment. The storage of the materials may have been associated with the various grading and filling projects for the airport.

Dates of Operation: Mid-1960s to Mid-1970s.

Processes: Filling of a low-lying area, probably a pond, with the placement of soil and fill material. Once filled, the area was used for the storage of heavy equipment and construction materials.

Aerial Photographs: Large-scale aerial photographs for 1965, 1970, and 1975 were obtained from Keystone Aerial Surveys Inc. Three smaller-scale aerial photographs for 1969, 1975, and 1987 were obtained from the Pratt & Whitney (P&W) Photographic Services Department.

A review of the 1965 aerial photograph indicates a dark-colored area, located toward the eastern side of this unit that is possibly a depression containing a pond or wetlands. The 1969 photograph shows the filled area being used for the storage of heavy equipment and construction materials such as concrete pipe. The 1975 photograph indicates that area was not being used for storage and vegetation was established in the area. The 1987 photograph shows that a large portion of the North Klondike Undeveloped Land Area had the trees and vegetation removed. Reportedly, the tree removal was required by the Federal Aviation Administration (FAA).

Specific Contaminants of Concern: The specific contaminants of concern are unknown. In order to be as comprehensive as possible in the investigation that was conducted, the following constituent groups were analyzed for: volatile organic compounds (VOCs), semivolatile organic compounds (SVOCs), metals (arsenic, barium, beryllium, cadmium, chromium, lead, mercury, selenium, silver, nickel, and zinc), polychlorinated biphenyls (PCBs), and total petroleum hydrocarbons (TPH).

Potential Release Mechanism: Impacts to soils and groundwater associated with potential spills, leaks, or materials leaching from the soil and fill material.

INVESTIGATION AND REMEDIATION ACTIVITIES:

Due to the potential for releases associated with the North Klondike Undeveloped Land Area, various historical investigations have been conducted within this area generating analytical data in the general vicinity of the unit. Although not conducted specifically for the Outside Storage Area, these investigations have generated incidental analytical data in the immediate vicinity of the unit. In order to be as comprehensive as possible, presentation of this data is included below in chronological order. Historical investigations were conducted in November 1991 and May 1993. Prior to 1991, no investigation of this unit had reportedly been performed.

Furthermore, subsurface investigations to determine the degree and extent of potential soil contamination, specifically associated with this unit, were performed in August 1996, October and November 1996, March 1997, and June 1997. The investigations are discussed below in chronological order.

Two monitoring wells, NK-MW-06 and NK-MW-17, have been installed in the vicinity of the Outside Storage Area. NK-MW-06 was installed by Haley & Aldrich Inc. (H&A) in October 1991. NK-MW-17 was installed by Metcalf and Eddy, Inc. (M&E) in May 1993. These monitoring wells were installed as part of the investigations of groundwater contamination suspected to be from potential releases associated with the Outside Storage Area. The groundwater sampling locations are shown on Drawing 2.

Supplemental groundwater investigations have also been conducted in the vicinity of the Outside Storage Area since the installation of these monitoring wells. In order to be as comprehensive as possible, presentation of this incidental data is discussed as part of this Unit-Specific Technical Memorandum. A summary of the groundwater samples collected and analyses performed is included in Table 1. Concentrations of constituents detected in groundwater samples from these monitoring wells are presented in Table 4. A complete summary of groundwater sample analytical results with detection limits is presented in Table 5. Detected concentrations at each groundwater sampling location are shown on Drawing 2.

VOCs were detected in groundwater samples from monitoring well NK-MW-17, but not from NK-MW-06. The VOCs detected in monitoring well NK-MW-17 have included 1,2-dichloroethylene (11DCE) and methyl tert-butyl ether (MTBE). The VOC with the highest concentration detected has been MTBE with a concentration of 10 micrograms per liter ($\mu\text{g/l}$). These VOCs were detected in the first round of sampling for monitoring well NK-MW-17 and have not been detected in any of the subsequent sampling rounds. SVOCs and TPH were not detected in the groundwater samples. Additionally, seven metals have been detected in groundwater samples collected from these monitoring wells. The metals include arsenic, barium, chromium, iron, lead, nickel, and zinc. Elevated concentrations for arsenic, lead, and zinc were noted in groundwater samples collected from NK-MW-17.

August 1996 Investigation (Loureiro Engineering Associates, Inc.):

Description: On August 8, 1996, one hand auger soil boring, NK-SB-53, was advanced to refusal within the limits of the storage area by Loureiro Engineering Associates, Inc. (LEA). Refusal occurred at a depth of 6.2 feet. Soil samples were collected from the hand auger borings in 2-foot intervals with the sample being collected from the last 6 inches of the sampling interval. On August 19, 1996, a test pit, NK-TP-02, was advanced with a backhoe to a depth of 9 feet in a soil pile at the southeast portion of the storage area. The test pit and soil sampling locations are shown on Drawing 1. Soil samples were collected from the sidewalls and the bottom of the test pit.

A total of eight soil samples were submitted to the LEA Analytical Laboratory and screened for the presence of target VOCs, including benzene (BZ), ethylbenzene (EBZ), tetrachloroethylene (PCE), toluene (TL), 1,1,1-trichloroethane (TCA), trichloroethylene (TCE), and xylenes (XYL). Based on visual, olfactory, or instrument evidence, and with consideration of the potential release mechanism, one sample from boring NK-SB-53 and two samples from the test pit were submitted to Averill Environmental Laboratory, Inc. (AEL) and analyzed for the presence of VOCs and metals. A summary of the samples collected and analyses performed is included in Table 1.

Investigation Results: Based on the boring log, the soil pile consisted of fine to medium sand with varying amounts of silt containing brick fragments and plastic sheeting. Based on the test pit log, the soil in test pit NK-TP-02 was observed to contain metal piping, wood blocks, glass, and plastic. A strong petroleum odor was noted in test pit NK-TP-02 from 3.5 to 8.7 feet.

Concentrations of constituents detected in soil samples collected for this unit are presented in Table 2. A complete summary of soil analytical results with detection limits is presented in Table 3. Detected concentrations at each soil sampling location are shown on Drawing 1. Several VOCs, including PCE and TCE, were detected in the soil sample submitted to the LEA Analytical Laboratory from boring NK-SB-53 at a depth of 2 to 4 feet. PCE and TCE were detected at concentrations of 2J and 3J micrograms per kilogram ($\mu\text{g}/\text{kg}$), respectively. The "J" qualifier indicates that the value is estimated because the concentration was detected below the method detection limit. These VOCs were not detected in the sample from this interval submitted to AEL for analysis. No other VOCs were detected by the LEA Analytical Laboratory.

The only VOC detected in soil samples submitted to AEL was acetone (ACT) at a concentration of 290 $\mu\text{g}/\text{kg}$ from test pit NK-TP-02 at a depth of 5.2 feet. No other VOCs were detected for the remaining samples submitted for fixed laboratory analysis. However, PCE was noted as "N1" in boring NK-SB-51 at 2 to 4 feet. The "N1" qualifier indicates that the concentration was above the method detection limit, but below the reportable quantitation limit.

One or more of the metals analyzed were detected in each of the nine soil samples submitted for analysis. These metals include arsenic, barium, chromium, copper, silver, and zinc.

Data Evaluation and Conclusions: The data were compared to the default numeric criteria included in the Connecticut Remediation Standard Regulations (RSRs) and the site-wide background soil concentrations for various metals (Fuss & O'Neill, 1994). For a more detailed discussion of background concentrations of metals in soil refer to *Technical Memorandum (TM) 4, Background Soil Sampling and Analysis*. Criteria are established in the RSR based on exposure pathways for various environmental media, including soil and groundwater. The evaluation of the soils data is based on a comparison to the default numeric residential direct exposure criteria (RDEC), the industrial/commercial direct exposure criteria (IDEC), and the GB pollutant mobility criteria (GBPMC) included in the RSRs. The evaluation of the groundwater data is based on a comparison to the residential volatilization criteria (RVC), the industrial/commercial volatilization criteria (IVC), and the surface water protection criteria (SWPC) included in the RSRs.

The concentrations of the metals detected in the soil samples are typical of background concentrations and are not indicative of a release from this unit. For concentrations of metals detected in soil, no exceedances of the RDEC or the IDEC were noted. For the VOCs detected in soil, no exceedances of the RDEC, the IDEC, or the GBPMC were noted.

Based on the presence of VOCs and the olfactory evidence of petroleum products in test pit NK-TP-02, there is evidence that a release of hazardous constituents may have occurred in the vicinity of this unit. The degree and extent of the release has not been adequately characterized in this area and additional soil and groundwater data were necessary to define the extent of the contamination.

October and November 1996 Investigation (LEA):

Description: On October 30 and 31, 1996, four soil borings, NK-SB-215 through NK-SB-218, were advanced to refusal or a depth of 15 feet in the southeastern corner of the area in the vicinity of a soil pile. The soil sampling locations are shown on Drawing 1. Soil samples were collected from each of the borings in continuous 2-foot intervals to 14 feet, with a one foot interval from 14 to 15 feet. The depth of 15 feet was selected to ensure that sufficient data were collected for comparisons against the direct exposure criteria in the RSR.

On November 1, 1996, three test pits, NK-TP-04 through NK-TP-06, were advanced with a backhoe to a depth of 6 feet within the area. NK-TP-05 was located such that it bisected the test pit NK-TP-02 in an attempt to confirm the possible presence of petroleum contamination previously identified at that location. The soil sampling locations are shown on Drawing 1. Soil samples were collected from the sidewalls and the bottom of each test pit.

A total of 48 soil samples were submitted to the LEA Analytical Laboratory and screened for the presence of target VOCs. Based on visual, olfactory, or instrument evidence, and with consideration of the potential release mechanism, two or more samples from each soil boring and test pit, with only one sample from test pit NK-TP-06, were submitted to AEL and analyzed for the presence of VOCs, metals, and TPH. One soil sample from each of test pits NK-TP-04 and NK-TP-05 and boring NK-SB-216 were also submitted for analysis for SVOCs and PCBs.



PCBs were included because of anecdotal comments made by facility personnel concerning the potential placement of PCB-contaminated sediments.

In addition, groundwater samples were collected on November 11, 1996 from borings NK-SB-215, NK-SB-217, and NK-SB-218 using Geoprobe® screenpoint groundwater sampling techniques. A groundwater sample was also unsuccessfully attempted from boring NK-SB-216 but was not completed because of insufficient quantities of water. The groundwater samples were collected from borings NK-SB-215, NK-SB-217, and NK-SB-218 at depths below the ground surface of 12 to 14 feet, 6 to 8 feet, and 9.5 to 11.5 feet, respectively. The groundwater samples were submitted to AEL for analysis for VOCs, SVOCs, metals, and TPH. A summary of the samples collected and analyses performed is included in Table 1.

Investigation Results: Based on the boring logs, groundwater was encountered between 5 and at 9 feet in all of the borings. Varved clay was encountered between 10 and 14 feet in the borings. Also noted in the test pit logs was debris, consisting of metal, asphalt, and tile, that was encountered in test pits NK-TP-04 and NK-TP-05. A strong petroleum odor was noted in test pits NK-TP-04 and NK-TP-05 from 1.5 to 6 feet. No visual or olfactory evidence of petroleum contamination or debris was noted in test pit NK-TP-06.

Concentrations of constituents detected in soil samples collected for this unit are presented in Table 2. A complete summary of soil analytical results with detection limits is presented in Table 3. Detected concentrations at each soil sampling location are shown on Drawing 1. Several VOCs, including PCE and TCE, were detected in the soil samples submitted to the LEA Analytical Laboratory and to AEL. VOCs were detected in the soil samples from boring NK-SB-216. The highest VOC concentration detected in the soil samples was PCE at a concentration of 380 µg/kg in boring NK-SB-216 at a depth of 6 to 8 feet.

One or more of the metals analyzed were detected in each of the soil samples submitted for analysis. These metals include arsenic, barium, chromium, lead, and zinc.

PCBs were not detected in any of the soil samples submitted for analysis. SVOCs were not detected in the soil samples from boring NK-SB-216 or test pits NK-TP-04B and NK-TP-05B. The "B" suffix indicates that the sample was collected from the bottom. However, several SVOCs were noted as "N1" in test pit soil samples NK-TP-04B and NK-TP-05B. The SVOCs noted in sample NK-TP-04B included fluoranthene (FA), fluorene (FLE), phenanthrene (PHN), and pyrene (PYR). The SVOCs noted in sample NK-TP-05B included FA and PYR. The "N1" qualifier indicates that the concentration was above the method detection limit, but below the reportable quantitation limit.

TPH was detected in the soil samples from NK-SB-215, NK-TP-04N, NK-TP-04B, and NK-TP-05E. The highest concentration of TPH detected was 184 milligrams per kilogram (mg/kg) in boring NK-SB-215 at a depth of 4 to 6 feet. For the soil samples collected from the test pits, the highest concentration of TPH detected was 922 mg/kg from test pit NK-TP-04N. TPH was not detected in the remaining soil samples submitted for fixed laboratory analysis.



Concentrations of constituents detected in the groundwater sample are presented in Table 4. A complete summary of groundwater analytical results with detection limits is presented in Table 5. Detected concentrations at each groundwater sampling location are shown on Drawing 2. VOCs and TPH were not detected in the groundwater samples analyzed from borings NK-SB-215, NK-SB-217, and NK-SB-218.

Barium was detected in the groundwater samples from borings NK-SB-215, NK-SB-217, and NK-SB-218 at concentrations of 0.019, 0.030, and 0.017 milligrams per liter (mg/l), respectively. No other metals were detected in the groundwater samples submitted for fixed laboratory analysis. The only SVOC detected in the groundwater samples was bis(2-ethylhexyl)phthalate (DEHP). DEHP was detected in borings NK-SB-217 and NK-SB-218 at concentrations of 1.5U and 1.7U micrograms per liter ($\mu\text{g/l}$), respectively. However, the "U" qualifier indicates that the constituent was present in the laboratory blank.

Data Evaluation and Conclusions: The data were compared to the default numeric criteria included in the RSRs and the site-wide background soil concentrations for various metals. The concentrations of the metals detected in the soil samples are typical of site-wide background concentrations. Metals were not detected above the RDEC or the IDEC. For the metals detected in groundwater, no exceedances of the SWPC were noted.

The only soil exceedance of the RSRs occurred in soil boring NK-SB-21. The concentration of TPH detected in test pit sample NK-TP-04N was above the RDEC as shown in Table 6. For the VOCs detected in soil, no exceedances of the RDEC, IDEC, or the GBPMC were noted.

Based on the presence of petroleum products in test pits NK-TP-04 and NK-TP-05 and the TPH results, there is evidence that a release of hazardous constituents may have occurred in the vicinity of this unit. The degree and extent of the release has not been adequately characterized in this area and additional soil and groundwater data were necessary to define the extent of the contamination.

March 1997 Investigation (LEA):

Description: During March 1997, nineteen soil borings, NK-SB-272 through NK-SB-290, were advanced to depths between 12 and 16 feet, depending on the depth to clay. The soil sampling locations are shown on Drawing 1. Soil samples were collected from each of the borings in continuous 2-foot intervals to the varved clay.

A total of 137 soil samples were submitted to the LEA Analytical Laboratory and screened for the presence of target VOCs. Based on visual, olfactory, or instrument evidence, and with consideration of the potential release mechanism, samples from each soil boring were submitted to a fixed laboratory for analysis. Soil and groundwater samples were submitted to Environmental Science Services (ESS) for analysis. Due to data validation issues, analytical results from ESS were deemed unusable for the Airport/Klondike Project. Subsequent to these concerns, ESS analytical results have not been considered within this Unit-Specific Technical Memorandum (USTM).



In addition to the soil samples, groundwater samples were collected from the select borings using Geoprobe® screenpoint groundwater sampling techniques. The groundwater samples were collected from a depth of 11 to 14 feet below the ground surface. These groundwater samples were also submitted to ESS and as a result of the data validation issues the analytical results have not been considered within this USTM.

A limited number of soil samples from the boring locations, including borings NK-SB-286 through NK-SB-290, were submitted to AEL for analysis. The samples were analyzed for the presence of VOCs, SVOCs, and TPH. Not all of these samples were analyzed for all of the aforementioned analytes. A summary of the samples collected and analyses performed is included in Table 1.

Investigation Results: Based on the soil boring logs, groundwater was encountered between 4 to 14 feet in all of the borings. Similarly, varved clay was encountered between 9 and 15 feet in all of the borings. Also based on the boring logs, dark brown staining was detected at the clay interface in borings NK-SB-272 through NK-SB-275. Trace coal and cinders were observed in boring NK-SB-276 from 0 to 8 feet. A petroleum odor was noted in borings NK-SB-277 through NK-SB-280, and NK-SB-284 at the depths of 2 to 8 feet, 8 to 10 feet, 6 to 8 feet, 2 to 10 feet, and 8 to 10 feet, respectively. Bituminous asphalt was noted in borings NK-SB-286, NK-SB-287, and NK-SB-290 at depths of 8 to 10 feet, 6 to 8 feet, and 2 to 4 feet, respectively. Brick fragments were also noted in boring NK-SB-290 within the 2 to 4 foot interval.

Concentrations of constituents detected in soil samples collected for this unit are presented in Table 2. A complete summary of soil analytical results with detection limits is presented in Table 3. Several VOCs, including EBZ, PCE, TCE, and XYL, were detected in the soil samples submitted to the LEA Analytical Laboratory or AEL. VOCs were detected in soil samples collected from the borings NK-SB-272, NK-SB-275, NK-SB-276, NK-SB-280, NK-SB-287, NK-SB-289, and NK-SB-290. The highest VOC concentration detected in the soil samples was XYL at a concentration of 541nc µg/kg in boring NK-SB-280 at a depth of 2 to 4 feet.. The “nc” qualifier indicates that the sample does not confirm to the LEA Analytical Laboratory sampling procedure protocol.

SVOCs were not detected in the two soil samples submitted to AEL for analysis. TPH was detected in the two of the five soil samples submitted to AEL for analysis. TPH was detected in the soil samples from borings NK-SB-286 and NK-SB-287 from a depth of 4 to 6 feet at a concentrations of 171 and 234 mg/kg, respectively.

Data Evaluation and Conclusions: The data were compared to the default numeric criteria included in the RSR. For the VOCs and TPH detected, no exceedances of the RDEC, the IDEC, or the GBPMC were noted.

Based on the presence of TPH and VOCs, there is evidence that a release of a petroleum product may have occurred in the vicinity of this unit. The degree and extent of the release has not been adequately characterized in the vicinity of this unit and additional soil sampling and groundwater sampling were necessary to define the extent of the contamination.

June 1997 Investigation (LEA):

Description: On June 5 through June 12, 1997, nineteen soil borings, NK-SB-310 through NK-SB-314, and NK-SB-319 through NK-SB-332, were advanced to depths between 12 and 16 feet, depending on the depth to clay. These borings were duplicate borings of borings NK-SB-272 through NK-SB-290. The soil sampling locations are shown on Drawing 1. Soil samples were collected from each of the borings in continuous 2-foot intervals to the varved clay.

A total of 137 soil samples were submitted to the LEA Analytical Laboratory and screened for the presence of target VOCs. Based on visual, olfactory, or instrument evidence, and with consideration of the potential release mechanism, at least two samples from each soil boring were submitted to Quanterra, Inc. (QNT) and analyzed for the presence of VOCs and TPH. Select samples were also analyzed for SVOCs and PCBs.

In addition, groundwater samples were collected from borings NK-SB-311, NK-SB-312, NK-SB-314, NK-SB-319, NK-SB-324, and NK-SB-326 using Geoprobe® screenpoint groundwater sampling techniques. The groundwater samples were collected from all these borings at a depth of 8 to 12 feet below the ground surface. The groundwater samples were submitted to QNT for analysis of VOCs, SVOCs, and TPH. A summary of the samples collected and analyses performed is included in Table 1.

Investigation Results: Based on the boring logs, groundwater was encountered between 4 to 14 feet in all of the borings. Varved clay was encountered at depths ranging from 9 to 15 feet in all of the borings. The geologic boring logs for these duplicate borings, NK-SB-310 through NK-SB-314 and NK-SB-319 through NK-SB-332, possess the similar characteristics and geologic records as the original borings, NK-SB-272 through NK-SB-290.

Concentrations of constituents detected in soil samples collected for this unit are presented in Table 2. A complete summary of soil analytical results with detection limits is presented in Table 3. Detected concentrations at each soil sampling location are shown on Drawing 1. Several VOCs, including PCE, TCE, methylene chloride (MC), methyl ethyl ketone (MEK), and ACT, were detected in the soil samples submitted to the LEA Analytical Laboratory or to QNT.

VOCs were detected in at least one soil sample from each of the soil borings, but not in all of the soil samples collected from the borings. The highest VOC concentration detected in the soil samples was PCE at a concentration of 106nc µg/kg in boring NK-SB-327 at a depth of 4 to 6 feet.

2-Methylnaphthalene (B-MLNE) was the only SVOC detected in the soil samples submitted to QNT. The highest B-MLNE concentration detected was detected at a concentration of 2,900 µg/kg in boring NK-SB-314 at a depth of 2 to 4 feet. No other SVOCs were detected in the soil samples submitted for fixed laboratory analysis. PCB 1260 was detected at a concentration of 61 µg/kg in boring NK-SB-322 at a depth of 2 to 4 feet.

TPH was detected in the soil samples submitted to QNT from borings NK-SB-286, NK-SB-287 NK-SB-310 through NK-SB-314, NK-SB-319 through NK-SB-326, and NK-SB-328 through

NK-SB-332. The highest TPH concentration detected was at a concentration of 13,000 mg/kg in boring NK-SB-312 at a depth of 4 to 6 feet. Other elevated concentrations of TPH were detected in NK-SB-314, NK-SB-313, NK-SB-322, NK-SB-323, NK-SB-325, and NK-SB-326 with the TPH concentrations ranging from 510 to 11,000 mg/kg.

Concentrations of constituents detected in the groundwater sample are presented in Table 4. A complete summary of groundwater analytical results with detection limits is presented in Table 5. Detected concentrations at each groundwater sampling location are shown on Drawing 2. One VOC was detected in the screenpoint groundwater samples collected and analyzed by QNT. PCE was detected at a concentration of 2.2 µg/l in boring NK-SB-312 at depth of 8 to 12 feet. No other VOCs or SVOCs were detected in the groundwater samples analyzed by QNT.

TPH was detected at concentrations of 1.1 mg/l, 1.8 mg/l, and 3.5 mg/l in screenpoint groundwater samples collected from NK-SB-311, NK-SB-319, and NK-SB-324, all at depths of 8 to 12 feet. There were no other TPH detections in the groundwater samples analyzed by QNT.

Data Evaluation and Conclusions: The data were compared to the default numeric criteria included in the RSRs. For the VOCs and SVOCs detected, no exceedances of the RDEC, the IDEC, or the GBPMC were noted. As for the concentrations of VOCs detected in the groundwater, no exceedances of the RSRs were noted.

The ACT and MC, two common laboratory contaminants detected by QNT at estimated concentrations close to the method detection limit, are believed to be laboratory contaminants and are not present at this unit. Similarly, MEK, a less common laboratory contaminant detected only by QNT at estimated concentrations close to the method detection limit, is also believed to be a laboratory contaminant.

The concentrations of TPH detected were above the RDEC in the soil borings NK-SB-310 through NK-SB-314, NK-SB-322 through NK-SB-323, NK-SB-325 and NK-SB-326 at varying depth, ranging from 0 to 10 feet as shown in Table 6. Also, the concentrations of TPH detected in soil borings NK-SB-310 through NK-SB-311 were above the IDEC and the GBPMC.

Soil with contaminant concentrations above the IDEC within four feet of the ground surface is recommended for excavation along with the use of an Environmental Land Use Restriction (ELUR) for soils below four feet to satisfy the criteria for inaccessible soil. Considering the above investigations, the remediation of the area near the soil exceedances, within four feet of the ground surface are scheduled to be remediated as part of the Klondike Soil Removal Project.

After these quantities of soil have been removed, confirmational samples of the excavation sidewalls will be collected to confirm the removal of the material. The confirmational samples will be analyzed for VOCs and TPH to confirm that the constituents detected have been removed.

December 1998 Remediation (LEA)

Description: On December 1, 1998, one test pit, NK-TP-20, was advanced as part of soil removal activities in the area. The test pit was located relative to the existing borings where VOCs and TPH were previously detected. Soil with contaminant concentrations above the DEC within eight feet of the ground surface was excavated. The test pit location and size is shown on Drawing 1. After these quantities of soil were removed, confirmational samples of the excavation sidewalls were collected to confirm the removal of the material. Soil samples were submitted to QNT and analyzed for the presence of VOCs, SVOCs, PCBs, TPH, and metals by mass analysis. A summary of the samples collected and analyses performed is included in Table 1. The confirmational soil sample locations are also shown on Drawing 1.

Investigation Results: During the excavation of NK-TP-20 Groundwater was noted at a depth of approximately 8.5 feet. A visible sheen was also noted on the groundwater percolating up from the ground.

Concentrations of constituents detected in confirmational soil samples collected after soil removals were conducted are presented in Table 2. A complete summary of soil analytical results with detection limits is presented in Table 3. Detected concentrations at each soil sampling location are shown on Drawing 1. Several SVOCs, including anthracene (ANTH), benzo(a)anthracene (BA), benzo[b]fluoranthene (BBF), benzo[a]pyrene (BAP), benzo[ghi]perylene (BGP), chrysene (CRYs), dibenz(a,h)anthracene (DBA), FA, ideno(1,2,3-cd)pyrene (IP), PHN, and PYR were detected in the soil samples submitted to QNT. The highest SVOC detected was PYR at a concentration of 790 micrograms per kilogram ($\mu\text{g}/\text{kg}$) in sidewall sample NK-TP-20-1 at a depth of 5 feet. No other SVOCs were detected in the soil samples submitted to QNT.

PCB Aroclor 1254 was detected at a concentration of 120 $\mu\text{g}/\text{kg}$ in sidewall sample NK-TP-20-13 at a depth of 5 feet. No other PCBs were detected in the samples that were analyzed. TPH was detected in 6 of the 16 soil samples analyzed. The highest concentration of TPH detected was 1300 mg/kg in sidewall sample NK-TP-20-14 at a depth of 5 feet. One or more of the mass metals analyzed were detected in each of the soil samples submitted for analysis. These metals include arsenic, barium, chromium, lead, mercury, nickel, and zinc.

Data Evaluation and Conclusions: The data were compared against the default numeric criteria included in the RSRs and the site-wide background soil concentrations for various metals. The concentrations of the metals detected in the soil samples are typical of background concentrations. TPH was detected at a concentration that exceeded the RDEC in sidewall sample NK-TP-20-14 at a depth of 5 feet.

Per 22a-133k-2(c)(5) of the Connecticut RSRs, with respect to the SVOCs for which a PMC is not specified, the criterion will ensure that the concentration does not exceed the ground-water protection criterion multiplied by a dilution factor of 10 in a GB area. Based on the creation of a detection limit based alternate criterion, IP has the potential to exceed the GBPMC in sidewall samples NK-TP-20-1 and NK-TP-20-2 at depths of 5 feet.

After these quantities of soil, with identified exceedances and potential exceedances, have been removed, confirmational samples of the excavation sidewalls will be collected to confirm the removal of the material. The confirmational samples will be analyzed for TPH and SVOCs to confirm that the constituents detected have been removed.

March 1999 and April 2000 Remediation (LEA)

Description: On March 25, 1999 and April 19, 2000, one test pit, NK-TP-20, was over-excavated as part of soil removal activities in the area. These excavations were located relative to the existing confirmational samples where TPH and SVOCs were previously detected. The over excavation protocol for sidewalls included stepping sidewalls out 4 feet, extending the lateral extent from clean sample to clean sample, and matching the original excavation depth. Test pit locations and over excavations are shown on Drawing 1. After these quantities of soil were removed, confirmational samples of the excavation sidewalls and bottoms were collected to confirm the removal of the material. Soil samples were submitted to Lancaster Laboratories (Lancaster) and Accutest Laboratories (Accutest), respectively by date, and analyzed for the presence of TPH and SVOCs. A summary of the samples collected and analyses performed is included in Table 1. The confirmational soil sample locations are also shown on Drawing 1.

Investigation Results: Concentrations of constituents detected in confirmational soil samples collected after soil removals were conducted are presented in Table 2. A complete summary of soil analytical results with detection limits is presented in Table 3. Detected concentrations at each soil sampling location are shown on Drawing 1.

TPH was detected in both sidewall samples submitted to Lancaster. TPH was detected at concentrations of 500 and 73 mg/kg in sidewall samples NK-TP-20-17 and NK-TP-20-18, respectively, at depths of 5 feet. Several SVOCs, including acenaphthylene (ACNE), ANTH, BA, BBF, BAP, BGP, benzo[k]fluoranthene (BBF), CRYs, DBA, FA, FLE, IP, PHN, and PYR were detected in the soil samples submitted to Accutest. The highest SVOC detected was PYR at a concentration of 1340 µg/kg in sidewall sample NK-TP-20-20 at a depth of 5 feet. No other SVOCs were detected in the soil samples submitted to Accutest.

Data Evaluation and Conclusions: The data were compared against the tabulated numeric criteria included in the RSRs. No exceedances of the RSRs were noted in the samples that were analyzed. Connecticut Department of Environmental Protection information on approved numeric criteria for additional polluting substances for other constituents detected was also reviewed. The SVOC data indicated that there were no exceedances of the approved numeric criteria for additional polluting substances.

Upon receipt of the confirmational sample results, the area was backfilled and compacted. With the completion of the soil removal activities for this area, soils with contaminant concentrations above the DEC within four feet of the ground surface have been excavated. For the remaining soils, an ELUR for soils below eight feet will be necessary for the area to satisfy the IDEC criteria for inaccessible soil.



REFERENCES

- Fuss & O'Neill, Inc., 1994, *Soil Sampling Background Areas – North Klondike*, prepared for Pratt & Whitney.
- Haley & Aldrich, Inc., January, 1993, *Site-Wide Environmental Monitoring Report, Pratt & Whitney, East Hartford, Connecticut*, prepared for Pratt & Whitney.
- Keystone Aerial Surveys, Inc. 1965, *Aerial Photo of Rentschler Airport and Surrounding Areas*, East Hartford, CT.
- Keystone Aerial Surveys, Inc. 1970, *Aerial Photo of Rentschler Airport and Surrounding Areas*, East Hartford, CT.
- Keystone Aerial Surveys, Inc. 1975, *Aerial Photo of Rentschler Airport and Surrounding Areas*, East Hartford, CT.
- Loureiro Engineering Associates, August 18, 1995, *Rentschler Airport and Klondike Areas Data Gap Investigation and Work Plan*, Pratt & Whitney, 400 Main Street, East Hartford, CT.
- Metcalf & Eddy, Inc. July 1993, *Draft Report - Klondike Area Site Investigation, UTC / Pratt & Whitney Facility, East Hartford, CT*, prepared for Pratt & Whitney.
- P&W Photographic Services Department, 1969, *Aerial Photograph, Negative Number Z-36268*, Pratt & Whitney, East Hartford, CT.
- P&W Photographic Services Department, 1975, *Aerial Photograph, Negative Number CN-50747*, Pratt & Whitney, East Hartford, CT.
- P&W Photographic Services Department, 1987, *Aerial Photograph, Negative Number 87c3277*, Pratt & Whitney, East Hartford, CT.



TABLES

Table 1
SUMMARY OF SAMPLING AND ANALYTICAL INFORMATION
P&W East Hartford: NK Undeveloped Land Area - Outside Storage Area

Page 1 of 12

| Sample Information | | | | | Analysis Information | | | | | | | | |
|--------------------|--------------|-------------|-----------|---------|----------------------|-------------|-------------------|-----------------------|------------|------------|------|--------|---------------|
| Location ID | Sample ID | Sample Date | From (ft) | To (ft) | Class | Portable GC | Volatile Organics | Semivolatile Organics | Herbicides | Pesticides | PCBs | Metals | Miscellaneous |
| NK-MW-17S | 01141052593 | 5/25/93 | 4.0 | 9.0 | GW | | X | X | | | | | X |
| NK-MW-17S | 01111052693 | 5/26/93 | 5.0 | 10.0 | GW | | X | X | | | | | X |
| NK-MW-17S | 1021036 | 11/4/96 | 4.0 | 9.0 | GW | | X | | | | | x | x |
| NK-MW-17S | 1634474 | 6/3/97 | 4.0 | 9.0 | GW | | X | | | | | | X |
| NK-MW-17S | 1634475 | 6/3/97 | 4.0 | 9.0 | GW | | X | | | | | | X |
| NK-MW-17S | 1647388 | 11/20/97 | 4.0 | 9.0 | GW | | X | | | | | x | |
| NK-MW-17S | 1846142 | 9/17/99 | 4.0 | 9.0 | GW | | X | | | | | x | |
| NK-MW-6S | 010611111391 | 11/14/91 | 4.0 | 11.5 | GW | | X | | | | | | X |
| NK-MW-6S | 01061060992 | 6/10/92 | 4.0 | 11.5 | GW | | X | | | | | | X |
| NK-MW-6S | 1016658 | 8/7/96 | 4.0 | 11.5 | GW | | X | | | | | x | x |
| NK-MW-6S | 1634476 | 6/3/97 | 4.0 | 11.5 | GW | | | | | | | | x |
| NK-MW-6S | 1647389 | 11/20/97 | 4 | 11.5 | GW | | | | | | | | X |
| NK-MW-6S | 1846136 | 9/15/99 | 4.0 | 11.5 | GW | | X | | | | | x | |
| NK-SB-215 | 1020837 | 10/30/96 | 0 | 2 | SB | X | | | | | | | |
| NK-SB-215 | 1020838 | 10/30/96 | 2 | 4 | SB | X | | | | | | | |
| NK-SB-215 | 1020839 | 10/30/96 | 4 | 6 | SB | X | X | | | | | x | x |
| NK-SB-215 | 1020840 | 10/30/96 | 6 | 8 | SB | X | | | | | | | |
| NK-SB-215 | 1020841 | 10/30/96 | 8 | 10 | SB | X | X | | | | | x | x |
| NK-SB-215 | 1020842 | 10/30/96 | 10 | 12 | SB | X | | | | | | | |
| NK-SB-215 | 1020843 | 10/30/96 | 12 | 14 | SB | X | | | | | | | |
| NK-SB-215 | 1020844 | 10/30/96 | 14 | 15 | SB | X | | | | | | | |
| NK-SB-215 | 1021130 | 11/11/96 | 12 | 14 | GW | | X | X | | | | x | x |
| NK-SB-216 | 1020847 | 10/31/96 | 0 | 2 | SB | X | | | | | | | |
| NK-SB-216 | 1020848 | 10/31/96 | 2 | 4 | SB | X | | | | | | | |
| NK-SB-216 | 1020849 | 10/31/96 | 4 | 6 | SB | X | X | | | | | x | x |
| NK-SB-216 | 1020850 | 10/31/96 | 4 | 6 | SB | X | X | | | | | x | x |
| NK-SB-216 | 1020851 | 10/31/96 | 6 | 8 | SB | X | X | X | | | x | x | x |
| NK-SB-216 | 1020852 | 10/31/96 | 8 | 10 | SB | X | X | | | | | x | x |
| NK-SB-216 | 1020853 | 10/31/96 | 10 | 12 | SB | X | | | | | | | |
| NK-SB-216 | 1020854 | 10/31/96 | 12 | 14 | SB | X | | | | | | | |
| NK-SB-216 | 1020855 | 10/31/96 | 14 | 15 | SB | X | | | | | | | |

Notes: 1. Legend: x - mass, t - TCLP, s - SPLP, e - EPTOX, z - ZHE; Capitalized - at least one analyte detected

2. Printed on 05/03/00

Table 1
SUMMARY OF SAMPLING AND ANALYTICAL INFORMATION
P&W East Hartford: NK Undeveloped Land Area - Outside Storage Area

Page 2 of 12

| Sample Information | | | | | | Analysis Information | | | | | | | |
|--------------------|-----------|-------------|-----------|---------|-------|----------------------|-------------------|-----------------------|------------|------------|------|--------|---------------|
| Location ID | Sample ID | Sample Date | From (ft) | To (ft) | Class | Portable GC | Volatile Organics | Semivolatile Organics | Herbicides | Pesticides | PCBs | Metals | Miscellaneous |
| NK-SB-217 | 1020856 | 10/31/96 | 0 | 2 | SB | x | | | | | | | |
| NK-SB-217 | 1020857 | 10/31/96 | 2 | 4 | SB | x | | | | | | | |
| NK-SB-217 | 1020858 | 10/31/96 | 4 | 6 | SB | x | x | | | | | x | x |
| NK-SB-217 | 1020859 | 10/31/96 | 6 | 8 | SB | x | x | | | | | x | x |
| NK-SB-217 | 1020860 | 10/31/96 | 8 | 10 | SB | x | | | | | | | |
| NK-SB-217 | 1020861 | 10/31/96 | 10 | 12 | SB | x | | | | | | | |
| NK-SB-217 | 1020862 | 10/31/96 | 12 | 14 | SB | x | | | | | | | |
| NK-SB-217 | 1020863 | 10/31/96 | 14 | 15 | SB | x | | | | | | | |
| NK-SB-217 | 1021132 | 11/11/96 | 6 | 8 | GW | | x | x | | | | x | x |
| NK-SB-218 | 1020864 | 10/31/96 | 0 | 2 | SB | x | | | | | | | |
| NK-SB-218 | 1020865 | 10/31/96 | 2 | 4 | SB | x | x | | | | | x | x |
| NK-SB-218 | 1020866 | 10/31/96 | 4 | 6 | SB | x | | | | | | | |
| NK-SB-218 | 1020867 | 10/31/96 | 6 | 8 | SB | x | x | | | | | x | x |
| NK-SB-218 | 1020868 | 10/31/96 | 8 | 10 | SB | x | | | | | | | |
| NK-SB-218 | 1020869 | 10/31/96 | 10 | 12 | SB | x | | | | | | | |
| NK-SB-218 | 1020870 | 10/31/96 | 12 | 14 | SB | x | | | | | | | |
| NK-SB-218 | 1020871 | 10/31/96 | 14 | 15 | SB | x | | | | | | | |
| NK-SB-218 | 1021131 | 11/11/96 | 9.5 | 11.5 | GW | | x | x | | | | x | x |
| NK-SB-272 | 1028166 | 3/12/97 | 0 | 2 | SB | x | | | | | | | |
| NK-SB-272 | 1028167 | 3/12/97 | 2 | 4 | SB | x | | | | | | | |
| NK-SB-272 | 1028168 | 3/12/97 | 4 | 6 | SB | x | | | | | | | |
| NK-SB-272 | 1028170 | 3/12/97 | 4 | 6 | SB | x | | | | | | | |
| NK-SB-272 | 1028169 | 3/12/97 | 6 | 8 | SB | x | | | | | | | |
| NK-SB-272 | 1028171 | 3/12/97 | 8 | 10 | SB | x | | | | | | | |
| NK-SB-272 | 1028172 | 3/12/97 | 10 | 12 | SB | x | | | | | | | |
| NK-SB-273 | 1028173 | 3/12/97 | 0 | 2 | SB | x | | | | | | | |
| NK-SB-273 | 1028174 | 3/12/97 | 2 | 4 | SB | x | | | | | | | |
| NK-SB-273 | 1028175 | 3/12/97 | 4 | 6 | SB | x | | | | | | | |
| NK-SB-273 | 1028176 | 3/12/97 | 6 | 8 | SB | x | | | | | | | |
| NK-SB-273 | 1028177 | 3/12/97 | 8 | 10 | SB | x | | | | | | | |
| NK-SB-273 | 1028178 | 3/12/97 | 10 | 12 | SB | x | | | | | | | |
| NK-SB-273 | 1028180 | 3/12/97 | 12 | 14 | SB | x | | | | | | | |

Notes: 1. Legend: x - mass, t - TCLP, s - SPLP, e - EPTOX, z - ZHE; Capitalized - at least one analyte detected

2. Printed on 05/03/00

Table 1
SUMMARY OF SAMPLING AND ANALYTICAL INFORMATION
P&W East Hartford: NK Undeveloped Land Area - Outside Storage Area

Page 3 of 12

| Sample Information | | | | | | Analysis Information | | | | | | | |
|--------------------|-----------|-------------|-----------|---------|-------|----------------------|-------------------|-----------------------|------------|------------|------|--------|---------------|
| Location ID | Sample ID | Sample Date | From (ft) | To (ft) | Class | Portable GC | Volatile Organics | Semivolatile Organics | Herbicides | Pesticides | PCBs | Metals | Miscellaneous |
| NK-SB-273 | 1028181 | 3/12/97 | 14 | 16 | SB | x | | | | | | | |
| NK-SB-274 | 1028182 | 3/12/97 | 0 | 2 | SB | x | | | | | | | |
| NK-SB-274 | 1028183 | 3/12/97 | 2 | 4 | SB | x | | | | | | | |
| NK-SB-274 | 1028184 | 3/12/97 | 4 | 6 | SB | x | | | | | | | |
| NK-SB-274 | 1028185 | 3/12/97 | 6 | 8 | SB | x | | | | | | | |
| NK-SB-274 | 1028186 | 3/12/97 | 8 | 10 | SB | x | | | | | | | |
| NK-SB-274 | 1028187 | 3/12/97 | 10 | 12 | SB | x | | | | | | | |
| NK-SB-274 | 1028188 | 3/12/97 | 12 | 14 | SB | x | | | | | | | |
| NK-SB-274 | 1028189 | 3/12/97 | 14 | 16 | SB | x | | | | | | | |
| NK-SB-275 | 1028193 | 3/13/97 | 0 | 2 | SB | x | | | | | | | |
| NK-SB-275 | 1028194 | 3/13/97 | 2 | 4 | SB | x | | | | | | | |
| NK-SB-275 | 1028195 | 3/13/97 | 4 | 6 | SB | x | | | | | | | |
| NK-SB-275 | 1028197 | 3/13/97 | 4 | 6 | SB | x | | | | | | | |
| NK-SB-275 | 1028196 | 3/13/97 | 6 | 8 | SB | x | | | | | | | |
| NK-SB-275 | 1028198 | 3/13/97 | 8 | 10 | SB | x | | | | | | | |
| NK-SB-275 | 1028199 | 3/13/97 | 10 | 12 | SB | x | | | | | | | |
| NK-SB-275 | 1028200 | 3/13/97 | 12 | 14 | SB | x | | | | | | | |
| NK-SB-275 | 1028201 | 3/13/97 | 14 | 16 | SB | x | | | | | | | |
| NK-SB-276 | 1028202 | 3/13/97 | 0 | 2 | SPB | x | | | | | | | |
| NK-SB-276 | 1028203 | 3/13/97 | 2 | 4 | SPB | x | | | | | | | |
| NK-SB-276 | 1028204 | 3/13/97 | 4 | 6 | SPB | x | | | | | | | |
| NK-SB-276 | 1028205 | 3/13/97 | 6 | 8 | SPB | x | | | | | | | |
| NK-SB-276 | 1028206 | 3/13/97 | 8 | 10 | SB | x | | | | | | | |
| NK-SB-276 | 1028207 | 3/13/97 | 10 | 12 | SB | x | | | | | | | |
| NK-SB-277 | 1028208 | 3/13/97 | 0 | 2 | SPB | x | | | | | | | |
| NK-SB-277 | 1028209 | 3/13/97 | 2 | 4 | SPB | x | | | | | | | |
| NK-SB-277 | 1028210 | 3/13/97 | 4 | 6 | SPB | x | | | | | | | |
| NK-SB-277 | 1028211 | 3/13/97 | 6 | 8 | SPB | x | | | | | | | |
| NK-SB-277 | 1028212 | 3/13/97 | 8 | 10 | SB | x | | | | | | | |
| NK-SB-277 | 1028213 | 3/13/97 | 10 | 12 | SB | x | | | | | | | |
| NK-SB-278 | 1028214 | 3/13/97 | 0 | 2 | SPB | x | | | | | | | |
| NK-SB-278 | 1028215 | 3/13/97 | 2 | 4 | SPB | x | | | | | | | |

Notes: 1. Legend: x - mass, t - TCLP, s - SPLP, e - EPTOX, z - ZHE; Capitalized - at least one analyte detected

2. Printed on 05/03/00

Table 1
SUMMARY OF SAMPLING AND ANALYTICAL INFORMATION
P&W East Hartford: NK Undeveloped Land Area - Outside Storage Area

Page 4 of 12

| Sample Information | | | | | | Analysis Information | | | | | | | |
|--------------------|-----------|-------------|-----------|---------|-------|----------------------|-------------------|-----------------------|------------|------------|------|--------|---------------|
| Location ID | Sample ID | Sample Date | From (ft) | To (ft) | Class | Portable GC | Volatile Organics | Semivolatile Organics | Herbicides | Pesticides | PCBs | Metals | Miscellaneous |
| NK-SB-278 | 1028216 | 3/13/97 | 4 | 6 | SPB | x | | | | | | | |
| NK-SB-278 | 1028217 | 3/13/97 | 6 | 8 | SPB | x | | | | | | | |
| NK-SB-278 | 1028218 | 3/13/97 | 8 | 10 | SB | x | | | | | | | |
| NK-SB-278 | 1028219 | 3/13/97 | 10 | 12 | SB | x | | | | | | | |
| NK-SB-279 | 1028220 | 3/13/97 | 0 | 2 | SB | x | | | | | | | |
| NK-SB-279 | 1028221 | 3/13/97 | 2 | 4 | SB | x | | | | | | | |
| NK-SB-279 | 1028222 | 3/13/97 | 4 | 6 | SB | x | | | | | | | |
| NK-SB-279 | 1028223 | 3/13/97 | 6 | 8 | SB | x | | | | | | | |
| NK-SB-279 | 1028224 | 3/13/97 | 8 | 10 | SB | x | | | | | | | |
| NK-SB-279 | 1028225 | 3/13/97 | 10 | 12 | SB | x | | | | | | | |
| NK-SB-279 | 1028226 | 3/13/97 | 12 | 14 | SB | x | | | | | | | |
| NK-SB-279 | 1028227 | 3/13/97 | 14 | 16 | SB | x | | | | | | | |
| NK-SB-280 | 1028230 | 3/14/97 | 0 | 2 | SB | x | | | | | | | |
| NK-SB-280 | 1028231 | 3/14/97 | 2 | 4 | SB | X | | | | | | | |
| NK-SB-280 | 1028232 | 3/14/97 | 4 | 6 | SB | X | | | | | | | |
| NK-SB-280 | 1028233 | 3/14/97 | 6 | 8 | SB | X | | | | | | | |
| NK-SB-280 | 1028234 | 3/14/97 | 8 | 10 | SB | x | | | | | | | |
| NK-SB-280 | 1028235 | 3/14/97 | 10 | 12 | SB | x | | | | | | | |
| NK-SB-280 | 1028236 | 3/14/97 | 12 | 14 | SB | x | | | | | | | |
| NK-SB-280 | 1028237 | 3/14/97 | 14 | 16 | SB | x | | | | | | | |
| NK-SB-281 | 1028238 | 3/14/97 | 0 | 2 | SB | x | | | | | | | |
| NK-SB-281 | 1028239 | 3/14/97 | 2 | 4 | SB | x | | | | | | | |
| NK-SB-281 | 1028240 | 3/14/97 | 4 | 6 | SB | x | | | | | | | |
| NK-SB-281 | 1028242 | 3/14/97 | 4 | 6 | SB | x | | | | | | | |
| NK-SB-281 | 1028241 | 3/14/97 | 6 | 8 | SB | x | | | | | | | |
| NK-SB-281 | 1028243 | 3/14/97 | 8 | 10 | SB | x | | | | | | | |
| NK-SB-281 | 1028244 | 3/14/97 | 10 | 12 | SB | x | | | | | | | |
| NK-SB-282 | 1028245 | 3/14/97 | 0 | 2 | SB | x | | | | | | | |
| NK-SB-282 | 1028246 | 3/14/97 | 2 | 4 | SB | x | | | | | | | |
| NK-SB-282 | 1028247 | 3/14/97 | 4 | 6 | SB | x | | | | | | | |
| NK-SB-282 | 1028248 | 3/14/97 | 6 | 8 | SB | x | | | | | | | |
| NK-SB-282 | 1028249 | 3/14/97 | 8 | 10 | SB | x | | | | | | | |

Notes: 1. Legend: x - mass, t - TCLP, s - SPLP, e - EPTOX, z - ZHE; Capitalized - at least one analyte detected

2. Printed on 05/03/00

Table 1
SUMMARY OF SAMPLING AND ANALYTICAL INFORMATION
P&W East Hartford: NK Undeveloped Land Area - Outside Storage Area

Page 5 of 12

| Sample Information | | | | | | Analysis Information | | | | | | | |
|--------------------|-----------|-------------|-----------|---------|-------|----------------------|-------------------|-----------------------|------------|------------|------|--------|---------------|
| Location ID | Sample ID | Sample Date | From (ft) | To (ft) | Class | Portable GC | Volatile Organics | Semivolatile Organics | Herbicides | Pesticides | PCBs | Metals | Miscellaneous |
| NK-SB-282 | 1028250 | 3/14/97 | 10 | 12 | SB | x | | | | | | | |
| NK-SB-283 | 1028253 | 3/17/97 | 0 | 2 | SB | x | | | | | | | |
| NK-SB-283 | 1028254 | 3/17/97 | 2 | 4 | SB | x | | | | | | | |
| NK-SB-283 | 1028256 | 3/17/97 | 4 | 6 | SB | x | | | | | | | |
| NK-SB-283 | 1028255 | 3/17/97 | 6 | 8 | SB | x | | | | | | | |
| NK-SB-283 | 1028257 | 3/17/97 | 6 | 8 | SB | x | | | | | | | |
| NK-SB-283 | 1028258 | 3/17/97 | 8 | 10 | SB | x | | | | | | | |
| NK-SB-283 | 1028259 | 3/17/97 | 10 | 12 | SB | x | | | | | | | |
| NK-SB-284 | 1028260 | 3/17/97 | 0 | 2 | SB | x | | | | | | | |
| NK-SB-284 | 1028261 | 3/17/97 | 2 | 4 | SB | x | | | | | | | |
| NK-SB-284 | 1028262 | 3/17/97 | 4 | 6 | SB | x | | | | | | | |
| NK-SB-284 | 1028263 | 3/17/97 | 6 | 8 | SB | x | | | | | | | |
| NK-SB-284 | 1028264 | 3/17/97 | 8 | 10 | SB | x | | | | | | | |
| NK-SB-284 | 1028265 | 3/17/97 | 10 | 12 | SB | x | | | | | | | |
| NK-SB-284 | 1028266 | 3/17/97 | 12 | 14 | SB | x | | | | | | | |
| NK-SB-284 | 1028267 | 3/17/97 | 14 | 16 | SB | x | | | | | | | |
| NK-SB-285 | 1028268 | 3/17/97 | 0 | 2 | SB | x | | | | | | | |
| NK-SB-285 | 1028269 | 3/17/97 | 2 | 4 | SB | x | | | | | | | |
| NK-SB-285 | 1028270 | 3/17/97 | 4 | 6 | SB | x | | | | | | | |
| NK-SB-285 | 1028271 | 3/17/97 | 6 | 8 | SB | x | | | | | | | |
| NK-SB-285 | 1028272 | 3/17/97 | 8 | 10 | SB | x | | | | | | | |
| NK-SB-285 | 1028273 | 3/17/97 | 10 | 12 | SB | x | | | | | | | |
| NK-SB-285 | 1028274 | 3/17/97 | 12 | 14 | SB | x | | | | | | | |
| NK-SB-285 | 1028275 | 3/17/97 | 14 | 16 | SB | x | | | | | | | |
| NK-SB-286 | 1028280 | 3/18/97 | 0 | 2 | SB | x | | | | | | | |
| NK-SB-286 | 1028281 | 3/18/97 | 2 | 4 | SB | x | | | | | | | |
| NK-SB-286 | 1028282 | 3/18/97 | 4 | 6 | SB | x | x | | | | | | x |
| NK-SB-286 | 1028283 | 3/18/97 | 6 | 8 | SB | x | | | | | | | |
| NK-SB-286 | 1028284 | 3/18/97 | 8 | 10 | SB | x | | | | | | | |
| NK-SB-286 | 1028285 | 3/18/97 | 10 | 12 | SB | x | | | | | | | |
| NK-SB-286 | 1028286 | 3/18/97 | 12 | 14 | SB | x | | | | | | | |
| NK-SB-286 | 1028287 | 3/18/97 | 14 | 16 | SB | x | | | | | | | |

Notes: 1. Legend: x - mass, t - TCLP, s - SPLP, e - EPTOX, z - ZHE; Capitalized - at least one analyte detected

2. Printed on 05/03/00

Table 1
SUMMARY OF SAMPLING AND ANALYTICAL INFORMATION
P&W East Hartford: NK Undeveloped Land Area - Outside Storage Area

Page 6 of 12

| Sample Information | | | | | | Analysis Information | | | | | | | |
|--------------------|-----------|-------------|-----------|---------|-------|----------------------|-------------------|-----------------------|------------|------------|------|--------|---------------|
| Location ID | Sample ID | Sample Date | From (ft) | To (ft) | Class | Portable GC | Volatile Organics | Semivolatile Organics | Herbicides | Pesticides | PCBs | Metals | Miscellaneous |
| NK-SB-287 | 1028288 | 3/18/97 | 0 | 2 | SB | X | | | | | | | |
| NK-SB-287 | 1028289 | 3/18/97 | 2 | 4 | SB | X | | | | | | | |
| NK-SB-287 | 1028290 | 3/18/97 | 4 | 6 | SB | x | x | | | | | | x |
| NK-SB-287 | 1028291 | 3/18/97 | 6 | 8 | SB | X | | | | | | | |
| NK-SB-287 | 1028292 | 3/18/97 | 8 | 10 | SB | x | | | | | | | |
| NK-SB-287 | 1028294 | 3/18/97 | 8 | 10 | SB | x | | | | | | | |
| NK-SB-287 | 1028293 | 3/18/97 | 10 | 12 | SB | x | | | | | | | |
| NK-SB-287 | 1028295 | 3/18/97 | 12 | 14 | SB | x | | | | | | | |
| NK-SB-287 | 1028296 | 3/18/97 | 14 | 16 | SB | x | | | | | | | |
| NK-SB-288 | 1028297 | 3/18/97 | 0 | 2 | SB | x | | | | | | | |
| NK-SB-288 | 1028298 | 3/18/97 | 2 | 4 | SB | x | | | | | | | |
| NK-SB-288 | 1028299 | 3/18/97 | 4 | 6 | SB | x | | | | | | | |
| NK-SB-288 | 1028300 | 3/18/97 | 6 | 8 | SB | x | | | | | | | |
| NK-SB-288 | 1028301 | 3/18/97 | 8 | 10 | SB | x | x | x | | | | | x |
| NK-SB-288 | 1028302 | 3/18/97 | 10 | 12 | SB | x | | | | | | | |
| NK-SB-289 | 1028303 | 3/18/97 | 0 | 2 | SB | X | | | | | | | |
| NK-SB-289 | 1028304 | 3/18/97 | 2 | 4 | SB | X | | | | | | | |
| NK-SB-289 | 1028305 | 3/18/97 | 4 | 6 | SB | X | | | | | | | |
| NK-SB-289 | 1028306 | 3/18/97 | 6 | 8 | SB | X | | | | | | | |
| NK-SB-289 | 1028307 | 3/18/97 | 8 | 10 | SB | x | | | | | | | |
| NK-SB-289 | 1028310 | 3/18/97 | 10 | 12.5 | SB | x | x | x | | | | | x |
| NK-SB-290 | 1028309 | 3/18/97 | 0 | 2 | SB | X | | | | | | | |
| NK-SB-290 | 1028308 | 3/18/97 | 2 | 4 | SB | X | | | | | | | |
| NK-SB-290 | 1028311 | 3/18/97 | 4 | 6 | SB | X | | | | | | | |
| NK-SB-290 | 1028312 | 3/18/97 | 6 | 8 | SB | X | x | | | | | | x |
| NK-SB-290 | 1028313 | 3/18/97 | 8 | 10 | SB | x | | | | | | | |
| NK-SB-290 | 1028314 | 3/18/97 | 10 | 12 | SB | x | | | | | | | |
| NK-SB-290 | 1028315 | 3/18/97 | 12 | 14 | SB | x | | | | | | | |
| NK-SB-310 | 1634657 | 6/ 5/97 | 0 | 2 | SPB | x | | | | | | | |
| NK-SB-310 | 1634658 | 6/ 5/97 | 2 | 4 | SPB | X | x | x | | x | | | x |
| NK-SB-310 | 1634659 | 6/ 5/97 | 2 | 4 | SPB | X | x | x | | x | | | x |
| NK-SB-310 | 1634660 | 6/ 5/97 | 4 | 6 | SPB | X | x | | | | | | x |

Notes: 1. Legend: x - mass, t - TCLP, s - SPLP, e - EPTOX, z - ZHE; Capitalized - at least one analyte detected

2. Printed on 05/03/00

Table 1
SUMMARY OF SAMPLING AND ANALYTICAL INFORMATION
P&W East Hartford: NK Undeveloped Land Area - Outside Storage Area

Page 7 of 12

| Sample Information | | | | | Analysis Information | | | | | | | | |
|--------------------|-----------|-------------|-----------|---------|----------------------|-------------|-------------------|-----------------------|------------|------------|------|--------|---------------|
| Location ID | Sample ID | Sample Date | From (ft) | To (ft) | Class | Portable GC | Volatile Organics | Semivolatile Organics | Herbicides | Pesticides | PCBs | Metals | Miscellaneous |
| NK-SB-310 | 1634661 | 6/5/97 | 6 | 8 | SPB | X | X | | | | | | X |
| NK-SB-310 | 1634662 | 6/5/97 | 8 | 10 | SB | x | | | | | | | |
| NK-SB-310 | 1634663 | 6/5/97 | 10 | 12 | SB | x | | | | | | | |
| NK-SB-311 | 1634664 | 6/5/97 | 0 | 2 | SPB | x | | | | | | | X |
| NK-SB-311 | 1634665 | 6/5/97 | 2 | 4 | SPB | x | | | | | | | X |
| NK-SB-311 | 1634666 | 6/5/97 | 4 | 6 | SPB | x | X | | | | x | | X |
| NK-SB-311 | 1634667 | 6/5/97 | 6 | 8 | SPB | x | X | x | | | x | | X |
| NK-SB-311 | 1634668 | 6/5/97 | 8 | 10 | SB | x | X | | | | x | | x |
| NK-SB-311 | 1634669 | 6/5/97 | 10 | 12 | SB | x | | | | | | | |
| NK-SB-311 | 1634648 | 6/12/97 | 8 | 12 | GW | | x | x | | | | | X |
| NK-SB-312 | 1634670 | 6/5/97 | 0 | 2 | SPB | x | | | | | | | |
| NK-SB-312 | 1634671 | 6/5/97 | 2 | 4 | SPB | x | | | | | | | X |
| NK-SB-312 | 1634672 | 6/5/97 | 4 | 6 | SPB | x | | | | | x | | X |
| NK-SB-312 | 1634673 | 6/5/97 | 6 | 8 | SPB | x | | | | | | | X |
| NK-SB-312 | 1634674 | 6/5/97 | 8 | 10 | SB | x | X | x | | | | | |
| NK-SB-312 | 1634675 | 6/5/97 | 10 | 12 | SB | x | | | | | | | |
| NK-SB-312 | 1634649 | 6/12/97 | 8 | 12 | GW | | x | x | | | | | x |
| NK-SB-313 | 1634676 | 6/5/97 | 0 | 2 | SB | x | | | | | | | |
| NK-SB-313 | 1634677 | 6/5/97 | 2 | 4 | SB | x | | | | | | | |
| NK-SB-313 | 1634678 | 6/5/97 | 4 | 6 | SB | x | X | | | | | | X |
| NK-SB-313 | 1634679 | 6/5/97 | 6 | 8 | SB | x | X | | | | | | X |
| NK-SB-313 | 1634680 | 6/5/97 | 8 | 10 | SB | x | X | x | | | x | | X |
| NK-SB-313 | 1634681 | 6/5/97 | 10 | 12 | SB | x | | | | | | | |
| NK-SB-313 | 1634682 | 6/5/97 | 12 | 14 | SB | x | | | | | | | |
| NK-SB-314 | 1634683 | 6/5/97 | 0 | 2 | SB | x | | | | | | | |
| NK-SB-314 | 1634684 | 6/5/97 | 2 | 4 | SB | x | X | x | | | | | X |
| NK-SB-314 | 1634685 | 6/5/97 | 4 | 6 | SB | x | | | | | | | X |
| NK-SB-314 | 1634686 | 6/5/97 | 6 | 8 | SB | x | | | | | | | X |
| NK-SB-314 | 1634687 | 6/5/97 | 8 | 10 | SB | x | X | | | | | | X |
| NK-SB-314 | 1634688 | 6/5/97 | 10 | 12 | SB | x | | | | | | | |
| NK-SB-314 | 1634689 | 6/5/97 | 12 | 14 | SB | x | | | | | | | |
| NK-SB-314 | 1634646 | 6/12/97 | 8 | 12 | GW | | x | x | | | | | x |

Notes: 1. Legend: x - mass, t - TCLP, s - SPLP, e - EPTOX, z - ZHE; Capitalized - at least one analyte detected

2. Printed on 05/03/00

Table 1
SUMMARY OF SAMPLING AND ANALYTICAL INFORMATION
P&W East Hartford: NK Undeveloped Land Area - Outside Storage Area

Page 8 of 12

| Sample Information | | | | | | Analysis Information | | | | | | | |
|--------------------|-----------|-------------|-----------|---------|-------|----------------------|-------------------|-----------------------|------------|------------|------|--------|---------------|
| Location ID | Sample ID | Sample Date | From (ft) | To (ft) | Class | Portable GC | Volatile Organics | Semivolatile Organics | Herbicides | Pesticides | PCBs | Metals | Miscellaneous |
| NK-SB-319 | 1634694 | 6/ 9/97 | 0 | 2 | SB | x | | | | | | | |
| NK-SB-319 | 1634695 | 6/ 9/97 | 2 | 4 | SB | x | | | | | | | x |
| NK-SB-319 | 1634696 | 6/ 9/97 | 4 | 6 | SB | x | x | | | | | | x |
| NK-SB-319 | 1634697 | 6/ 9/97 | 6 | 8 | SB | x | | | | | | | x |
| NK-SB-319 | 1634698 | 6/ 9/97 | 6 | 8 | SB | x | | | | | | | x |
| NK-SB-319 | 1634699 | 6/ 9/97 | 8 | 10 | SB | x | x | x | | | | | x |
| NK-SB-319 | 1634700 | 6/ 9/97 | 10 | 12 | SB | x | | | | | | | |
| NK-SB-319 | 1634701 | 6/ 9/97 | 12 | 14 | SB | x | | | | | | | |
| NK-SB-319 | 1634702 | 6/ 9/97 | 14 | 16 | SB | x | | | | | | | |
| NK-SB-319 | 1634647 | 6/12/97 | 8 | 12 | GW | | x | x | | | | | x |
| NK-SB-320 | 1634703 | 6/ 9/97 | 0 | 2 | SB | x | x | x | | | | | x |
| NK-SB-320 | 1634704 | 6/ 9/97 | 2 | 4 | SB | x | | | | | | | x |
| NK-SB-320 | 1634705 | 6/ 9/97 | 4 | 6 | SB | x | | | | | | | x |
| NK-SB-320 | 1634706 | 6/ 9/97 | 6 | 8 | SB | x | x | | | | | | x |
| NK-SB-320 | 1634707 | 6/ 9/97 | 8 | 10 | SB | x | | | | | | | |
| NK-SB-320 | 1634708 | 6/ 9/97 | 10 | 12 | SB | x | | | | | | | |
| NK-SB-320 | 1634709 | 6/ 9/97 | 12 | 14 | SB | x | | | | | | | |
| NK-SB-320 | 1634710 | 6/ 9/97 | 14 | 16 | SB | x | | | | | | | |
| NK-SB-321 | 1634711 | 6/ 9/97 | 0 | 2 | SB | x | x | | | | | | x |
| NK-SB-321 | 1634712 | 6/ 9/97 | 2 | 4 | SB | x | x | x | | | | | x |
| NK-SB-321 | 1634713 | 6/ 9/97 | 4 | 6 | SB | x | | | | | | | |
| NK-SB-321 | 1634714 | 6/ 9/97 | 6 | 8 | SB | x | | | | | | | |
| NK-SB-321 | 1634715 | 6/ 9/97 | 8 | 10 | SB | x | | | | | | | |
| NK-SB-321 | 1634716 | 6/ 9/97 | 10 | 12 | SB | x | | | | | | | |
| NK-SB-321 | 1634717 | 6/ 9/97 | 12 | 14 | SB | x | | | | | | | |
| NK-SB-321 | 1634718 | 6/ 9/97 | 14 | 16 | SB | x | | | | | | | |
| NK-SB-322 | 1634725 | 6/ 9/97 | 0 | 2 | SPB | x | | | | | | | |
| NK-SB-322 | 1634726 | 6/ 9/97 | 2 | 4 | SPB | x | x | x | | | x | | x |
| NK-SB-322 | 1634727 | 6/ 9/97 | 4 | 6 | SB | x | | | | | | | |
| NK-SB-322 | 1634728 | 6/ 9/97 | 6 | 8 | SB | x | x | x | | | x | | x |
| NK-SB-322 | 1634729 | 6/ 9/97 | 8 | 10 | SB | x | | | | | | | |
| NK-SB-322 | 1634730 | 6/ 9/97 | 10 | 12 | SB | x | | | | | | | |

Notes: 1. Legend: x - mass, t - TCLP, s - SPLP, e - EPTOX, z - ZHE; Capitalized - at least one analyte detected

2. Printed on 05/03/00

Table 1
SUMMARY OF SAMPLING AND ANALYTICAL INFORMATION
P&W East Hartford: NK Undeveloped Land Area - Outside Storage Area

Page 9 of 12

| Sample Information | | | | | | Analysis Information | | | | | | | |
|--------------------|-----------|-------------|-----------|---------|-------|----------------------|-------------------|-----------------------|------------|------------|------|--------|---------------|
| Location ID | Sample ID | Sample Date | From (ft) | To (ft) | Class | Portable GC | Volatile Organics | Semivolatile Organics | Herbicides | Pesticides | PCBs | Metals | Miscellaneous |
| NK-SB-322 | 1634731 | 6/9/97 | 12 | 14 | SB | x | | | | | | | |
| NK-SB-322 | 1634732 | 6/9/97 | 14 | 16 | SB | x | | | | | | | |
| NK-SB-323 | 1634723 | 6/10/97 | 0 | 2 | SB | x | | | | | | | |
| NK-SB-323 | 1634724 | 6/10/97 | 2 | 4 | SB | x | x | | | | | | x |
| NK-SB-323 | 1634734 | 6/10/97 | 4 | 6 | SB | x | | | | | | | x |
| NK-SB-323 | 1634735 | 6/10/97 | 6 | 8 | SB | x | x | | | | | | x |
| NK-SB-323 | 1634736 | 6/10/97 | 8 | 10 | SB | x | | | | | | | x |
| NK-SB-323 | 1634737 | 6/10/97 | 8 | 10 | SB | x | | | | | | | x |
| NK-SB-323 | 1634738 | 6/10/97 | 10 | 12 | SB | x | | | | | | | |
| NK-SB-323 | 1634739 | 6/10/97 | 12 | 14 | SB | x | | | | | | | |
| NK-SB-323 | 1634740 | 6/10/97 | 14 | 16 | SB | x | | | | | | | |
| NK-SB-324 | 1634741 | 6/10/97 | 0 | 2 | SB | x | | | | | | | |
| NK-SB-324 | 1634742 | 6/10/97 | 2 | 4 | SB | x | | | | | | | x |
| NK-SB-324 | 1634743 | 6/10/97 | 4 | 6 | SB | x | x | x | | | x | | x |
| NK-SB-324 | 1634744 | 6/10/97 | 6 | 8 | SB | x | | | | | | | x |
| NK-SB-324 | 1634745 | 6/10/97 | 8 | 10 | SB | x | | | | | | | |
| NK-SB-324 | 1634746 | 6/10/97 | 10 | 12 | SB | x | | | | | | | |
| NK-SB-324 | 1634747 | 6/10/97 | 12 | 14 | SB | x | | | | | | | |
| NK-SB-324 | 1634748 | 6/10/97 | 14 | 16 | SB | x | | | | | | | |
| NK-SB-324 | 1634644 | 6/12/97 | 8 | 12 | GW | | x | x | | | | | x |
| NK-SB-325 | 1634749 | 6/10/97 | 0 | 2 | SB | x | | | | | | | |
| NK-SB-325 | 1634750 | 6/10/97 | 2 | 4 | SB | x | x | | | | | | x |
| NK-SB-325 | 1634751 | 6/10/97 | 4 | 6 | SB | x | | | | | | | x |
| NK-SB-325 | 1634752 | 6/10/97 | 6 | 8 | SB | x | x | x | | | x | | x |
| NK-SB-325 | 1634753 | 6/10/97 | 8 | 10 | SB | x | | | | | | | x |
| NK-SB-325 | 1634754 | 6/10/97 | 10 | 12 | SB | x | | | | | | | |
| NK-SB-325 | 1634755 | 6/10/97 | 12 | 14 | SB | x | | | | | | | |
| NK-SB-325 | 1634756 | 6/10/97 | 14 | 16 | SB | x | | | | | | | |
| NK-SB-326 | 1634757 | 6/10/97 | 0 | 2 | SPB | x | x | | | | | | x |
| NK-SB-326 | 1634758 | 6/10/97 | 2 | 4 | SPB | x | | | | | | | x |
| NK-SB-326 | 1634759 | 6/10/97 | 4 | 6 | SB | x | | | | | | | x |
| NK-SB-326 | 1634760 | 6/10/97 | 6 | 8 | SB | x | x | | | | | | x |

Notes: 1. Legend: x - mass, t - TCLP, s - SPLP, e - EPTOX, z - ZHE; Capitalized - at least one analyte detected

2. Printed on 05/03/00

TEA

Table 1
SUMMARY OF SAMPLING AND ANALYTICAL INFORMATION
P&W East Hartford: NK Undeveloped Land Area - Outside Storage Area

Page 10 of 12

| Sample Information | | | | | | Analysis Information | | | | | | | |
|--------------------|-----------|-------------|-----------|---------|-------|----------------------|-------------------|-----------------------|------------|------------|------|--------|---------------|
| Location ID | Sample ID | Sample Date | From (ft) | To (ft) | Class | Portable GC | Volatile Organics | Semivolatile Organics | Herbicides | Pesticides | PCBs | Metals | Miscellaneous |
| NK-SB-326 | 1634761 | 6/10/97 | 8 | 10 | SB | x | | | | | | | |
| NK-SB-326 | 1634762 | 6/10/97 | 10 | 12 | SB | x | | | | | | | |
| NK-SB-326 | 1634645 | 6/12/97 | 8 | 12 | GW | | x | x | | | | | x |
| NK-SB-327 | 1634765 | 6/11/97 | 0 | 2 | SB | X | | | | | | | |
| NK-SB-327 | 1634766 | 6/11/97 | 2 | 4 | SB | X | | | | | | | |
| NK-SB-327 | 1634767 | 6/11/97 | 4 | 6 | SB | X | x | x | | | x | | x |
| NK-SB-327 | 1634768 | 6/11/97 | 6 | 8 | SB | X | | | | | | | |
| NK-SB-327 | 1634769 | 6/11/97 | 8 | 10 | SB | X | | | | | | | |
| NK-SB-327 | 1634770 | 6/11/97 | 8 | 10 | SB | X | | | | | | | |
| NK-SB-327 | 1634771 | 6/11/97 | 10 | 12 | SB | x | | | | | | | |
| NK-SB-327 | 1634772 | 6/11/97 | 12 | 14 | SB | X | x | | | | | | x |
| NK-SB-327 | 1634773 | 6/11/97 | 14 | 16 | SB | x | | | | | | | |
| NK-SB-328 | 1634774 | 6/11/97 | 0 | 2 | SB | X | | | | | | | |
| NK-SB-328 | 1634775 | 6/11/97 | 2 | 4 | SB | X | | | | | | | x |
| NK-SB-328 | 1634776 | 6/11/97 | 4 | 6 | SB | X | x | x | | | x | | x |
| NK-SB-328 | 1634777 | 6/11/97 | 6 | 8 | SB | x | | | | | | | x |
| NK-SB-328 | 1634778 | 6/11/97 | 8 | 10 | SB | x | | | | | | | |
| NK-SB-328 | 1634779 | 6/11/97 | 10 | 12 | SB | x | | | | | | | |
| NK-SB-329 | 1634780 | 6/11/97 | 0 | 2 | SB | x | | | | | | | |
| NK-SB-329 | 1634781 | 6/11/97 | 2 | 4 | SB | x | x | x | | | x | | x |
| NK-SB-329 | 1634782 | 6/11/97 | 4 | 6 | SB | x | | | | | | | x |
| NK-SB-329 | 1634783 | 6/11/97 | 6 | 8 | SB | x | | | | | | | |
| NK-SB-329 | 1634784 | 6/11/97 | 8 | 10 | SB | x | x | | | | | | x |
| NK-SB-329 | 1634785 | 6/11/97 | 10 | 12 | SB | x | | | | | | | |
| NK-SB-330 | 1634884 | 6/12/97 | 0 | 2 | SB | x | | | | | | | |
| NK-SB-330 | 1634786 | 6/12/97 | 2 | 4 | SB | x | | | | | | | x |
| NK-SB-330 | 1634787 | 6/12/97 | 4 | 6 | SB | x | x | | | | | | x |
| NK-SB-330 | 1634788 | 6/12/97 | 4 | 6 | SB | x | x | | | | | | x |
| NK-SB-330 | 1634789 | 6/12/97 | 6 | 8 | SB | x | | | | | | | x |
| NK-SB-330 | 1634790 | 6/12/97 | 8 | 10 | SB | x | | | | | | | |
| NK-SB-330 | 1634791 | 6/12/97 | 10 | 12 | SB | x | | | | | | | |
| NK-SB-331 | 1634792 | 6/12/97 | 0 | 2 | SB | x | | | | | | | |

Notes: 1. Legend: x - mass, t - TCLP, s - SPLP, e - EPTOX, z - ZHE; Capitalized - at least one analyte detected

2. Printed on 05/03/00

Table 1
SUMMARY OF SAMPLING AND ANALYTICAL INFORMATION
P&W East Hartford: NK Undeveloped Land Area - Outside Storage Area

Page 11 of 12

| Sample Information | | | | | | Analysis Information | | | | | | | |
|--------------------|-----------|-------------|-----------|---------|-------|----------------------|-------------------|-----------------------|------------|------------|------|--------|---------------|
| Location ID | Sample ID | Sample Date | From (ft) | To (ft) | Class | Portable GC | Volatile Organics | Semivolatile Organics | Herbicides | Pesticides | PCBs | Metals | Miscellaneous |
| NK-SB-331 | 1634793 | 6/12/97 | 2 | 4 | SB | x | x | | | | | | x |
| NK-SB-331 | 1634794 | 6/12/97 | 4 | 6 | SB | x | | | | | | | x |
| NK-SB-331 | 1634795 | 6/12/97 | 6 | 8 | SB | x | x | | | | | | x |
| NK-SB-331 | 1634796 | 6/12/97 | 8 | 10 | SB | x | | | | | | | |
| NK-SB-331 | 1634797 | 6/12/97 | 10 | 12 | SB | x | | | | | | | |
| NK-SB-332 | 1634798 | 6/12/97 | 0 | 2 | SB | x | | | | | | | |
| NK-SB-332 | 1634799 | 6/12/97 | 2 | 4 | SB | x | x | | | | | | x |
| NK-SB-332 | 1634800 | 6/12/97 | 4 | 6 | SB | x | | | | | | | x |
| NK-SB-332 | 1634801 | 6/12/97 | 6 | 8 | SB | x | x | x | | | x | | x |
| NK-SB-332 | 1634802 | 6/12/97 | 8 | 10 | SB | x | | | | | | | |
| NK-SB-332 | 1634803 | 6/12/97 | 10 | 12 | SB | x | | | | | | | |
| NK-SB-53 | 1016798 | 8/8/96 | 0 | 2 | SB | x | | | | | | | |
| NK-SB-53 | 1016799 | 8/8/96 | 2 | 4 | SB | x | x | | | | | | x |
| NK-SB-53 | 1016800 | 8/8/96 | 4 | 6 | SB | x | | | | | | | |
| NK-TP-02B | 1017467 | 8/19/96 | 9.2 | | SS | x | x | | | | | | x |
| NK-TP-02E | 1017471 | 8/19/96 | 5.5 | | SS | x | | | | | | | |
| NK-TP-02N | 1017469 | 8/19/96 | 5.2 | | SS | x | x | | | | | | x |
| NK-TP-02S | 1017468 | 8/19/96 | 5.3 | | SS | x | | | | | | | |
| NK-TP-02W | 1017470 | 8/19/96 | 5.3 | | SS | x | | | | | | | |
| NK-TP-04B | 1020895 | 11/1/96 | 6 | | SS | x | x | x | | | x | x | x |
| NK-TP-04E | 1020894 | 11/1/96 | 3 | | SS | x | | | | | | | |
| NK-TP-04N | 1020891 | 11/1/96 | 3 | | SPS | x | x | | | | | | x |
| NK-TP-04S | 1020893 | 11/1/96 | 3 | | SS | x | | | | | | | |
| NK-TP-04W | 1020892 | 11/1/96 | 4 | | SS | x | | | | | | | |
| NK-TP-05B | 1020900 | 11/1/96 | 6 | | SS | x | x | x | | | x | x | x |
| NK-TP-05E | 1020897 | 11/1/96 | 3 | | SS | x | x | | | | | | x |
| NK-TP-05N | 1020896 | 11/1/96 | 2 | | SS | x | | | | | | | |
| NK-TP-05S | 1020898 | 11/1/96 | 2.5 | | SS | x | | | | | | | |
| NK-TP-05W | 1020899 | 11/1/96 | 2.6 | | SS | x | | | | | | | |
| NK-TP-06B | 1020905 | 11/1/96 | 6 | | SS | x | x | | | | | | x |
| NK-TP-06E | 1020902 | 11/1/96 | 2 | | SS | x | | | | | | | |
| NK-TP-06N | 1020901 | 11/1/96 | 3 | | SS | x | | | | | | | |

Notes: 1. Legend: x - mass, t - TCLP, s - SPLP, e - EPTOX, z - ZHE; Capitalized - at least one analyte detected

2. Printed on 05/03/00

Table 1
SUMMARY OF SAMPLING AND ANALYTICAL INFORMATION
P&W East Hartford: NK Undeveloped Land Area - Outside Storage Area

Page 12 of 12

| Sample Information | | | | | Analysis Information | | | | | | | | |
|--------------------|-----------|-------------|-----------|---------|----------------------|-------------|-------------------|-----------------------|------------|------------|------|--------|---------------|
| Location ID | Sample ID | Sample Date | From (ft) | To (ft) | Class | Portable GC | Volatile Organics | Semivolatile Organics | Herbicides | Pesticides | PCBs | Metals | Miscellaneous |
| NK-TP-06S | 1020903 | 11/1/96 | 2 | | SS | x | | | | | | | |
| NK-TP-06W | 1020904 | 11/1/96 | 2.2 | | SS | x | | | | | | | |
| NK-TP-20-1 | 1832281 | 12/1/98 | 5.0 | | SS | | x | X | | | x | X | x |
| NK-TP-20-10 | 1832290 | 12/1/98 | 5.0 | | SS | | x | x | | | x | X | X |
| NK-TP-20-11 | 1832291 | 12/1/98 | 5.0 | | SS | | x | x | | | x | X | x |
| NK-TP-20-12 | 1832292 | 12/1/98 | 5.0 | | SS | | x | x | | | x | X | X |
| NK-TP-20-13 | 1832293 | 12/1/98 | 5.0 | | SS | | x | x | | | X | X | X |
| NK-TP-20-14 | 1832294 | 12/1/98 | 5.0 | | SS | | x | x | | | x | X | X |
| NK-TP-20-15 | 1832295 | 12/1/98 | 5.0 | | SS | | x | x | | | x | X | x |
| NK-TP-20-16 | 1832296 | 12/1/98 | 5.0 | | SS | | x | x | | | x | X | x |
| NK-TP-20-16 | 1832297 | 12/1/98 | 5.0 | | SS | | x | x | | | x | X | x |
| NK-TP-20-17 | 1836765 | 3/25/99 | 4 | | SS | | | | | | | | x |
| NK-TP-20-18 | 1836766 | 3/25/99 | 4 | | SS | | | | | | | | x |
| NK-TP-20-19 | 1964607 | 4/19/00 | 5 | | SS | | | X | | | | | |
| NK-TP-20-2 | 1832282 | 12/1/98 | 5.0 | | SS | | x | X | | | x | X | x |
| NK-TP-20-20 | 1964608 | 4/19/00 | | | SS | | | X | | | | | |
| NK-TP-20-3 | 1832283 | 12/1/98 | 5.0 | | SS | | x | X | | | x | X | x |
| NK-TP-20-4 | 1832284 | 12/1/98 | 5.0 | | SS | | x | x | | | x | X | x |
| NK-TP-20-5 | 1832285 | 12/1/98 | 5.0 | | SS | | x | X | | | x | X | x |
| NK-TP-20-6 | 1832286 | 12/1/98 | 5.0 | | SS | | x | x | | | x | X | X |
| NK-TP-20-7 | 1832287 | 12/1/98 | 5.0 | | SS | | x | x | | | x | X | X |
| NK-TP-20-8 | 1832288 | 12/1/98 | 5.0 | | SS | | x | x | | | x | X | x |
| NK-TP-20-9 | 1832289 | 12/1/98 | 5.0 | | SS | | x | x | | | x | X | x |
| | | | | | | | | | | | | | |

Notes: 1. Legend: x - mass, t - TCLP, s - SPLP, e - EPTOX, z - ZHE; Capitalized - at least one analyte detected

2. Printed on 05/03/00

Table 2
SUMMARY OF SAMPLING AND ANALYTICAL INFORMATION (DETECTS) - SOIL
P&W East Hartford: NK Undeveloped Land Area - Outside Storage Area

Page 1 of 44

| | Location ID | NK-SB-215 | NK-SB-215 | NK-SB-216 | NK-SB-216 | NK-SB-216 | NK-SB-216 | NK-SB-216 |
|--------------------------------------|--------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| | Sample ID | 1020839 | 1020841 | 1020847 | 1020848 | 1020849 | 1020849 | 1020850 |
| | Sample Date | 10/30/1996 | 10/30/1996 | 10/31/1996 | 10/31/1996 | 10/31/1996 | 10/31/1996 | 10/31/1996 |
| | Sample Time | 13:50 | 14:10 | 11:45 | 11:55 | 12:05 | 12:05 | 12:15 |
| | Sample Depth | 4' - 6' | 8' - 10' | 0' - 2' | 2' - 4' | 4' - 6' | 4' - 6' | 4' - 6' |
| | Laboratory | AEL | AEL | LEA | LEA | AEL | LEA | AEL |
| | Lab. Number | AEL96012630 | AEL96012631 | 96-5678-245 | 96-5679-246 | AEL96012632 | 96-5680-247 | AEL96012633 |
| Constituent | Units | | | | | | | |
| Date PCBs Analyzed | - | | | | | | | |
| Date Metals Analyzed | - | 11/11/1996 | 11/11/1996 | | | 11/11/1996 | | 11/11/1996 |
| Date Organics Analyzed | - | | | 11/04/1996 | 11/04/1996 | 11/13/1996 | 11/04/1996 | 11/13/1996 |
| Date Physical Analyzed | - | 11/12/1996 | | | | | | |
| Date Semi-volatile Organics Analyzed | - | | | | | | | |
| Arsenic | mg/kg | 2.76 | | | | | | |
| Barium | mg/kg | 20.3 | 14.6 | | | 7.37 | | 7.72 |
| Chromium | mg/kg | 7.04 | 6.21 | | | | | |
| Lead | mg/kg | | | | | | | |
| Mercury | mg/kg | | | | | | | |
| Nickel | mg/kg | | | | | | | |
| Zinc | mg/kg | 26.5 | 12.6 | | | | | |
| PCB 1254 | µg/kg | | | | | | | |
| PCB 1260 | µg/kg | | | | | | | |
| TPH | mg/kg | 184 | | | | | | |
| Acenaphthylene | µg/kg | | | | | | | |
| Anthracene | µg/kg | | | | | | | |
| Benzo(a)anthracene | µg/kg | | | | | | | |
| Benzo(b)fluoranthene | µg/kg | | | | | | | |
| Benzo[a]pyrene | µg/kg | | | | | | | |
| Benzo[ghi]perylene | µg/kg | | | | | | | |
| Benzo[k]fluoranthene | µg/kg | | | | | | | |
| Chrysene | µg/kg | | | | | | | |
| Dibenz(a,h)anthracene | µg/kg | | | | | | | |
| Fluoranthene | µg/kg | | | | | | | |
| Fluorene | µg/kg | | | | | | | |
| Indeno(1,2,3-cd)pyrene | µg/kg | | | | | | | |
| 2-Methylnaphthalene | µg/kg | | | | | | | |

Notes: 1. Only Detects Shown
 2. Printed on 05/03/00

Table 2
SUMMARY OF SAMPLING AND ANALYTICAL INFORMATION (DETECTS) - SOIL
P&W East Hartford: NK Undeveloped Land Area - Outside Storage Area

Page 2 of 44

Notes: 1. Only Detects Shown
2. Printed on 05/03/00

Table 2
SUMMARY OF SAMPLING AND ANALYTICAL INFORMATION (DETECTS) - SOIL
P&W East Hartford: NK Undeveloped Land Area - Outside Storage Area

Page 3 of 44

| | Location ID | NK-SB-216 | NK-SB-216 | NK-SB-216 | NK-SB-216 | NK-SB-216 | NK-SB-217 | NK-SB-217 |
|--------------------------------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|------------|
| Sample ID | 1020850 | 1020851 | 1020851 | 1020852 | 1020852 | 1020858 | 1020859 | 1020859 |
| Sample Date | 10/31/1996 | 10/31/1996 | 10/31/1996 | 10/31/1996 | 10/31/1996 | 10/31/1996 | 10/31/1996 | 10/31/1996 |
| Sample Time | 12:15 | 12:25 | 12:25 | 12:35 | 12:35 | 13:45 | 13:55 | |
| Sample Depth | 4' - 6' | 6' - 8' | 6' - 8' | 8' - 10' | 8' - 10' | 4' - 6' | 6' - 8' | |
| Laboratory | LEA | AEL | LEA | AEL | LEA | AEL | AEL | |
| Lab. Number | 96-5681-248 | AEL96012634 | 96-5682-249 | AEL96012635 | 96-5683-250 | AEL96012636 | AEL96012637 | |
| Constituent | Units | | | | | | | |
| Date PCBs Analyzed | - | | | | | | | |
| Date Metals Analyzed | - | | 11/11/1996 | | 11/11/1996 | | 11/11/1996 | 11/11/1996 |
| Date Organics Analyzed | - | 11/04/1996 | 11/13/1996 | 11/04/1996 | | 11/04/1996 | | |
| Date Physical Analyzed | - | | | | | | | |
| Date Semi-volatile Organics Analyzed | - | | | | | | | |
| Arsenic | mg/kg | | | | | | | |
| Barium | mg/kg | | 13.4 | | 9.86 | | 12.9 | 13.5 |
| Chromium | mg/kg | | 7.54 | | | | 7.96 | 5.83 |
| Lead | mg/kg | | | | | | | |
| Mercury | mg/kg | | | | | | | |
| Nickel | mg/kg | | | | | | | |
| Zinc | mg/kg | | 11.9 | | 26.9 | | 17.7 | 16 |
| PCB 1254 | µg/kg | | | | | | | |
| PCB 1260 | µg/kg | | | | | | | |
| TPH | mg/kg | | | | | | | |
| Acenaphthyrene | µg/kg | | | | | | | |
| Anthracene | µg/kg | | | | | | | |
| Benzo(a)anthracene | µg/kg | | | | | | | |
| Benzo(b)fluoranthene | µg/kg | | | | | | | |
| Benzo[a]pyrene | µg/kg | | | | | | | |
| Benzo[ghi]perylene | µg/kg | | | | | | | |
| Benzo[k]fluoranthene | µg/kg | | | | | | | |
| Chrysene | µg/kg | | | | | | | |
| Dibenz(a,h)anthracene | µg/kg | | | | | | | |
| Fluoranthene | µg/kg | | | | | | | |
| Fluorene | µg/kg | | | | | | | |
| Indeno(1,2,3-cd)pyrene | µg/kg | | | | | | | |
| 2-Methylnaphthalene | µg/kg | | | | | | | |

Notes: 1. Only Detects Shown
 2. Printed on 05/03/00

Table 2
SUMMARY OF SAMPLING AND ANALYTICAL INFORMATION (DETECTS) - SOIL
P&W East Hartford: NK Undeveloped Land Area - Outside Storage Area

Page 4 of 44

Notes: 1. Only Detects Shows
2. Printed on 05/03/00

Table 2
SUMMARY OF SAMPLING AND ANALYTICAL INFORMATION (DETECTS) - SOIL
P&W East Hartford: NK Undeveloped Land Area - Outside Storage Area

Page 5 of 44

| | Location ID | NK-SB-218 | NK-SB-218 | NK-SB-272 | NK-SB-275 | NK-SB-275 | NK-SB-275 | NK-SB-276 |
|--------------------------------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|------------|
| Sample ID | 1020865 | 1020867 | 1028168 | 1028198 | 1028199 | 1028201 | 1028202 | |
| Sample Date | 10/31/1996 | 10/31/1996 | 03/12/1997 | 03/13/1997 | 03/13/1997 | 03/13/1997 | 03/13/1997 | |
| Sample Time | 15:00 | 15:20 | 11:40 | 10:20 | 10:25 | 10:40 | 11:05 | |
| Sample Depth | 2' - 4' | 6' - 8' | 4' - 6' | 8' - 10' | 10' - 12' | 14' - 16' | 0' - 2' | |
| Laboratory | AEL | AEL | LEA | LEA | LEA | LEA | LEA | |
| Lab. Number | AEL96012638 | AEL96012639 | 97-2001-506 | 97-2031-536 | 97-2032-537 | 97-2034-539 | 97-2035-540 | |
| Constituent | Units | | | | | | | |
| Date PCBs Analyzed | - | | | | | | | |
| Date Metals Analyzed | - | 11/11/1996 | 11/11/1996 | | | | | |
| Date Organics Analyzed | - | | | 03/14/1997 | 03/14/1997 | 03/14/1997 | 03/14/1997 | 03/14/1997 |
| Date Physical Analyzed | - | | | | | | | |
| Date Semi-volatile Organics Analyzed | - | | | | | | | |
| Arsenic | mg/kg | 1.26 | | | | | | |
| Barium | mg/kg | 14.7 | 16.7 | | | | | |
| Chromium | mg/kg | 8.15 | 5.82 | | | | | |
| Lead | mg/kg | | | | | | | |
| Mercury | mg/kg | | | | | | | |
| Nickel | mg/kg | | | | | | | |
| Zinc | mg/kg | 17.5 | 14.3 | | | | | |
| PCB 1254 | µg/kg | | | | | | | |
| PCB 1260 | µg/kg | | | | | | | |
| TPH | mg/kg | | | | | | | |
| Acenaphthylene | µg/kg | | | | | | | |
| Anthracene | µg/kg | | | | | | | |
| Benzo(a)anthracene | µg/kg | | | | | | | |
| Benzo(b)fluoranthene | µg/kg | | | | | | | |
| Benzo[a]pyrene | µg/kg | | | | | | | |
| Benzo[ghi]perylene | µg/kg | | | | | | | |
| Benzo[k]fluoranthene | µg/kg | | | | | | | |
| Chrysene | µg/kg | | | | | | | |
| Dibenz(a,h)anthracene | µg/kg | | | | | | | |
| Fluoranthene | µg/kg | | | | | | | |
| Fluorene | µg/kg | | | | | | | |
| Indeno(1,2,3-cd)pyrene | µg/kg | | | | | | | |
| 2-Methylnaphthalene | µg/kg | | | | | | | |

Notes: 1. Only Detects Shown
 2. Printed on 05/03/00

Table 2
SUMMARY OF SAMPLING AND ANALYTICAL INFORMATION (DETECTS) - SOIL
P&W East Hartford: NK Undeveloped Land Area - Outside Storage Area

Page 6 of 44

Notes: 1. Only Detects Shown
2. Printed on 05/03/00

Table 2
SUMMARY OF SAMPLING AND ANALYTICAL INFORMATION (DETECTS) - SOIL
P&W East Hartford: NK Undeveloped Land Area - Outside Storage Area

Page 7 of 44

| | Location ID | NK-SB-276 | NK-SB-276 | NK-SB-276 | NK-SB-280 | NK-SB-280 | NK-SB-280 | NK-SB-280 |
|--------------------------------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|------------|
| Sample ID | 1028203 | 1028204 | 1028205 | 1028231 | 1028231 | 1028232 | 1028233 | 1028233 |
| Sample Date | 03/13/1997 | 03/13/1997 | 03/13/1997 | 03/14/1997 | 03/14/1997 | 03/14/1997 | 03/14/1997 | 03/14/1997 |
| Sample Time | 11:10 | 11:20 | 11:25 | 09:20 | 09:20 | 09:30 | 09:35 | |
| Sample Depth | 2' - 4' | 4' - 6' | 6' - 8' | 2' - 4' | 2' - 4' | 4' - 6' | 6' - 8' | |
| Laboratory | LEA | LEA |
| Lab. Number | 97-2036-541 | 97-2037-542 | 97-2038-543 | 97-2074-578 | 97-2075-579 | 97-2076-580 | 97-2077-581 | |
| Constituent | Units | | | | | | | |
| Date PCBs Analyzed | - | | | | | | | |
| Date Metals Analyzed | - | | | | | | | |
| Date Organics Analyzed | - | 03/14/1997 | 03/14/1997 | 03/14/1997 | 03/15/1997 | 03/15/1997 | 03/15/1997 | 03/15/1997 |
| Date Physical Analyzed | - | | | | | | | |
| Date Semi-volatile Organics Analyzed | - | | | | | | | |
| Arsenic | mg/kg | | | | | | | |
| Barium | mg/kg | | | | | | | |
| Chromium | mg/kg | | | | | | | |
| Lead | mg/kg | | | | | | | |
| Mercury | mg/kg | | | | | | | |
| Nickel | mg/kg | | | | | | | |
| Zinc | mg/kg | | | | | | | |
| PCB 1254 | µg/kg | | | | | | | |
| PCB 1260 | µg/kg | | | | | | | |
| TPH | mg/kg | | | | | | | |
| Acenaphthylene | µg/kg | | | | | | | |
| Anthracene | µg/kg | | | | | | | |
| Benzo(a)anthracene | µg/kg | | | | | | | |
| Benzo(b)fluoranthene | µg/kg | | | | | | | |
| Benzo[a]pyrene | µg/kg | | | | | | | |
| Benzo[ghi]perylene | µg/kg | | | | | | | |
| Benzo[k]fluoranthene | µg/kg | | | | | | | |
| Chrysene | µg/kg | | | | | | | |
| Dibenz(a,h)anthracene | µg/kg | | | | | | | |
| Fluoranthene | µg/kg | | | | | | | |
| Fluorene | µg/kg | | | | | | | |
| Indeno(1,2,3-cd)pyrene | µg/kg | | | | | | | |
| 2-Methylnaphthalene | µg/kg | | | | | | | |

Notes: 1. Only Detects Shown
 2. Printed on 05/03/00

Table 2
SUMMARY OF SAMPLING AND ANALYTICAL INFORMATION (DETECTS) - SOIL
P&W East Hartford: NK Undeveloped Land Area - Outside Storage Area

Page 8 of 44

Notes: 1. Only Detects Shown
2. Printed on 05/03/00

Table 2
SUMMARY OF SAMPLING AND ANALYTICAL INFORMATION (DETECTS) - SOIL
P&W East Hartford: NK Undeveloped Land Area - Outside Storage Area

Page 9 of 44

| | Location ID | NK-SB-286 | NK-SB-287 | NK-SB-287 | NK-SB-287 | NK-SB-287 | NK-SB-289 | NK-SB-289 |
|--------------------------------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|------------|
| Sample ID | 1028282 | 1028288 | 1028289 | 1028290 | 1028291 | 1028303 | 1028304 | |
| Sample Date | 03/18/1997 | 03/18/1997 | 03/18/1997 | 03/18/1997 | 03/18/1997 | 03/18/1997 | 03/18/1997 | 03/18/1997 |
| Sample Time | 09:25 | 10:30 | 10:35 | 10:45 | 10:50 | 13:30 | | 13:35 |
| Sample Depth | 4' - 6' | 0' - 2' | 2' - 4' | 4' - 6' | 6' - 8' | 0' - 2' | | 2' - 4' |
| Laboratory | AEL | LEA | LEA | AEL | LEA | LEA | LEA | |
| Lab. Number | AEL97003528 | 97-2149-083 | 97-2150-084 | AEL97003529 | 97-2152-086 | 97-2164-099 | 97-2165-100 | |
| Constituent | Units | | | | | | | |
| Date PCBs Analyzed | - | | | | | | | |
| Date Metals Analyzed | - | | | | | | | |
| Date Organics Analyzed | - | | 03/25/1997 | 03/25/1997 | | 03/25/1997 | 03/25/1997 | 03/25/1997 |
| Date Physical Analyzed | - | 04/08/1997 | | | 04/08/1997 | | | |
| Date Semi-volatile Organics Analyzed | - | | | | | | | |
| Arsenic | mg/kg | | | | | | | |
| Barium | mg/kg | | | | | | | |
| Chromium | mg/kg | | | | | | | |
| Lead | mg/kg | | | | | | | |
| Mercury | mg/kg | | | | | | | |
| Nickel | mg/kg | | | | | | | |
| Zinc | mg/kg | | | | | | | |
| PCB 1254 | µg/kg | | | | | | | |
| PCB 1260 | µg/kg | | | | | | | |
| TPH | mg/kg | 171 | | | 234 | | | |
| Acenaphthylene | µg/kg | | | | | | | |
| Anthracene | µg/kg | | | | | | | |
| Benzo(a)anthracene | µg/kg | | | | | | | |
| Benzo(b)fluoranthene | µg/kg | | | | | | | |
| Benzo[a]pyrene | µg/kg | | | | | | | |
| Benzo[ghi]perylene | µg/kg | | | | | | | |
| Benzo[k]fluoranthene | µg/kg | . | | | | | | |
| Chrysene | µg/kg | | | | | | | |
| Dibenz(a,h)anthracene | µg/kg | | | | | | | |
| Fluoranthene | µg/kg | | | | | | | |
| Fluorene | µg/kg | | | | | | | |
| Indeno(1,2,3-cd)pyrene | µg/kg | | | | | | | |
| 2-Methylnaphthalene | µg/kg | | | | | | | |

Notes: 1. Only Detects Shown
 2. Printed on 05/03/00




Table 2
SUMMARY OF SAMPLING AND ANALYTICAL INFORMATION (DETECTS) - SOIL
P&W East Hartford: NK Undeveloped Land Area - Outside Storage Area

Page 10 of 44

Notes: 1. Only Detects Shown
2. Printed on 05/03/00

Table 2
SUMMARY OF SAMPLING AND ANALYTICAL INFORMATION (DETECTS) - SOIL
P&W East Hartford: NK Undeveloped Land Area - Outside Storage Area

Page 11 of 44

| | Location ID | NK-SB-289 | NK-SB-289 | NK-SB-290 | NK-SB-290 | NK-SB-290 | NK-SB-290 | NK-SB-290 |
|--------------------------------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Sample ID | 1028305 | 1028306 | 1028309 | 1028308 | 1028311 | 1028312 | 1028312 | 1028312 |
| Sample Date | 03/18/1997 | 03/18/1997 | 03/18/1997 | 03/18/1997 | 03/18/1997 | 03/18/1997 | 03/18/1997 | 03/18/1997 |
| Sample Time | 13:45 | 13:50 | 14:25 | 14:30 | 14:50 | 14:55 | 14:55 | 14:55 |
| Sample Depth | 4' - 6' | 6' - 8' | 0' - 2' | 2' - 4' | 4' - 6' | 6' - 8' | 6' - 8' | 6' - 8' |
| Laboratory | LEA | LEA | LEA | LEA | LEA | AEL | AEL | LEA |
| Lab. Number | 97-2166-101 | 97-2167-104 | 97-2170-107 | 97-2169-106 | 97-2172-109 | AEL97003532 | AEL97003532 | 97-2173-110 |
| Constituent | Units | | | | | | | |
| Date PCBs Analyzed | - | | | | | | | |
| Date Metals Analyzed | - | | | | | | | |
| Date Organics Analyzed | - | 03/25/1997 | 03/25/1997 | 03/25/1997 | 03/25/1997 | 03/25/1997 | 03/31/1997 | 03/25/1997 |
| Date Physical Analyzed | - | | | | | | | |
| Date Semi-volatile Organics Analyzed | - | | | | | | | |
| Arsenic | mg/kg | | | | | | | |
| Barium | mg/kg | | | | | | | |
| Chromium | mg/kg | | | | | | | |
| Lead | mg/kg | | | | | | | |
| Mercury | mg/kg | | | | | | | |
| Nickel | mg/kg | | | | | | | |
| Zinc | mg/kg | | | | | | | |
| PCB 1254 | µg/kg | | | | | | | |
| PCB 1260 | µg/kg | | | | | | | |
| TPH | mg/kg | | | | | | | |
| Acenaphthylene | µg/kg | | | | | | | |
| Anthracene | µg/kg | | | | | | | |
| Benzo(a)anthracene | µg/kg | | | | | | | |
| Benzo(b)fluoranthene | µg/kg | | | | | | | |
| Benzo[a]pyrene | µg/kg | | | | | | | |
| Benzo[ghi]perylene | µg/kg | | | | | | | |
| Benzo[k]fluoranthene | µg/kg | | | | | | | |
| Chrysene | µg/kg | | | | | | | |
| Dibenz(a,h)anthracene | µg/kg | | | | | | | |
| Fluoranthene | µg/kg | | | | | | | |
| Fluorene | µg/kg | | | | | | | |
| Indeno(1,2,3-cd)pyrene | µg/kg | | | | | | | |
| 2-Methylnaphthalene | µg/kg | | | | | | | |

Notes: 1. Only Detects Shown
 2. Printed on 05/03/00

Table 2
SUMMARY OF SAMPLING AND ANALYTICAL INFORMATION (DETECTS) - SOIL
P&W East Hartford: NK Undeveloped Land Area - Outside Storage Area

Page 12 of 44

Notes: 1. Only Detects Shown
2. Printed on 05/03/00

Table 2
SUMMARY OF SAMPLING AND ANALYTICAL INFORMATION (DETECTS) - SOIL
P&W East Hartford: NK Undeveloped Land Area - Outside Storage Area

Page 13 of 44

| | Location ID | NK-SB-310 | NK-SB-310 | NK-SB-310 | NK-SB-310 | NK-SB-310 | NK-SB-310 | NK-SB-310 |
|--------------------------------------|--------------|-------------|--------------|-------------|--------------|-------------|--------------|-------------|
| | Sample ID | 1634658 | 1634658 | 1634659 | 1634659 | 1634660 | 1634660 | 1634661 |
| | Sample Date | 06/05/1997 | 06/05/1997 | 06/05/1997 | 06/05/1997 | 06/05/1997 | 06/05/1997 | 06/05/1997 |
| | Sample Time | 11:05 | 11:05 | 11:05 | 11:05 | 11:15 | 11:15 | 11:20 |
| | Sample Depth | 2' - 4' | 2' - 4' | 2' - 4' | 2' - 4' | 4' - 6' | 4' - 6' | 6' - 8' |
| | Laboratory | LEA | QUAN | LEA | QUAN | LEA | QUAN | LEA |
| | Lab. Number | 35-3438-009 | A7F120155002 | 35-3439-010 | A7F120155003 | 35-3440-011 | A7F120155004 | 35-3442-013 |
| Constituent | Units | | | | | | | |
| Date PCBs Analyzed | - | | | | | | | |
| Date Metals Analyzed | - | | | | | | | |
| Date Organics Analyzed | - | 06/06/1997 | 06/18/1997 | 06/06/1997 | 06/18/1997 | 06/06/1997 | 06/19/1997 | 06/06/1997 |
| Date Physical Analyzed | - | | | | | | 06/24/1997 | |
| Date Semi-volatile Organics Analyzed | - | | | | | | | |
| Arsenic | mg/kg | | | | | | | |
| Barium | mg/kg | | | | | | | |
| Chromium | mg/kg | | | | | | | |
| Lead | mg/kg | | | | | | | |
| Mercury | mg/kg | | | | | | | |
| Nickel | mg/kg | | | | | | | |
| Zinc | mg/kg | | | | | | | |
| PCB 1254 | µg/kg | | | | | | | |
| PCB 1260 | µg/kg | | | | | | | |
| TPH | mg/kg | | | | | | 4300 | |
| Acenaphthylene | µg/kg | | | | | | | |
| Anthracene | µg/kg | | | | | | | |
| Benzo(a)anthracene | µg/kg | | | | | | | |
| Benzo(b)fluoranthene | µg/kg | | | | | | | |
| Benzo[a]pyrene | µg/kg | | | | | | | |
| Benzo[ghi]perylene | µg/kg | | | | | | | |
| Benzo[k]fluoranthene | µg/kg | | | | | | | |
| Chrysene | µg/kg | | | | | | | |
| Dibenz(a,h)anthracene | µg/kg | | | | | | | |
| Fluoranthene | µg/kg | | | | | | | |
| Fluorene | µg/kg | | | | | | | |
| Indeno(1,2,3-cd)pyrene | µg/kg | | | | | | | |
| 2-Methylnaphthalene | µg/kg | | | | | | | |

Notes: 1. Only Detects Shown
 2. Printed on 05/03/00

Table 2
SUMMARY OF SAMPLING AND ANALYTICAL INFORMATION (DETECTS) - SOIL
P&W East Hartford: NK Undeveloped Land Area - Outside Storage Area

Page 14 of 44

Notes: 1. Only Detects Shown
2. Printed on 05/03/00

Table 2
SUMMARY OF SAMPLING AND ANALYTICAL INFORMATION (DETECTS) - SOIL
P&W East Hartford: NK Undeveloped Land Area - Outside Storage Area

Page 15 of 44

| | Location ID | NK-SB-310 | NK-SB-311 | NK-SB-311 | NK-SB-311 | NK-SB-311 | NK-SB-311 | NK-SB-312 |
|--------------------------------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|
| | Sample ID | 1634661 | 1634664 | 1634665 | 1634666 | 1634667 | 1634668 | 1634671 |
| | Sample Date | 06/05/1997 | 06/05/1997 | 06/05/1997 | 06/05/1997 | 06/05/1997 | 06/05/1997 | 06/05/1997 |
| | Sample Time | 11:20 | 11:40 | 11:45 | 11:55 | 12:00 | 12:05 | 13:25 |
| | Sample Depth | 6' - 8' | 0' - 2' | 2' - 4' | 4' - 6' | 6' - 8' | 8' - 10' | 2' - 4' |
| | Laboratory | QUAN |
| | Lab. Number | A7F120155005 | A7F120155008 | A7F120155009 | A7F120155010 | A7F120155011 | A7F120155012 | A7F120155015 |
| Constituent | Units | | | | | | | |
| Date PCBs Analyzed | - | | | | | | | |
| Date Metals Analyzed | - | | | | | | | |
| Date Organics Analyzed | - | 06/19/1997 | | | 06/19/1997 | 06/19/1997 | 06/19/1997 | |
| Date Physical Analyzed | - | 06/24/1997 | 06/24/1997 | 06/24/1997 | 06/24/1997 | 06/24/1997 | | 06/24/1997 |
| Date Semi-volatile Organics Analyzed | - | | | | | | | |
| Arsenic | mg/kg | | | | | | | |
| Barium | mg/kg | | | | | | | |
| Chromium | mg/kg | | | | | | | |
| Lead | mg/kg | | | | | | | |
| Mercury | mg/kg | | | | | | | |
| Nickel | mg/kg | | | | | | | |
| Zinc | mg/kg | | | | | | | |
| PCB 1254 | µg/kg | | | | | | | |
| PCB 1260 | µg/kg | | | | | | | |
| TPH | mg/kg | 11000 | 58 | 4500 | 2500 | 110 | | 110 |
| Acenaphthylene | µg/kg | | | | | | | |
| Anthracene | µg/kg | | | | | | | |
| Benzo(a)anthracene | µg/kg | | | | | | | |
| Benzo(b)fluoranthene | µg/kg | | | | | | | |
| Benzo[a]pyrene | µg/kg | | | | | | | |
| Benzo[ghi]perylene | µg/kg | | | | | | | |
| Benzo[k]fluoranthene | µg/kg | | | | | | | |
| Chrysene | µg/kg | | | | | | | |
| Dibenz(a,h)anthracene | µg/kg | | | | | | | |
| Fluoranthene | µg/kg | | | | | | | |
| Fluorene | µg/kg | | | | | | | |
| Indeno(1,2,3-cd)pyrene | µg/kg | | | | | | | |
| 2-Methylnaphthalene | µg/kg | | | | | | | |

Notes: 1. Only Detects Shown
 2. Printed on 05/03/00

Table 2
SUMMARY OF SAMPLING AND ANALYTICAL INFORMATION (DETECTS) - SOIL
P&W East Hartford: NK Undeveloped Land Area - Outside Storage Area

Page 16 of 44

Notes: 1. Only Detects Shown
2. Printed on 05/03/00

Table 2
SUMMARY OF SAMPLING AND ANALYTICAL INFORMATION (DETECTS) - SOIL
P&W East Hartford: NK Undeveloped Land Area - Outside Storage Area

Page 17 of 44

| | Location ID | NK-SB-312 | NK-SB-312 | NK-SB-312 | NK-SB-313 | NK-SB-313 | NK-SB-313 | NK-SB-314 |
|--------------------------------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|------------|
| Sample ID | 1634672 | 1634673 | 1634674 | 1634678 | 1634679 | 1634680 | 1634684 | |
| Sample Date | 06/05/1997 | 06/05/1997 | 06/05/1997 | 06/05/1997 | 06/05/1997 | 06/05/1997 | 06/05/1997 | 06/05/1997 |
| Sample Time | 13:30 | 13:35 | 13:40 | 14:35 | 14:40 | 14:45 | 15:15 | |
| Sample Depth | 4' - 6' | 6' - 8' | 8' - 10' | 4' - 6' | 6' - 8' | 8' - 10' | 2' - 4' | |
| Laboratory | QUAN | |
| Lab. Number | A7F120155016 | A7F120155017 | A7F120155018 | A7F120155022 | A7F120155023 | A7F120155024 | A7F120155028 | |
| Constituent | Units | | | | | | | |
| Date PCBs Analyzed | - | | | | | | | |
| Date Metals Analyzed | - | | | | | | | |
| Date Organics Analyzed | - | | | 06/19/1997 | 06/19/1997 | 06/19/1997 | 06/19/1997 | 06/19/1997 |
| Date Physical Analyzed | - | 06/24/1997 | 06/24/1997 | | 06/20/1997 | 06/20/1997 | 06/20/1997 | 06/20/1997 |
| Date Semi-volatile Organics Analyzed | - | | | | | | | 06/24/1997 |
| Arsenic | mg/kg | | | | | | | |
| Barium | mg/kg | | | | | | | |
| Chromium | mg/kg | | | | | | | |
| Lead | mg/kg | | | | | | | |
| Mercury | mg/kg | | | | | | | |
| Nickel | mg/kg | | | | | | | |
| Zinc | mg/kg | | | | | | | |
| PCB 1254 | µg/kg | | | | | | | |
| PCB 1260 | µg/kg | | | | | | | |
| TPH | mg/kg | 13000 | 730 | | 620 | 450 | 790 | 290 |
| Acenaphthylene | µg/kg | | | | | | | |
| Anthracene | µg/kg | | | | | | | |
| Benzo(a)anthracene | µg/kg | | | | | | | |
| Benzo(b)fluoranthene | µg/kg | | | | | | | |
| Benzo[a]pyrene | µg/kg | | | | | | | |
| Benzo[ghi]perylene | µg/kg | | | | | | | |
| Benzo[k]fluoranthene | µg/kg | | | | | | | |
| Chrysene | µg/kg | | | | | | | |
| Dibenz(a,h)anthracene | µg/kg | | | | | | | |
| Fluoranthene | µg/kg | | | | | | | |
| Fluorene | µg/kg | | | | | | | |
| Indeno(1,2,3-cd)pyrene | µg/kg | | | | | | | |
| 2-Methylnaphthalene | µg/kg | | | | | | | 2900 |

Notes: 1. Only Detects Shown
 2. Printed on 05/03/00

Table 2
SUMMARY OF SAMPLING AND ANALYTICAL INFORMATION (DETECTS) - SOIL
P&W East Hartford: NK Undeveloped Land Area - Outside Storage Area

Page 18 of 44

Notes: 1. Only Detects Shown
2. Printed on 05/03/00

Table 2
SUMMARY OF SAMPLING AND ANALYTICAL INFORMATION (DETECTS) - SOIL
P&W East Hartford: NK Undeveloped Land Area - Outside Storage Area

Page 19 of 44

| | Location ID | NK-SB-314 | NK-SB-314 | NK-SB-314 | NK-SB-319 | NK-SB-319 | NK-SB-319 | NK-SB-319 |
|--------------------------------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|
| | Sample ID | 1634685 | 1634686 | 1634687 | 1634695 | 1634696 | 1634697 | 1634698 |
| | Sample Date | 06/05/1997 | 06/05/1997 | 06/05/1997 | 06/09/1997 | 06/09/1997 | 06/09/1997 | 06/09/1997 |
| | Sample Time | 15:20 | 15:25 | 15:30 | 10:35 | 10:45 | 10:50 | 10:50 |
| | Sample Depth | 4' - 6' | 6' - 8' | 8' - 10' | 2' - 4' | 4' - 6' | 6' - 8' | 6' - 8' |
| | Laboratory | QUAN |
| | Lab. Number | A7F120155029 | A7F120155030 | A7F120155031 | A7F130101003 | A7F130101004 | A7F130101005 | A7F130101006 |
| Constituent | Units | | | | | | | |
| Date PCBs Analyzed | - | | | | | | | |
| Date Metals Analyzed | - | | | | | | | |
| Date Organics Analyzed | - | | | 06/19/1997 | | | | |
| Date Physical Analyzed | - | 06/20/1997 | 06/20/1997 | 06/20/1997 | 06/24/1997 | 06/24/1997 | 06/24/1997 | 06/24/1997 |
| Date Semi-volatile Organics Analyzed | - | | | | | | | |
| Arsenic | mg/kg | | | | | | | |
| Barium | mg/kg | | | | | | | |
| Chromium | mg/kg | | | | | | | |
| Lead | mg/kg | | | | | | | |
| Mercury | mg/kg | | | | | | | |
| Nickel | mg/kg | | | | | | | |
| Zinc | mg/kg | | | | | | | |
| PCB 1254 | µg/kg | | | | | | | |
| PCB 1260 | µg/kg | | | | | | | |
| TPH | mg/kg | 680 | 680 | 120 | 490 | 380 | 95 | 140 |
| Acenaphthylene | µg/kg | | | | | | | |
| Anthracene | µg/kg | | | | | | | |
| Benzo(a)anthracene | µg/kg | | | | | | | |
| Benzo(b)fluoranthene | µg/kg | | | | | | | |
| Benzo[a]pyrene | µg/kg | | | | | | | |
| Benzo[ghi]perylene | µg/kg | | | | | | | |
| Benzo[k]fluoranthene | µg/kg | | | | | | | |
| Chrysene | µg/kg | | | | | | | |
| Dibenz(a,h)anthracene | µg/kg | | | | | | | |
| Fluoranthene | µg/kg | | | | | | | |
| Fluorene | µg/kg | | | | | | | |
| Indeno(1,2,3-cd)pyrene | µg/kg | | | | | | | |
| 2-Methylnaphthalene | µg/kg | | | | | | | |

Notes: 1. Only Detects Shown
 2. Printed on 05/03/00

Table 2
SUMMARY OF SAMPLING AND ANALYTICAL INFORMATION (DETECTS) - SOIL
P&W East Hartford: NK Undeveloped Land Area - Outside Storage Area

Page 20 of 44

Notes: 1. Only Detects Shown
2. Printed on 05/03/00

Table 2
SUMMARY OF SAMPLING AND ANALYTICAL INFORMATION (DETECTS) - SOIL
P&W East Hartford: NK Undeveloped Land Area - Outside Storage Area

Page 21 of 44

| | Location ID | NK-SB-319 | NK-SB-320 | NK-SB-320 | NK-SB-320 | NK-SB-321 | NK-SB-321 | NK-SB-322 |
|--------------------------------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|-------------|
| | Sample ID | 1634699 | 1634704 | 1634705 | 1634706 | 1634711 | 1634712 | 1634725 |
| | Sample Date | 06/09/1997 | 06/09/1997 | 06/09/1997 | 06/09/1997 | 06/09/1997 | 06/09/1997 | 06/09/1997 |
| | Sample Time | 11:00 | 11:30 | 11:40 | 11:45 | 12:35 | 12:40 | 13:30 |
| | Sample Depth | 8' - 10' | 2' - 4' | 4' - 6' | 6' - 8' | 0' - 2' | 2' - 4' | 0' - 2' |
| | Laboratory | QUAN | QUAN | QUAN | QUAN | QUAN | QUAN | LEA |
| | Lab. Number | A7F130101007 | A7F130101012 | A7F130101013 | A7F130101014 | A7F130101019 | A7F130101020 | 25-0773-181 |
| Constituent | Units | | | | | | | |
| Date PCBs Analyzed | - | | | | | | | |
| Date Metals Analyzed | - | | | | | | | |
| Date Organics Analyzed | - | | | | | 06/20/1997 | | 06/10/1997 |
| Date Physical Analyzed | - | 06/24/1997 | 06/24/1997 | 06/24/1997 | 06/24/1997 | | 06/24/1997 | |
| Date Semi-volatile Organics Analyzed | - | | | | | | | |
| Arsenic | mg/kg | | | | | | | |
| Barium | mg/kg | | | | | | | |
| Chromium | mg/kg | | | | | | | |
| Lead | mg/kg | | | | | | | |
| Mercury | mg/kg | | | | | | | |
| Nickel | mg/kg | | | | | | | |
| Zinc | mg/kg | | | | | | | |
| PCB 1254 | µg/kg | | | | | | | |
| PCB 1260 | µg/kg | | | | | | | |
| TPH | mg/kg | 100 | 84 | 170 | 310 | | 110 | |
| Acenaphthylene | µg/kg | | | | | | | |
| Anthracene | µg/kg | | | | | | | |
| Benzo(a)anthracene | µg/kg | | | | | | | |
| Benzo(b)fluoranthene | µg/kg | | | | | | | |
| Benzo[a]pyrene | µg/kg | | | | | | | |
| Benzo[ghi]perylene | µg/kg | | | | | | | |
| Benzo[k]fluoranthene | µg/kg | | | | | | | |
| Chrysene | µg/kg | | | | | | | |
| Dibenz(a,h)anthracene | µg/kg | | | | | | | |
| Fluoranthene | µg/kg | | | | | | | |
| Fluorene | µg/kg | | | | | | | |
| Indeno(1,2,3-cd)pyrene | µg/kg | | | | | | | |
| 2-Methylnaphthalene | µg/kg | | | | | | | |

Notes: 1. Only Detects Shown
 2. Printed on 05/03/00

Table 2
SUMMARY OF SAMPLING AND ANALYTICAL INFORMATION (DETECTS) - SOIL
P&W East Hartford: NK Undeveloped Land Area - Outside Storage Area

Page 22 of 44

Notes: 1. Only Detects Shown
2. Printed on 05/03/00

Table 2
SUMMARY OF SAMPLING AND ANALYTICAL INFORMATION (DETECTS) - SOIL
P&W East Hartford: NK Undeveloped Land Area - Outside Storage Area

Page 23 of 44

| | Location ID | NK-SB-322 | NK-SB-322 | NK-SB-322 | NK-SB-322 | NK-SB-322 | NK-SB-323 | NK-SB-323 |
|--------------------------------------|-------------|--------------|-------------|-------------|--------------|--------------|--------------|------------|
| Sample ID | 1634726 | 1634726 | 1634727 | 1634728 | 1634728 | 1634734 | 1634735 | 1634735 |
| Sample Date | 06/09/1997 | 06/09/1997 | 06/09/1997 | 06/09/1997 | 06/09/1997 | 06/10/1997 | 06/10/1997 | 06/10/1997 |
| Sample Time | 13:35 | 13:35 | 13:45 | 13:50 | 13:50 | 11:45 | 11:50 | 11:50 |
| Sample Depth | 2' - 4' | 2' - 4' | 4' - 6' | 6' - 8' | 6' - 8' | 4' - 6' | 6' - 8' | 6' - 8' |
| Laboratory | LEA | QUAN | LEA | LEA | QUAN | QUAN | QUAN | QUAN |
| Lab. Number | 25-0774-182 | A7F130101028 | 25-0775-183 | 25-0776-184 | A7F130101030 | A7F160108003 | A7F160108004 | |
| Constituent | Units | | | | | | | |
| Date PCBs Analyzed | - | | 06/24/1997 | | | | | |
| Date Metals Analyzed | - | | | | | | | |
| Date Organics Analyzed | - | 06/10/1997 | 06/21/1997 | 06/10/1997 | 06/10/1997 | 06/21/1997 | | |
| Date Physical Analyzed | - | | 06/24/1997 | | | | 07/03/1997 | 07/03/1997 |
| Date Semi-volatile Organics Analyzed | - | | | | | | | |
| Arsenic | mg/kg | | | | | | | |
| Barium | mg/kg | | | | | | | |
| Chromium | mg/kg | | | | | | | |
| Lead | mg/kg | | | | | | | |
| Mercury | mg/kg | | | | | | | |
| Nickel | mg/kg | | | | | | | |
| Zinc | mg/kg | | | | | | | |
| PCB 1254 | µg/kg | | | | | | | |
| PCB 1260 | µg/kg | | 61 J | | | | | |
| TPH | mg/kg | | 2100 | | | | 510 | 1300 |
| Acenaphthylene | µg/kg | | | | | | | |
| Anthracene | µg/kg | | | | | | | |
| Benzo(a)anthracene | µg/kg | | | | | | | |
| Benzo(b)fluoranthene | µg/kg | | | | | | | |
| Benzo[a]pyrene | µg/kg | | | | | | | |
| Benzo[ghi]perylene | µg/kg | | | | | | | |
| Benzo[k]fluoranthene | µg/kg | | | | | | | |
| Chrysene | µg/kg | | | | | | | |
| Dibenz(a,h)anthracene | µg/kg | | | | | | | |
| Fluoranthene | µg/kg | | | | | | | |
| Fluorene | µg/kg | | | | | | | |
| Indeno(1,2,3-cd)pyrene | µg/kg | | | | | | | |
| 2-Methylnaphthalene | µg/kg | | | | | | | |

Notes: 1. Only Detects Shown
 2. Printed on 05/03/00

Table 2
SUMMARY OF SAMPLING AND ANALYTICAL INFORMATION (DETECTS) - SOIL
P&W East Hartford: NK Undeveloped Land Area - Outside Storage Area

Page 24 of 44

Notes: 1. Only Detects Shown
2. Printed on 05/03/00

Table 2
SUMMARY OF SAMPLING AND ANALYTICAL INFORMATION (DETECTS) - SOIL
P&W East Hartford: NK Undeveloped Land Area - Outside Storage Area

Page 25 of 44

| | Location ID | NK-SB-323 | NK-SB-323 | NK-SB-324 | NK-SB-324 | NK-SB-324 | NK-SB-325 | NK-SB-325 |
|--------------------------------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|
| | Sample ID | 1634736 | 1634737 | 1634742 | 1634743 | 1634744 | 1634750 | 1634751 |
| | Sample Date | 06/10/1997 | 06/10/1997 | 06/10/1997 | 06/10/1997 | 06/10/1997 | 06/10/1997 | 06/10/1997 |
| | Sample Time | 12:00 | 12:00 | 13:05 | 13:15 | 13:20 | 14:05 | 14:15 |
| | Sample Depth | 8' - 10' | 8' - 10' | 2' - 4' | 4' - 6' | 6' - 8' | 2' - 4' | 4' - 6' |
| | Laboratory | QUAN |
| | Lab. Number | A7F160108005 | A7F160108006 | A7F160108012 | A7F160108013 | A7F160108014 | A7F160108020 | A7F160108021 |
| Constituent | Units | | | | | | | |
| Date PCBs Analyzed | - | | | | | | | |
| Date Metals Analyzed | - | | | | | | | |
| Date Organics Analyzed | - | | | | 06/23/1997 | | 06/23/1997 | |
| Date Physical Analyzed | - | 07/03/1997 | 07/03/1997 | 07/03/1997 | 07/03/1997 | 07/03/1997 | 07/03/1997 | 07/03/1997 |
| Date Semi-volatile Organics Analyzed | - | | | | | | | |
| Arsenic | mg/kg | | | | | | | |
| Barium | mg/kg | | | | | | | |
| Chromium | mg/kg | | | | | | | |
| Lead | mg/kg | | | | | | | |
| Mercury | mg/kg | | | | | | | |
| Nickel | mg/kg | | | | | | | |
| Zinc | mg/kg | | | | | | | |
| PCB 1254 | µg/kg | | | | | | | |
| PCB 1260 | µg/kg | | | | | | | |
| TPH | mg/kg | 960 | 790 | 300 | 210 | 360 | 300 | 740 |
| Acenaphthylene | µg/kg | | | | | | | |
| Anthracene | µg/kg | | | | | | | |
| Benzo(a)anthracene | µg/kg | | | | | | | |
| Benzo(b)fluoranthene | µg/kg | | | | | | | |
| Benzo[a]pyrene | µg/kg | | | | | | | |
| Benzo[ghi]perylene | µg/kg | | | | | | | |
| Benzo[k]fluoranthene | µg/kg | | | | | | | |
| Chrysene | µg/kg | | | | | | | |
| Dibenz(a,h)anthracene | µg/kg | | | | | | | |
| Fluoranthene | µg/kg | | | | | | | |
| Fluorene | µg/kg | | | | | | | |
| Indeno(1,2,3-cd)pyrene | µg/kg | | | | | | | |
| 2-Methylnaphthalene | µg/kg | | | | | | | |

Notes: 1. Only Detects Shown
 2. Printed on 05/03/00

Table 2
SUMMARY OF SAMPLING AND ANALYTICAL INFORMATION (DETECTS) - SOIL
P&W East Hartford: NK Undeveloped Land Area - Outside Storage Area

Page 26 of 44

Notes: 1. Only Detects Shown
2. Printed on 05/03/00

Table 2
SUMMARY OF SAMPLING AND ANALYTICAL INFORMATION (DETECTS) - SOIL
P&W East Hartford: NK Undeveloped Land Area - Outside Storage Area

Page 27 of 44

| | Location ID | NK-SB-325 | NK-SB-325 | NK-SB-326 | NK-SB-326 | NK-SB-326 | NK-SB-326 | NK-SB-327 |
|--------------------------------------|--------------|--------------|--------------|--------------|--------------|--------------|------------|-------------|
| Sample ID | 1634752 | 1634753 | 1634757 | 1634758 | 1634759 | 1634760 | 1634765 | |
| Sample Date | 06/10/1997 | 06/10/1997 | 06/10/1997 | 06/10/1997 | 06/10/1997 | 06/10/1997 | 06/10/1997 | 06/11/1997 |
| Sample Time | 14:20 | 14:30 | 14:55 | 15:00 | 15:05 | 15:10 | 09:35 | |
| Sample Depth | 6' - 8' | 8' - 10' | 0' - 2' | 2' - 4' | 4' - 6' | 6' - 8' | 0' - 2' | |
| Laboratory | QUAN | QUAN | QUAN | QUAN | QUAN | QUAN | LEA | |
| Lab. Number | A7F160108022 | A7F160108023 | A7F160108027 | A7F160108028 | A7F160108029 | A7F160108030 | | 35-3553-070 |
| Constituent | Units | | | | | | | |
| Date PCBs Analyzed | - | | | | | | | |
| Date Metals Analyzed | - | | | | | | | |
| Date Organics Analyzed | - | | | 06/23/1997 | | | | 06/12/1997 |
| Date Physical Analyzed | - | 07/03/1997 | 07/03/1997 | 07/03/1997 | 07/03/1997 | 07/03/1997 | 07/03/1997 | |
| Date Semi-volatile Organics Analyzed | - | | | | | | | |
| Arsenic | mg/kg | | | | | | | |
| Barium | mg/kg | | | | | | | |
| Chromium | mg/kg | | | | | | | |
| Lead | mg/kg | | | | | | | |
| Mercury | mg/kg | | | | | | | |
| Nickel | mg/kg | | | | | | | |
| Zinc | mg/kg | | | | | | | |
| PCB 1254 | µg/kg | | | | | | | |
| PCB 1260 | µg/kg | | | | | | | |
| TPH | mg/kg | 320 | 76 | 880 | 680 | 330 | 160 | |
| Acenaphthylene | µg/kg | | | | | | | |
| Anthracene | µg/kg | | | | | | | |
| Benzo(a)anthracene | µg/kg | | | | | | | |
| Benzo(b)fluoranthene | µg/kg | | | | | | | |
| Benzo[a]pyrene | µg/kg | | | | | | | |
| Benzo[ghi]perylene | µg/kg | | | | | | | |
| Benzo[k]fluoranthene | µg/kg | | | | | | | |
| Chrysene | µg/kg | | | | | | | |
| Dibenz(a,h)anthracene | µg/kg | | | | | | | |
| Fluoranthene | µg/kg | | | | | | | |
| Fluorene | µg/kg | | | | | | | |
| Indeno(1,2,3-cd)pyrene | µg/kg | | | | | | | |
| 2-Methylnaphthalene | µg/kg | | | | | | | |

Notes: 1. Only Detects Shown
 2. Printed on 05/03/00

Table 2
SUMMARY OF SAMPLING AND ANALYTICAL INFORMATION (DETECTS) - SOIL
P&W East Hartford: NK Undeveloped Land Area - Outside Storage Area

Page 28 of 44

Notes: 1. Only Detects Shown
2. Printed on 05/03/00

Table 2
SUMMARY OF SAMPLING AND ANALYTICAL INFORMATION (DETECTS) - SOIL
P&W East Hartford: NK Undeveloped Land Area - Outside Storage Area

Page 29 of 44

| | Location ID | NK-SB-327 | NK-SB-327 | NK-SB-327 | NK-SB-327 | NK-SB-327 | NK-SB-327 | NK-SB-327 |
|--------------------------------------|--------------|-------------|-------------|--------------|-------------|-------------|-------------|-------------|
| | Sample ID | 1634766 | 1634767 | 1634767 | 1634768 | 1634769 | 1634770 | 1634772 |
| | Sample Date | 06/11/1997 | 06/11/1997 | 06/11/1997 | 06/11/1997 | 06/11/1997 | 06/11/1997 | 06/11/1997 |
| | Sample Time | 09:40 | 09:50 | 09:50 | 09:55 | 10:05 | 10:05 | 10:15 |
| | Sample Depth | 2' - 4' | 4' - 6' | 4' - 6' | 6' - 8' | 8' - 10' | 8' - 10' | 12' - 14' |
| | Laboratory | LEA | LEA | QUAN | LEA | LEA | LEA | LEA |
| | Lab. Number | 35-3554-071 | 35-3556-073 | A7F170103004 | 35-3557-074 | 35-3558-075 | 35-3559-076 | 35-3561-078 |
| Constituent | Units | | | | | | | |
| Date PCBs Analyzed | - | | | | | | | |
| Date Metals Analyzed | - | | | | | | | |
| Date Organics Analyzed | - | 06/12/1997 | 06/12/1997 | 06/24/1997 | 06/12/1997 | 06/12/1997 | 06/12/1997 | 06/12/1997 |
| Date Physical Analyzed | - | | | | | | | |
| Date Semi-volatile Organics Analyzed | - | | | | | | | |
| Arsenic | mg/kg | | | | | | | |
| Barium | mg/kg | | | | | | | |
| Chromium | mg/kg | | | | | | | |
| Lead | mg/kg | | | | | | | |
| Mercury | mg/kg | | | | | | | |
| Nickel | mg/kg | | | | | | | |
| Zinc | mg/kg | | | | | | | |
| PCB 1254 | µg/kg | | | | | | | |
| PCB 1260 | µg/kg | | | | | | | |
| TPH | mg/kg | | | | | | | |
| Acenaphthylene | µg/kg | | | | | | | |
| Anthracene | µg/kg | | | | | | | |
| Benzo(a)anthracene | µg/kg | | | | | | | |
| Benzo(b)fluoranthene | µg/kg | | | | | | | |
| Benzo[a]pyrene | µg/kg | | | | | | | |
| Benzo[ghi]perylene | µg/kg | | | | | | | |
| Benzo[k]fluoranthene | µg/kg | | | | | | | |
| Chrysene | µg/kg | | | | | | | |
| Dibenz(a,h)anthracene | µg/kg | | | | | | | |
| Fluoranthene | µg/kg | | | | | | | |
| Fluorene | µg/kg | | | | | | | |
| Indeno(1,2,3-cd)pyrene | µg/kg | | | | | | | |
| 2-Methylnaphthalene | µg/kg | | | | | | | |

Notes: 1. Only Detects Shown
 2. Printed on 05/03/00

Table 2
SUMMARY OF SAMPLING AND ANALYTICAL INFORMATION (DETECTS) - SOIL
P&W East Hartford: NK Undeveloped Land Area - Outside Storage Area

Page 30 of 44

Notes: 1. Only Detects Shown
2. Printed on 05/03/00

Table 2
SUMMARY OF SAMPLING AND ANALYTICAL INFORMATION (DETECTS) - SOIL
P&W East Hartford: NK Undeveloped Land Area - Outside Storage Area

Page 31 of 44

| | Location ID | NK-SB-328 | NK-SB-328 | NK-SB-328 | NK-SB-328 | NK-SB-328 | NK-SB-329 | NK-SB-329 |
|--------------------------------------|-------------|-------------|--------------|-------------|--------------|--------------|--------------|------------|
| Sample ID | 1634774 | 1634775 | 1634775 | 1634776 | 1634776 | 1634781 | 1634782 | |
| Sample Date | 06/11/1997 | 06/11/1997 | 06/11/1997 | 06/11/1997 | 06/11/1997 | 06/11/1997 | 06/11/1997 | 06/11/1997 |
| Sample Time | 10:55 | 11:00 | 11:00 | 11:05 | 11:05 | 11:35 | 11:50 | |
| Sample Depth | 0' - 2' | 2' - 4' | 2' - 4' | 4' - 6' | 4' - 6' | 2' - 4' | 4' - 6' | |
| Laboratory | LEA | LEA | QUAN | LEA | QUAN | QUAN | QUAN | |
| Lab. Number | 35-3563-080 | 35-3564-081 | A7F170103012 | 35-3566-083 | A7F170103013 | A7F170103018 | A7F170103019 | |
| Constituent | Units | | | | | | | |
| Date PCBs Analyzed | - | | | | | | | |
| Date Metals Analyzed | - | | | | | | | |
| Date Organics Analyzed | - | 06/12/1997 | 06/12/1997 | | 06/12/1997 | 06/24/1997 | | |
| Date Physical Analyzed | - | | | 07/03/1997 | | 07/03/1997 | 07/09/1997 | 07/09/1997 |
| Date Semi-volatile Organics Analyzed | - | | | | | | | |
| Arsenic | mg/kg | | | | | | | |
| Barium | mg/kg | | | | | | | |
| Chromium | mg/kg | | | | | | | |
| Lead | mg/kg | | | | | | | |
| Mercury | mg/kg | | | | | | | |
| Nickel | mg/kg | | | | | | | |
| Zinc | mg/kg | | | | | | | |
| PCB 1254 | µg/kg | | | | | | | |
| PCB 1260 | µg/kg | | | | | | | |
| TPH | mg/kg | | | 220 | | 340 | 250 | 88 |
| Acenaphthylene | µg/kg | | | | | | | |
| Anthracene | µg/kg | | | | | | | |
| Benzo(a)anthracene | µg/kg | | | | | | | |
| Benzo(b)fluoranthene | µg/kg | | | | | | | |
| Benzo[a]pyrene | µg/kg | | | | | | | |
| Benzo[ghi]perylene | µg/kg | | | | | | | |
| Benzo[k]fluoranthene | µg/kg | | | | | | | |
| Chrysene | µg/kg | | | | | | | |
| Dibenz(a,h)anthracene | µg/kg | | | | | | | |
| Fluoranthene | µg/kg | | | | | | | |
| Fluorene | µg/kg | | | | | | | |
| Indeno(1,2,3-cd)pyrene | µg/kg | | | | | | | |
| 2-Methylnaphthalene | µg/kg | | | | | | | |

Notes: 1. Only Detects Shown
2. Printed on 05/03/00

Table 2
SUMMARY OF SAMPLING AND ANALYTICAL INFORMATION (DETECTS) - SOIL
P&W East Hartford: NK Undeveloped Land Area - Outside Storage Area

Page 32 of 44

Notes: 1. Only Detects Shown
2. Printed on 05/03/00

Table 2
SUMMARY OF SAMPLING AND ANALYTICAL INFORMATION (DETECTS) - SOIL
P&W East Hartford: NK Undeveloped Land Area - Outside Storage Area

Page 33 of 44

| | Location ID | NK-SB-330 | NK-SB-330 | NK-SB-331 | NK-SB-332 | NK-SB-332 | NK-SB-53 | NK-SB-53 |
|--------------------------------------|--------------|--------------|--------------|--------------|--------------|--------------|-------------|-------------|
| | Sample ID | 1634786 | 1634787 | 1634793 | 1634800 | 1634801 | 1016799 | 1016799 |
| | Sample Date | 06/12/1997 | 06/12/1997 | 06/12/1997 | 06/12/1997 | 06/12/1997 | 08/08/1996 | 08/08/1996 |
| | Sample Time | 10:10 | 10:20 | 10:45 | 11:35 | 11:40 | 14:40 | 14:40 |
| | Sample Depth | 2' - 4' | 4' - 6' | 2' - 4' | 4' - 6' | 6' - 8' | 2' - 4' | 2' - 4' |
| | Laboratory | QUAN | QUAN | QUAN | QUAN | QUAN | AEL | LEA |
| | Lab. Number | A7F170105003 | A7F170105004 | A7F170105010 | A7F170105017 | A7F170105018 | AEL96009081 | 96-3908-030 |
| Constituent | Units | | | | | | | |
| Date PCBs Analyzed | - | | | | | | | |
| Date Metals Analyzed | - | | | | | | 08/20/1996 | |
| Date Organics Analyzed | - | | | | | 06/25/1997 | | 08/14/1996 |
| Date Physical Analyzed | - | 07/09/1997 | 07/09/1997 | 07/09/1997 | 07/09/1997 | | | |
| Date Semi-volatile Organics Analyzed | - | | | | | | | |
| Arsenic | mg/kg | | | | | | | |
| Barium | mg/kg | | | | | | 12.3 | |
| Chromium | mg/kg | | | | | | | |
| Lead | mg/kg | | | | | | | |
| Mercury | mg/kg | | | | | | | |
| Nickel | mg/kg | | | | | | | |
| Zinc | mg/kg | | | | | | 31.2 | |
| PCB 1254 | µg/kg | | | | | | | |
| PCB 1260 | µg/kg | | | | | | | |
| TPH | mg/kg | 140 | 290 | 56 | 74 | | | |
| Acenaphthylene | µg/kg | | | | | | | |
| Anthracene | µg/kg | | | | | | | |
| Benzo(a)anthracene | µg/kg | | | | | | | |
| Benzo(b)fluoranthene | µg/kg | | | | | | | |
| Benzo[a]pyrene | µg/kg | | | | | | | |
| Benzo[ghi]perylene | µg/kg | | | | | | | |
| Benzo[k]fluoranthene | µg/kg | | | | | | | |
| Chrysene | µg/kg | | | | | | | |
| Dibenz(a,h)anthracene | µg/kg | | | | | | | |
| Fluoranthene | µg/kg | | | | | | | |
| Fluorene | µg/kg | | | | | | | |
| Indeno(1,2,3-cd)pyrene | µg/kg | | | | | | | |
| 2-Methylnaphthalene | µg/kg | | | | | | | |

Notes: 1. Only Detects Shown
 2. Printed on 05/03/00

Table 2
SUMMARY OF SAMPLING AND ANALYTICAL INFORMATION (DETECTS) - SOIL
P&W East Hartford: NK Undeveloped Land Area - Outside Storage Area

Page 34 of 44

Notes: 1. Only Detects Shown
2. Printed on 05/03/00

Table 2

SUMMARY OF SAMPLING AND ANALYTICAL INFORMATION (DETECTS) - SOIL
P&W East Hartford: NK Undeveloped Land Area - Outside Storage Area

Page 35 of 44

| | Location ID | NK-TP-02B | NK-TP-02N | NK-TP-04B | NK-TP-04N | NK-TP-05B | NK-TP-05E | NK-TP-06B |
|--------------------------------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|------------|
| Sample ID | 1017467 | 1017469 | 1020895 | 1020891 | 1020900 | 1020897 | 1020905 | |
| Sample Date | 08/19/1996 | 08/19/1996 | 11/01/1996 | 11/01/1996 | 11/01/1996 | 11/01/1996 | 11/01/1996 | 11/01/1996 |
| Sample Time | 13:32 | 13:49 | 11:40 | 11:20 | 12:30 | 12:15 | 13:00 | |
| Sample Depth | 9.2' | 5.2' | 6' | 3' | 6' | 3' | 6' | |
| Laboratory | AEL | |
| Lab. Number | AEL96009373 | AEL96009372 | AEL96012641 | AEL96012640 | AEL96012643 | AEL96012642 | AEL96012644 | |
| Constituent | Units | | | | | | | |
| Date PCBs Analyzed | - | | | | | | | |
| Date Metals Analyzed | - | 09/03/1996 | 09/03/1996 | 11/11/1996 | 11/11/1996 | 11/11/1996 | 11/11/1996 | 11/11/1996 |
| Date Organics Analyzed | - | | 08/29/1996 | | | | | |
| Date Physical Analyzed | - | | | 11/12/1996 | 11/12/1996 | | 11/12/1996 | |
| Date Semi-volatile Organics Analyzed | - | | | | | | | |
| Arsenic | mg/kg | 1.36 | 1.44 | 1.61 | 1.99 | | 3.87 | 2.27 |
| Barium | mg/kg | 32.2 | 25.5 | 26.4 | 22.3 | 16.7 | 40.5 | 23 |
| Chromium | mg/kg | 7.82 | 8.9 | 6.37 | 10 | 5.79 | 9.33 | 9.2 |
| Lead | mg/kg | | | | | | 36.8 | |
| Mercury | mg/kg | | | | | | | |
| Nickel | mg/kg | | | | | | | |
| Zinc | mg/kg | 25.3 | 25.9 | 19.1 | 20.6 | 16.8 | 38.4 | 49.4 |
| PCB 1254 | µg/kg | | | | | | | |
| PCB 1260 | µg/kg | | | | | | | |
| TPH | mg/kg | | | 304 | 922 | | 41.8 | |
| Acenaphthylene | µg/kg | | | | | | | |
| Anthracene | µg/kg | | | | | | | |
| Benzo(a)anthracene | µg/kg | | | | | | | |
| Benzo(b)fluoranthene | µg/kg | | | | | | | |
| Benzo[a]pyrene | µg/kg | | | | | | | |
| Benzo[ghi]perylene | µg/kg | | | | | | | |
| Benzo[k]fluoranthene | µg/kg | | | | | | | |
| Chrysene | µg/kg | | | | | | | |
| Dibenz(a,h)anthracene | µg/kg | | | | | | | |
| Fluoranthene | µg/kg | | | | | | | |
| Fluorene | µg/kg | | | | | | | |
| Indeno(1,2,3-cd)pyrene | µg/kg | | | | | | | |
| 2-Methylnaphthalene | µg/kg | | | | | | | |

Notes: 1. Only Detects Shown
 2. Printed on 05/03/00

Table 2
SUMMARY OF SAMPLING AND ANALYTICAL INFORMATION (DETECTS) - SOIL
P&W East Hartford: NK Undeveloped Land Area - Outside Storage Area

Page 36 of 44

Notes: 1. Only Detects Shown
2. Printed on 05/03/00

Table 2
SUMMARY OF SAMPLING AND ANALYTICAL INFORMATION (DETECTS) - SOIL
P&W East Hartford: NK Undeveloped Land Area - Outside Storage Area

Page 37 of 44

| | Location ID | NK-TP-20-1 | NK-TP-20-10 | NK-TP-20-11 | NK-TP-20-12 | NK-TP-20-13 | NK-TP-20-13 | NK-TP-20-14 |
|--------------------------------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|
| | Sample ID | 1832281 | 1832290 | 1832291 | 1832292 | 1832293 | 1832293 | 1832294 |
| | Sample Date | 12/01/1998 | 12/01/1998 | 12/01/1998 | 12/01/1998 | 12/01/1998 | 12/01/1998 | 12/01/1998 |
| | Sample Time | 11:20 | 11:47 | 11:50 | 11:53 | 11:56 | 11:56 | 11:59 |
| | Sample Depth | 5.0' | 5.0' | 5.0' | 5.0' | 5.0' | 5.0' | 5.0' |
| | Laboratory | QUAN |
| | Lab. Number | A8L040111001 | A8L040111010 | A8L040111011 | A8L040111012 | 28L040111013 | A8L040111013 | A8L040111014 |
| Constituent | Units | | | | | | | |
| Date PCBs Analyzed | - | | | | | 12/18/1998 | 12/15/1998 | |
| Date Metals Analyzed | - | 12/14/1998 | 12/14/1998 | 12/14/1998 | 12/14/1998 | | 12/14/1998 | 12/14/1998 |
| Date Organics Analyzed | - | | | | | | | |
| Date Physical Analyzed | - | | 12/10/1998 | | 12/10/1998 | | 12/10/1998 | 12/10/1998 |
| Date Semi-volatile Organics Analyzed | - | 12/10/1998 | | | | | | |
| Arsenic | mg/kg | 2.8 | 1.9 | 2.1 | 1.7 | | 2.4 | 2.3 |
| Barium | mg/kg | 23.8 | 19.7 | 18.7 | 17.7 | | 26.3 | 23.5 |
| Chromium | mg/kg | 7.5 | 7.2 | 7.3 | 7.0 | | 7.7 | 7.0 |
| Lead | mg/kg | 14.6 | 8.7 | 9.2 | 5.8 | | 10 | 10.0 |
| Mercury | mg/kg | 0.21 | | | | | | |
| Nickel | mg/kg | 7.6 | 6.2 | 6.3 | 6.6 | | 7.1 | 7.0 |
| Zinc | mg/kg | 26.7 | 22.7 | 32.6 | 20.2 | | 25.1 | 26.7 |
| PCB 1254 | µg/kg | | | | | 120 | 93 | |
| PCB 1260 | µg/kg | | | | | | | |
| TPH | mg/kg | | 120 | | 57 | | 260 | 1300 |
| Acenaphthylene | µg/kg | 96 J | | | | | | |
| Anthracene | µg/kg | 74 J | | | | | | |
| Benzo(a)anthracene | µg/kg | 370 | | | | | | |
| Benzo(b)fluoranthene | µg/kg | 400 | | | | | | |
| Benzo[a]pyrene | µg/kg | 350 J | | | | | | |
| Benzo[ghi]perylene | µg/kg | 250 J | | | | | | |
| Benzo[k]fluoranthene | µg/kg | 150 J | | | | | | |
| Chrysene | µg/kg | 510 | | | | | | |
| Dibenz(a,h)anthracene | µg/kg | 61 J | | | | | | |
| Fluoranthene | µg/kg | 580 | | | | | | |
| Fluorene | µg/kg | 57 J | | | | | | |
| Indeno(1,2,3-cd)pyrene | µg/kg | 200 J | | | | | | |
| 2-Methylnaphthalene | µg/kg | | | | | | | |

Notes: 1. Only Detects Shown
2. Printed on 05/03/00

Table 2
SUMMARY OF SAMPLING AND ANALYTICAL INFORMATION (DETECTS) - SOIL
P&W East Hartford: NK Undeveloped Land Area - Outside Storage Area

Page 38 of 44

Notes: 1. Only Detects Shown
2. Printed on 05/03/00



Table 2
SUMMARY OF SAMPLING AND ANALYTICAL INFORMATION (DETECTS) - SOIL
P&W East Hartford: NK Undeveloped Land Area - Outside Storage Area

Page 39 of 44

| | Location ID | NK-TP-20-15 | NK-TP-20-16 | NK-TP-20-16 | NK-TP-20-17 | NK-TP-20-18 | NK-TP-20-19 | NK-TP-20-2 |
|--------------------------------------|--------------|--------------|--------------|--------------|-------------|-------------|-------------|--------------|
| | Sample ID | 1832295 | 1832296 | 1832297 | 1836765 | 1836766 | 1964607 | 1832282 |
| | Sample Date | 12/01/1998 | 12/01/1998 | 12/01/1998 | 03/25/1999 | 03/25/1999 | 04/19/2000 | 12/01/1998 |
| | Sample Time | 12:02 | 12:05 | 12:08 | 10:55 | 11:00 | 10:18 | 11:23 |
| | Sample Depth | 5.0' | 5.0' | 5.0' | 4' | 4' | 5' | 5.0' |
| | Laboratory | QUAN | QUAN | QUAN | LANC | LANC | accu | QUAN |
| | Lab. Number | A8L040111015 | A8L040111016 | A8L040111017 | 3118426 | 3118427 | M12213-1 | A8L040111002 |
| Constituent | Units | | | | | | | |
| Date PCBs Analyzed | - | | | | | | | |
| Date Metals Analyzed | - | 12/14/1998 | 12/14/1998 | 12/14/1998 | | | | 12/14/1998 |
| Date Organics Analyzed | - | | | | | | | |
| Date Physical Analyzed | - | | | | 04/08/1999 | 04/08/1999 | | |
| Date Semi-volatile Organics Analyzed | - | | | | | | 04/22/2000 | 12/10/1998 |
| Arsenic | mg/kg | 2.5 | 2.4 | 2.6 | | | | 4.5 |
| Barium | mg/kg | 15.2 | 23.8 | 24.2 | | | | 27.6 |
| Chromium | mg/kg | 3.8 | 7.3 | 7.3 | | | | 7.5 |
| Lead | mg/kg | 5.1 | 9.2 | 8.5 | | | | 12.6 |
| Mercury | mg/kg | | | | | | | |
| Nickel | mg/kg | 8.3 | 7.5 | 8.2 | | | | 7.1 |
| Zinc | mg/kg | 36.5 | 25.6 | 25.1 | | | | 23.6 |
| PCB 1254 | µg/kg | | | | | | | |
| PCB 1260 | µg/kg | | | | | | | |
| TPH | mg/kg | | | | 500 | 73 | | |
| Acenaphthylene | µg/kg | | | | | | | 52 J |
| Anthracene | µg/kg | | | | | | | |
| Benzo(a)anthracene | µg/kg | | | | | | | 210 J |
| Benzo(b)fluoranthene | µg/kg | | | | | | | 220 J |
| Benzo[a]pyrene | µg/kg | | | | | | | 200 J |
| Benzo[ghi]perylene | µg/kg | | | | | | | 120 J |
| Benzo[k]fluoranthene | µg/kg | | | | | | | 92 J |
| Chrysene | µg/kg | | | | | | | 260 J |
| Dibenz(a,h)anthracene | µg/kg | | | | | | | |
| Fluoranthene | µg/kg | | | | | | | 260 J |
| Fluorene | µg/kg | | | | | | | |
| Indeno(1,2,3-cd)pyrene | µg/kg | | | | | | | 110 J |
| 2-Methylnaphthalene | µg/kg | | | | | | | |

Notes: 1. Only Detects Shown
 2. Printed on 05/03/00

Table 2
SUMMARY OF SAMPLING AND ANALYTICAL INFORMATION (DETECTS) - SOIL
P&W East Hartford: NK Undeveloped Land Area - Outside Storage Area

Page 40 of 44

Notes: 1. Only Detects Shown
2. Printed on 05/03/00



Table 2
SUMMARY OF SAMPLING AND ANALYTICAL INFORMATION (DETECTS) - SOIL
P&W East Hartford: NK Undeveloped Land Area - Outside Storage Area

Page 41 of 44

| | Location ID | NK-TP-20-20 | NK-TP-20-3 | NK-TP-20-4 | NK-TP-20-5 | NK-TP-20-6 | NK-TP-20-7 | NK-TP-20-8 |
|--------------------------------------|-------------|--------------|--------------|--------------|--------------|--------------|--------------|------------|
| Sample ID | 1964608 | 1832283 | 1832284 | 1832285 | 1832286 | 1832287 | 1832288 | |
| Sample Date | 04/19/2000 | 12/01/1998 | 12/01/1998 | 12/01/1998 | 12/01/1998 | 12/01/1998 | 12/01/1998 | 12/01/1998 |
| Sample Time | 10:22 | 11:26 | 11:29 | 11:32 | 11:35 | 11:38 | 11:41 | |
| Sample Depth | | 5.0' | 5.0' | 5.0' | 5.0' | 5.0' | 5.0' | 5.0' |
| Laboratory | accu | QUAN | QUAN | QUAN | QUAN | QUAN | QUAN | QUAN |
| Lab. Number | M12213-2 | A8L040111003 | A8L040111004 | A8L040111005 | A8L040111006 | A8L040111007 | A8L040111008 | |
| Constituent | Units | | | | | | | |
| Date PCBs Analyzed | - | | | | | | | |
| Date Metals Analyzed | - | | 12/14/1998 | 12/14/1998 | 12/14/1998 | 12/14/1998 | 12/14/1998 | 12/14/1998 |
| Date Organics Analyzed | - | | | | | | | |
| Date Physical Analyzed | - | | | | | 12/10/1998 | 12/10/1998 | |
| Date Semi-volatile Organics Analyzed | - | 04/22/2000 | 12/10/1998 | | 12/10/1998 | | | |
| Arsenic | mg/kg | | 2.2 | 3.1 | 2.7 | 2.2 | 2.5 | 1.5 |
| Barium | mg/kg | | 17.7 | 31.3 | 26.7 | 22.0 | 19.8 | |
| Chromium | mg/kg | | 6.3 | 7.7 | 6.6 | 6.2 | 7.0 | 6.3 |
| Lead | mg/kg | | 6.5 | 10.2 | 10.6 | 7.2 | 7.7 | 4.7 |
| Mercury | mg/kg | | | | | | | |
| Nickel | mg/kg | | 7.7 | 6.6 | 7.5 | 6.7 | 6.5 | 6.9 |
| Zinc | mg/kg | | 28.6 | 24.8 | 20.7 | 26.8 | 24.5 | 21.3 |
| PCB 1254 | µg/kg | | | | | | | |
| PCB 1260 | µg/kg | | | | | | | |
| TPH | mg/kg | | | | | 250 | 66 | |
| Acenaphthylene | µg/kg | 313 | | | | | | |
| Anthracene | µg/kg | 145 J | | | | | | |
| Benzo(a)anthracene | µg/kg | 587 | 73 J | | | | | |
| Benzo(b)fluoranthene | µg/kg | 704 | 76 J | | | | | |
| Benzo[a]pyrene | µg/kg | 519 | 66 J | | | | | |
| Benzo[ghi]perylene | µg/kg | 477 | | | | | | |
| Benzo[k]fluoranthene | µg/kg | 195 J | | | | | | |
| Chrysene | µg/kg | 809 | 74 J | | | | | |
| Dibenz(a,h)anthracene | µg/kg | 92.2 J | | | | | | |
| Fluoranthene | µg/kg | 661 | 68 J | | 49 J | | | |
| Fluorene | µg/kg | 63.9 J | | | | | | |
| Indeno(1,2,3-cd)pyrene | µg/kg | 364 | | | | | | |
| 2-Methylnaphthalene | µg/kg | | | | | | | |

Notes: 1. Only Detects Shown
 2. Printed on 05/03/00

Table 2
SUMMARY OF SAMPLING AND ANALYTICAL INFORMATION (DETECTS) - SOIL
P&W East Hartford: NK Undeveloped Land Area - Outside Storage Area

Page 42 of 44

Notes: 1. Only Detects Shown
2. Printed on 05/03/00

Table 2
SUMMARY OF SAMPLING AND ANALYTICAL INFORMATION (DETECTS) - SOIL
P&W East Hartford: NK Undeveloped Land Area - Outside Storage Area

Page 43 of 44

| | | | | | | | | | |
|--------------------------------------|--------------|--------------|--|--|--|--|--|--|--|
| | Location ID | NK-TP-20-9 | | | | | | | |
| | Sample ID | 1832289 | | | | | | | |
| | Sample Date | 12/01/1998 | | | | | | | |
| | Sample Time | 11:44 | | | | | | | |
| | Sample Depth | 5.0' | | | | | | | |
| | Laboratory | QUAN | | | | | | | |
| | Lab. Number | A8L040111009 | | | | | | | |
| Constituent | Units | | | | | | | | |
| Date PCBs Analyzed | - | | | | | | | | |
| Date Metals Analyzed | - | 12/14/1998 | | | | | | | |
| Date Organics Analyzed | - | | | | | | | | |
| Date Physical Analyzed | - | | | | | | | | |
| Date Semi-volatile Organics Analyzed | - | | | | | | | | |
| Arsenic | mg/kg | 3.0 | | | | | | | |
| Barium | mg/kg | 20.9 | | | | | | | |
| Chromium | mg/kg | 6.7 | | | | | | | |
| Lead | mg/kg | 10.5 | | | | | | | |
| Mercury | mg/kg | | | | | | | | |
| Nickel | mg/kg | 7.1 | | | | | | | |
| Zinc | mg/kg | 26.4 | | | | | | | |
| PCB 1254 | µg/kg | | | | | | | | |
| PCB 1260 | µg/kg | | | | | | | | |
| TPH | mg/kg | | | | | | | | |
| Acenaphthylene | µg/kg | | | | | | | | |
| Anthracene | µg/kg | | | | | | | | |
| Benzo(a)anthracene | µg/kg | | | | | | | | |
| Benzo(b)fluoranthene | µg/kg | | | | | | | | |
| Benzo[a]pyrene | µg/kg | | | | | | | | |
| Benzo[ghi]perylene | µg/kg | | | | | | | | |
| Benzo[k]fluoranthene | µg/kg | | | | | | | | |
| Chrysene | µg/kg | | | | | | | | |
| Dibenz(a,h)anthracene | µg/kg | | | | | | | | |
| Fluoranthene | µg/kg | | | | | | | | |
| Fluorene | µg/kg | | | | | | | | |
| Indeno(1,2,3-cd)pyrene | µg/kg | | | | | | | | |
| 2-Methylnaphthalene | µg/kg | | | | | | | | |

Notes: 1. Only Detects Shown
 2. Printed on 05/03/00

Table 2
SUMMARY OF SAMPLING AND ANALYTICAL INFORMATION (DETECTS) - SOIL
P&W East Hartford: NK Undeveloped Land Area - Outside Storage Area

Page 44 of 44

Notes: 1. Only Detects Shown
2. Printed on 05/03/00

Table 3
SUMMARY OF ANALYTICAL RESULTS - SOIL
P&W East Hartford: NK Undeveloped Land Area - Outside Storage Area

Page 1 of 536

| | Location ID | NK-SB-215 | NK-SB-215 | NK-SB-215 | NK-SB-215 | NK-SB-215 | NK-SB-215 | NK-SB-215 |
|--------------------------------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|------------|
| Sample ID | 1020837 | 1020838 | 1020839 | 1020839 | 1020840 | 1020841 | 1020841 | 1020841 |
| Sample Date | 10/30/1996 | 10/30/1996 | 10/30/1996 | 10/30/1996 | 10/30/1996 | 10/30/1996 | 10/30/1996 | 10/30/1996 |
| Sample Time | 13:30 | 13:40 | 13:50 | 13:50 | 14:00 | 14:10 | 14:10 | 14:10 |
| Sample Depth | 0' - 2' | 2' - 4' | 4' - 6' | 4' - 6' | 6' - 8' | 8' - 10' | 8' - 10' | 8' - 10' |
| Laboratory | LEA | LEA | AEL | LEA | LEA | AEL | AEL | LEA |
| Lab. Number | 96-5644-208 | 96-5645-209 | AEL96012630 | 96-5646-210 | 96-5649-213 | AEL96012631 | 96-5650-214 | |
| Constituent | Units | | | | | | | |
| Date PCBs Analyzed | - | | | | | | | |
| Date Metals Analyzed | - | | | 11/11/1996 | | | 11/11/1996 | |
| Date Organics Analyzed | - | 11/01/1996 | 11/01/1996 | 11/13/1996 | 11/01/1996 | 11/04/1996 | 11/13/1996 | 11/04/1996 |
| Date Pesticides/Herbicides Analyzed | - | | | | | | | |
| Date Physical Analyzed | - | | | 11/11/1996 | | | 11/11/1996 | |
| Date Semi-volatile Organics Analyzed | - | | | | | | | |
| Dinoseb | µg/kg | | | | | | | |
| Arsenic | mg/kg | | 2.76 | | | <1.17 | | |
| Barium | mg/kg | | 20.3 | | | 14.6 | | |
| Cadmium | mg/kg | | <3.3 | | | <3.51 | | |
| Chromium | mg/kg | | 7.04 | | | 6.21 | | |
| Lead | mg/kg | | <22 | | | <23.4 | | |
| Mercury | mg/kg | | <0.22 | | | <0.234 | | |
| Nickel | mg/kg | | <11 | | | <11.7 | | |
| Selenium | mg/kg | | <1.1 | | | <1.17 | | |
| Silver | mg/kg | | <5.5 | | | <5.85 | | |
| Zinc | mg/kg | | 26.5 | | | 12.6 | | |
| PCB 1016 | µg/kg | | | | | | | |
| PCB 1221 | µg/kg | | | | | | | |
| PCB 1232 | µg/kg | | | | | | | |
| PCB 1242 | µg/kg | | | | | | | |
| PCB 1248 | µg/kg | | | | | | | |
| PCB 1254 | µg/kg | | | | | | | |
| PCB 1260 | µg/kg | | | | | | | |
| 2-Acetylaminofluorene | µg/kg | | | | | | | |
| Aramite | µg/kg | | | | | | | |
| Hexachlorobenzene | µg/kg | | | | | | | |
| Hexachlorocyclopentadiene | µg/kg | | | | | | | |

Notes: 1. Printed on 03/03/00

Table 3
SUMMARY OF ANALYTICAL RESULTS - SOIL
P&W East Hartford: NK Undeveloped Land Area - Outside Storage Area

Page 2 of 536

| | Location ID | NK-SB-215 | NK-SB-215 |
|--------------------------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|------------|
| Sample ID | 1020837 | 1020838 | 1020839 | 1020839 | 1020840 | 1020841 | 1020841 | 1020841 | 1020841 |
| Sample Date | 10/30/1996 | 10/30/1996 | 10/30/1996 | 10/30/1996 | 10/30/1996 | 10/30/1996 | 10/30/1996 | 10/30/1996 | 10/30/1996 |
| Sample Time | 13:30 | 13:40 | 13:50 | 13:50 | 14:00 | 14:10 | 14:10 | 14:10 | 14:10 |
| Sample Depth | 0' - 2' | 2' - 4' | 4' - 6' | 4' - 6' | 6' - 8' | 8' - 10' | 8' - 10' | 8' - 10' | 8' - 10' |
| Laboratory | LEA | LEA | AEL | LEA | LEA | AEL | AEL | LEA | LEA |
| Lab. Number | 96-5644-208 | 96-5645-209 | AEL96012630 | 96-5646-210 | 96-5649-213 | AEL96012631 | AEL96012631 | 96-5650-214 | |
| Constituent | Units | | | | | | | | |
| Dimethoate | µg/kg | | | | | | | | |
| Disulfoton | µg/kg | | | | | | | | |
| Famphur | µg/kg | | | | | | | | |
| Phorate | µg/kg | | | | | | | | |
| 1,2-Dibromo-3-chloropropane | µg/kg | | | | | | | | |
| TPH | mg/kg | | 184 | | | <37.4 | | | |
| Total Solids | % | | <91 | | | <85.4 | | | |
| Acenaphthylene | µg/kg | | | | | | | | |
| Acenaphthalene | µg/kg | | | | | | | | |
| Phenacetin | µg/kg | | | | | | | | |
| Acetophenone | µg/kg | | | | | | | | |
| Aniline | µg/kg | | | | | | | | |
| o-Nitroaniline | µg/kg | | | | | | | | |
| m-Nitroaniline | µg/kg | | | | | | | | |
| p-Chloroaniline | µg/kg | | | | | | | | |
| p-Nitroaniline | µg/kg | | | | | | | | |
| p-Dimethylaminoazobenzene | µg/kg | | | | | | | | |
| Anthracene | µg/kg | | | | | | | | |
| Benzo(a)anthracene | µg/kg | | | | | | | | |
| 7,12-Dimethylbenz[a]anthracene | µg/kg | | | | | | | | |
| Benzo(b)fluoranthene | µg/kg | | | | | | | | |
| 1,2,4,5-Tetrachlorobenzene | µg/kg | | | | | | | | |
| Isosafrole | µg/kg | | | | | | | | |
| 1,3,5-Trinitrobenzene | µg/kg | | | | | | | | |
| m-Dinitrobenzene | µg/kg | | | | | | | | |
| Safrole | µg/kg | | | | | | | | |
| Nitrobenzene | µg/kg | | | | | | | | |
| Benzidine | µg/kg | | | | | | | | |

Notes: 1. Printed on 05/03/00

Table 3
SUMMARY OF ANALYTICAL RESULTS - SOIL
P&W East Hartford: NK Undeveloped Land Area - Outside Storage Area

Page 3 of 536

| | Location ID | NK-SB-215 | NK-SB-215 | NK-SB-215 | NK-SB-215 | NK-SB-215 | NK-SB-215 | NK-SB-215 | NK-SB-215 |
|-------------------------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|------------|------------|
| Sample ID | 1020837 | 1020838 | 1020839 | 1020839 | 1020840 | 1020841 | 1020841 | 1020841 | 1020841 |
| Sample Date | 10/30/1996 | 10/30/1996 | 10/30/1996 | 10/30/1996 | 10/30/1996 | 10/30/1996 | 10/30/1996 | 10/30/1996 | 10/30/1996 |
| Sample Time | 13:30 | 13:40 | 13:50 | 13:50 | 14:00 | 14:10 | 14:10 | 14:10 | 14:10 |
| Sample Depth | 0' - 2' | 2' - 4' | 4' - 6' | 4' - 6' | 6' - 8' | 8' - 10' | 8' - 10' | 8' - 10' | 8' - 10' |
| Laboratory | LEA | LEA | AEL | LEA | LEA | AEL | AEL | LEA | LEA |
| Lab. Number | 96-5644-208 | 96-5645-209 | AEL96012630 | 96-5646-210 | 96-5649-213 | AEL96012631 | 96-5650-214 | | |
| Constituent | Units | | | | | | | | |
| 3,3'-Dichlorobenzidine | µg/kg | | | | | | | | |
| o-Tolidine | µg/kg | | | | | | | | |
| Benzo[a]pyrene | µg/kg | | | | | | | | |
| Benzo[ghi]perylene | µg/kg | | | | | | | | |
| Benzo[k]fluoranthene | µg/kg | | | | | | | | |
| Benzoic Acid | µg/kg | | | | | | | | |
| Benzyl Alcohol | µg/kg | | | | | | | | |
| p-Aminobiphenyl | µg/kg | | | | | | | | |
| Hexachlorobutadiene | µg/kg | | | | | | | | |
| n-Nitrosodi-n-butylamine | µg/kg | | | | | | | | |
| trans-1,4-Dichloro-2-butylene | µg/kg | | | | | | | | |
| Carbazole | µg/kg | | | | | | | | |
| 3-Methylchloanthrene | µg/kg | | | | | | | | |
| Chrysene | µg/kg | | | | | | | | |
| o-Cresol | µg/kg | | | | | | | | |
| m-Cresol | µg/kg | | | | | | | | |
| Dinitro-o-cresol | µg/kg | | | | | | | | |
| p-Cresol | µg/kg | | | | | | | | |
| p-Chloro-m-cresol | µg/kg | | | | | | | | |
| Dibenz(a,h)anthracene | µg/kg | | | | | | | | |
| Dibenzofuran | µg/kg | | | | | | | | |
| n-Nitrosodiethylamine | µg/kg | | | | | | | | |
| n-Nitrosodimethylamine | µg/kg | | | | | | | | |
| Diphenylamine | µg/kg | | | | | | | | |
| n-Nitrosodiphenylamine | µg/kg | | | | | | | | |
| n-Nitrosodipropylamine | µg/kg | | | | | | | | |
| Hexachloroethane | µg/kg | | | | | | | | |
| 4-Bromophenyl Phenyl Ether | µg/kg | | | | | | | | |

Notes: 1. Printed on 05/03/00

Table 3
SUMMARY OF ANALYTICAL RESULTS - SOIL
P&W East Hartford: NK Undeveloped Land Area - Outside Storage Area

Page 4 of 536

| | Location ID | NK-SB-215 |
|--|--------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| | Sample ID | 1020837 | 1020838 | 1020839 | 1020839 | 1020840 | 1020841 | 1020841 |
| | Sample Date | 10/30/1996 | 10/30/1996 | 10/30/1996 | 10/30/1996 | 10/30/1996 | 10/30/1996 | 10/30/1996 |
| | Sample Time | 13:30 | 13:40 | 13:50 | 13:50 | 14:00 | 14:10 | 14:10 |
| | Sample Depth | 0' - 2' | 2' - 4' | 4' - 6' | 4' - 6' | 6' - 8' | 8' - 10' | 8' - 10' |
| | Laboratory | LEA | LEA | AEL | LEA | LEA | AEL | LEA |
| | Lab. Number | 96-5644-208 | 96-5645-209 | AEL96012630 | 96-5646-210 | 96-5649-213 | AEL96012631 | 96-5650-214 |
| Constituent | Units | | | | | | | |
| 4-Chlorophenyl phenyl ether | µg/kg | | | | | | | |
| Dichlorodiisopropyl ether | µg/kg | | | | | | | |
| Dichloroethyl Ether | µg/kg | | | | | | | |
| n-Methyl-n-nitrosoethylamine | µg/kg | | | | | | | |
| Fluoranthene | µg/kg | | | | | | | |
| Fluorene | µg/kg | | | | | | | |
| 1,2-Diphenylhydrazine | µg/kg | | | | | | | |
| Indeno(1,2,3-cd)pyrene | µg/kg | | | | | | | |
| Isophorone | µg/kg | | | | | | | |
| bis(2-Chloroethoxy)methane | µg/kg | | | | | | | |
| Ethylmethanesulfonate | µg/kg | | | | | | | |
| Methylmethanesulfonate | µg/kg | | | | | | | |
| Methapyrilene | µg/kg | | | | | | | |
| n-Nitrosomorpholine | µg/kg | | | | | | | |
| Naphthalene | µg/kg | | | | | | | |
| 2-Chloronaphthalene | µg/kg | | | | | | | |
| 2-Methylnaphthalene | µg/kg | | | | | | | |
| 1,4-Naphthoquinone | µg/kg | | | | | | | |
| alpha-Naphthylamine | µg/kg | | | | | | | |
| beta-Naphthylamine | µg/kg | | | | | | | |
| Phenanthrene | µg/kg | | | | | | | |
| alpha,alpha-Dimethylphenethylamine | µg/kg | | | | | | | |
| Phenol | µg/kg | | | | | | | |
| 2,2'-Methylenebis(3,4,6-trichlorophenol) | µg/kg | | | | | | | |
| 2,3,4,6-Tetrachlorophenol | µg/kg | | | | | | | |
| 2,4,5-Trichlorophenol | µg/kg | | | | | | | |
| 2,4,6-Trichlorophenol | µg/kg | | | | | | | |
| 2,4-Dichlorophenol | µg/kg | | | | | | | |

Notes: 1. Printed on 05/03/00

Table 3
SUMMARY OF ANALYTICAL RESULTS - SOIL
P&W East Hartford: NK Undeveloped Land Area - Outside Storage Area

Page 5 of 536

| | Location ID | NK-SB-215 | NK-SB-215 | NK-SB-215 | NK-SB-215 | NK-SB-215 | NK-SB-215 | NK-SB-215 |
|---------------------------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|------------|
| Sample ID | 1020837 | 1020838 | 1020839 | 1020839 | 1020840 | 1020841 | 1020841 | 1020841 |
| Sample Date | 10/30/1996 | 10/30/1996 | 10/30/1996 | 10/30/1996 | 10/30/1996 | 10/30/1996 | 10/30/1996 | 10/30/1996 |
| Sample Time | 13:30 | 13:40 | 13:50 | 13:50 | 14:00 | 14:10 | 14:10 | 14:10 |
| Sample Depth | 0' - 2' | 2' - 4' | 4' - 6' | 4' - 6' | 6' - 8' | 8' - 10' | 8' - 10' | 8' - 10' |
| Laboratory | LEA | LEA | AEL | LEA | LEA | AEL | AEL | LEA |
| Lab. Number | 96-5644-208 | 96-5645-209 | AEL96012630 | 96-5646-210 | 96-5649-213 | AEL96012631 | 96-5650-214 | |
| Constituent | Units | | | | | | | |
| 2,4-Dinitrophenol | µg/kg | | | | | | | |
| o-Chlorophenol | µg/kg | | | | | | | |
| o-Nitrophenol | µg/kg | | | | | | | |
| p-Nitrophenol | µg/kg | | | | | | | |
| Pentachlorophenol | µg/kg | | | | | | | |
| p-Phenylenediamine | µg/kg | | | | | | | |
| Butyl Benzyl Phthalate | µg/kg | | | | | | | |
| bis(2-Ethylhexyl)phthalate | µg/kg | | | | | | | |
| Di-n-butyl Phthalate | µg/kg | | | | | | | |
| Di-n-octyl Phthalate | µg/kg | | | | | | | |
| Diethyl Phthalate | µg/kg | | | | | | | |
| Dimethyl Phthalate | µg/kg | | | | | | | |
| 2-Picoline | µg/kg | | | | | | | |
| n-Nitrosopiperidine | µg/kg | | | | | | | |
| Pronamide | µg/kg | | | | | | | |
| Hexachloropropylene | µg/kg | | | | | | | |
| Pyrene | µg/kg | | | | | | | |
| Pyridine | µg/kg | | | | | | | |
| n-Nitrosopyrrolidine | µg/kg | | | | | | | |
| 4-Nitroquinoline, 1-oxide | µg/kg | | | | | | | |
| 2,4-Dinitrotoluene | µg/kg | | | | | | | |
| 2,6-Dinitrotoluene | µg/kg | | | | | | | |
| 5-Nitro-o-Toluidine | µg/kg | | | | | | | |
| o-Toluidine | µg/kg | | | | | | | |
| o,o,o-Triethyl phosphorothioate | µg/kg | | | | | | | |
| 2,4-Xylenol | µg/kg | | | | | | | |
| Acetone | µg/kg | | | <23 | | | <24 | |
| Acetonitrile | µg/kg | | | | | | | |

Notes: 1. Printed on 05/03/00



Table 3
SUMMARY OF ANALYTICAL RESULTS - SOIL
P&W East Hartford: NK Undeveloped Land Area - Outside Storage Area

Page 6 of 536

| | Location ID | NK-SB-215 |
|-----------------------------------|--------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| | Sample ID | 1020837 | 1020838 | 1020839 | 1020839 | 1020840 | 1020841 | 1020841 |
| | Sample Date | 10/30/1996 | 10/30/1996 | 10/30/1996 | 10/30/1996 | 10/30/1996 | 10/30/1996 | 10/30/1996 |
| | Sample Time | 13:30 | 13:40 | 13:50 | 13:50 | 14:00 | 14:10 | 14:10 |
| | Sample Depth | 0' - 2' | 2' - 4' | 4' - 6' | 4' - 6' | 6' - 8' | 8' - 10' | 8' - 10' |
| | Laboratory | LEA | LEA | AEL | LEA | LEA | AEL | LEA |
| | Lab. Number | 96-5644-208 | 96-5645-209 | AEL96012630 | 96-5646-210 | 96-5649-213 | AEL96012631 | 96-5650-214 |
| Constituent | Units | | | | | | | |
| Acrolein | µg/kg | | | <11 | | | <12 | |
| Acrylonitrile | µg/kg | | | <11 | | | <12 | |
| Benzene | µg/kg | | | <4.5 | | | <4.7 | |
| Benzene (screening) | µg/xx | <7.79 | <7.36 | | <6.97 | <6.74 | | <6.52 |
| 1,2,4-Trichlorobenzene | µg/kg | | | | | | | |
| o-Dichlorobenzene | µg/kg | | | <4.5 | | | <4.7 | |
| m-Dichlorobenzene | µg/kg | | | <4.5 | | | <4.7 | |
| p-Dichlorobenzene | µg/kg | | | <4.5 | | | <4.7 | |
| Bromobenzene | µg/kg | | | <4.5 | | | <4.7 | |
| Chlorobenzene | µg/kg | | | <4.5 | | | <4.7 | |
| Ethyl Benzene | µg/kg | | | <4.5 | | | <4.7 | |
| Ethyl Benzene (screening) | µg/xx | <16.8 | <15.8 | | <15.0 | <14.5 | | <14.0 |
| Pentachlorobenzene | µg/kg | | | | | | | |
| Pentachloronitrobenzene | µg/kg | | | | | | | |
| beta-Chloroprene | µg/kg | | | | | | | |
| 2-Butanone | µg/kg | | | <11 | | | <12 | |
| Carbon Disulfide | µg/kg | | | <4.5 | | | <4.7 | |
| Carbon Tetrachloride | µg/kg | | | <4.5 | | | <4.7 | |
| Chloroform | µg/kg | | | <4.5 | | | <4.7 | |
| Dioxane | µg/kg | | | | | | | |
| 1,1,1,2-Tetrachloroethane | µg/kg | | | <4.5 | | | <4.7 | |
| 1,1,1-Trichloroethane | µg/kg | | | <4.5 | | | <4.7 | |
| 1,1,1-Trichloroethane (screening) | µg/xx | <211 | <199 | | <188 | <182 | | <176 |
| 1,1,2,2-Tetrachloroethane | µg/kg | | | <4.5 | | | <4.7 | |
| 1,1,2-Trichloroethane | µg/kg | | | <4.5 | | | <4.7 | |
| 1,1-Dichloroethane | µg/kg | | | <4.5 | | | <4.7 | |
| Ethylene Dibromide | µg/kg | | | | | | | |
| 1,2-Dichloroethane | µg/kg | | | <4.5 | | | <4.7 | |

Notes: 1. Printed on 05/03/00

Table 3
SUMMARY OF ANALYTICAL RESULTS - SOIL
P&W East Hartford: NK Undeveloped Land Area - Outside Storage Area

Page 7 of 536

| | Location ID | NK-SB-215 | NK-SB-215 | NK-SB-215 | NK-SB-215 | NK-SB-215 | NK-SB-215 | NK-SB-215 |
|---------------------------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|------------|
| Sample ID | 1020837 | 1020838 | 1020839 | 1020839 | 1020840 | 1020841 | 1020841 | 1020841 |
| Sample Date | 10/30/1996 | 10/30/1996 | 10/30/1996 | 10/30/1996 | 10/30/1996 | 10/30/1996 | 10/30/1996 | 10/30/1996 |
| Sample Time | 13:30 | 13:40 | 13:50 | 13:50 | 14:00 | 14:10 | 14:10 | 14:10 |
| Sample Depth | 0' - 2' | 2' - 4' | 4' - 6' | 4' - 6' | 6' - 8' | 8' - 10' | 8' - 10' | 8' - 10' |
| Laboratory | LEA | LEA | AEL | LEA | LEA | AEL | AEL | LEA |
| Lab. Number | 96-5644-208 | 96-5645-209 | AEL96012630 | 96-5646-210 | 96-5649-213 | AEL96012631 | 96-5650-214 | |
| Constituent | Units | | | | | | | |
| Chloroethane | µg/kg | | | <4.5 | | | <4.7 | |
| Pentachloroethane | µg/kg | | | | | | | |
| 2-Chloroethyl Vinyl ether | µg/kg | | | <4.5 | | | <4.7 | |
| Methyl-tert-butyl Ether | µg/kg | | | <4.5 | | | <4.7 | |
| 1,1-Dichloroethylene | µg/kg | | | <4.5 | | | <4.7 | |
| Vinyl Chloride | µg/kg | | | <4.5 | | | <4.7 | |
| cis-1,2-Dichloroethylene | µg/kg | | | <4.5 | | | <4.7 | |
| Tetrachloroethylene | µg/kg | | | <4.5 | | | <4.7 | |
| Tetrachloroethylene (screening) | µg/xx | <21.0 | <19.9 | | <18.8 | <18.2 | | <17.6 |
| trans-1,2-Dichloroethylene | µg/kg | | | <4.5 | | | <4.7 | |
| Trichloroethylene | µg/kg | | | <4.5 | | | <4.7 | |
| Trichloroethylene (screening) | µg/xx | <20.7 | <19.6 | | <18.6 | <17.9 | | <17.3 |
| Ethylmethacrylate | µg/kg | | | | | | | |
| 2-Hexanone | µg/kg | | | <11 | | | <12 | |
| Isobutyl Alcohol | µg/kg | | | | | | | |
| Bromomethane | µg/kg | | | <4.5 | | | <4.7 | |
| Bromodichloromethane | µg/kg | | | <4.5 | | | <4.7 | |
| Chloromethane | µg/kg | | | <4.5 | | | <4.7 | |
| Dibromomethane | µg/kg | | | <4.5 | | | <4.7 | |
| Dibromo-chloromethane | µg/kg | | | <4.5 | | | <4.7 | |
| Methylene Chloride | µg/kg | | | <5.7 | | | <5.9 | |
| Dichlorodifluoromethane | µg/kg | | | <4.5 | | | <4.7 | |
| Iodomethane | µg/kg | | | | | | | |
| Bromoform | µg/kg | | | <4.5 | | | <4.7 | |
| Fluorotrichloromethane | µg/kg | | | <4.5 | | | <4.7 | |
| Methyl Methacrylate | µg/kg | | | | | | | |
| Methyl Isobutyl Ketone | µg/kg | | | <11 | | | <12 | |
| 1,2,3-Trichloropropane | µg/kg | | | <4.5 | | | <4.7 | |

Notes: 1. Printed on 05/03/00

Table 3
SUMMARY OF ANALYTICAL RESULTS - SOIL
P&W East Hartford: NK Undeveloped Land Area - Outside Storage Area

Page 8 of 536

Notes: 1. Printed on 05/03/00

Table 3
SUMMARY OF ANALYTICAL RESULTS - SOIL
P&W East Hartford: NK Undeveloped Land Area - Outside Storage Area

Page 9 of 536

| | Location ID | NK-SB-215 | NK-SB-215 | NK-SB-215 | NK-SB-216 | NK-SB-216 | NK-SB-216 | NK-SB-216 |
|--------------------------------------|-------------|-------------|-------------|-------------|-------------|-------------|------------|-------------|
| Sample ID | 1020842 | 1020843 | 1020844 | 1020847 | 1020848 | 1020849 | 1020849 | 1020849 |
| Sample Date | 10/30/1996 | 10/30/1996 | 10/30/1996 | 10/31/1996 | 10/31/1996 | 10/31/1996 | 10/31/1996 | 10/31/1996 |
| Sample Time | 14:20 | 14:30 | 14:40 | 11:45 | 11:55 | 12:05 | | 12:05 |
| Sample Depth | 10' - 12' | 12' - 14' | 14' - 15' | 0' - 2' | 2' - 4' | 4' - 6' | | 4' - 6' |
| Laboratory | LEA | LEA | LEA | LEA | LEA | AEL | | LEA |
| Lab. Number | 96-5651-215 | 96-5652-216 | 96-5653-217 | 96-5678-245 | 96-5679-246 | AEL96012632 | | 96-5680-247 |
| Constituent | Units | | | | | | | |
| Date PCBs Analyzed | - | | | | | | | |
| Date Metals Analyzed | - | | | | | | 11/11/1996 | |
| Date Organics Analyzed | - | 11/04/1996 | 11/04/1996 | 11/04/1996 | 11/04/1996 | 11/04/1996 | 11/13/1996 | 11/04/1996 |
| Date Pesticides/Herbicides Analyzed | - | | | | | | | |
| Date Physical Analyzed | - | | | | | | 11/11/1996 | |
| Date Semi-volatile Organics Analyzed | - | | | | | | | |
| Dinoseb | µg/kg | | | | | | | |
| Arsenic | mg/kg | | | | | | <1.19 | |
| Barium | mg/kg | | | | | | 7.37 | |
| Cadmium | mg/kg | | | | | | <3.56 | |
| Chromium | mg/kg | | | | | | <5.94 | |
| Lead | mg/kg | | | | | | <23.8 | |
| Mercury | mg/kg | | | | | | <0.238 | |
| Nickel | mg/kg | | | | | | <11.9 | |
| Selenium | mg/kg | | | | | | <1.19 | |
| Silver | mg/kg | | | | | | <5.94 | |
| Zinc | mg/kg | | | | | | <5.94 | |
| PCB 1016 | µg/kg | | | | | | | |
| PCB 1221 | µg/kg | | | | | | | |
| PCB 1232 | µg/kg | | | | | | | |
| PCB 1242 | µg/kg | | | | | | | |
| PCB 1248 | µg/kg | | | | | | | |
| PCB 1254 | µg/kg | | | | | | | |
| PCB 1260 | µg/kg | | | | | | | |
| 2-Acetylaminofluorene | µg/kg | | | | | | | |
| Aramite | µg/kg | | | | | | | |
| Hexachlorobenzene | µg/kg | | | | | | | |
| Hexachlorocyclopentadiene | µg/kg | | | | | | | |

Notes: 1. Printed on 05/03/00

Table 3
SUMMARY OF ANALYTICAL RESULTS - SOIL
P&W East Hartford: NK Undeveloped Land Area - Outside Storage Area

Page 10 of 536

| | Location ID | NK-SB-215 | NK-SB-215 | NK-SB-215 | NK-SB-216 | NK-SB-216 | NK-SB-216 | NK-SB-216 |
|--------------------------------|--------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| | Sample ID | 1020842 | 1020843 | 1020844 | 1020847 | 1020848 | 1020849 | 1020849 |
| | Sample Date | 10/30/1996 | 10/30/1996 | 10/30/1996 | 10/31/1996 | 10/31/1996 | 10/31/1996 | 10/31/1996 |
| | Sample Time | 14:20 | 14:30 | 14:40 | 11:45 | 11:55 | 12:05 | 12:05 |
| | Sample Depth | 10' - 12' | 12' - 14' | 14' - 15' | 0' - 2' | 2' - 4' | 4' - 6' | 4' - 6' |
| | Laboratory | LEA | LEA | LEA | LEA | LEA | AEL | LEA |
| | Lab. Number | 96-5651-215 | 96-5652-216 | 96-5653-217 | 96-5678-245 | 96-5679-246 | AEL96012632 | 96-5680-247 |
| Constituent | Units | | | | | | | |
| Dimethoate | µg/kg | | | | | | | |
| Disulfoton | µg/kg | | | | | | | |
| Famphur | µg/kg | | | | | | | |
| Phorate | µg/kg | | | | | | | |
| 1,2-Dibromo-3-chloropropane | µg/kg | | | | | | | |
| TPH | mg/kg | | | | | | <40.9 | |
| Total Solids | % | | | | | | <80.9 | |
| Acenaphthylene | µg/kg | | | | | | | |
| Acenaphthalene | µg/kg | | | | | | | |
| Phenacetin | µg/kg | | | | | | | |
| Acetophenone | µg/kg | | | | | | | |
| Aniline | µg/kg | | | | | | | |
| o-Nitroaniline | µg/kg | | | | | | | |
| m-Nitroaniline | µg/kg | | | | | | | |
| p-Chloroaniline | µg/kg | | | | | | | |
| p-Nitroaniline | µg/kg | | | | | | | |
| p-Dimethylaminoazobenzene | µg/kg | | | | | | | |
| Anthracene | µg/kg | | | | | | | |
| Benzo(a)anthracene | µg/kg | | | | | | | |
| 7,12-Dimethylbenz[a]anthracene | µg/kg | | | | | | | |
| Benzo(b)fluoranthene | µg/kg | | | | | | | |
| 1,2,4,5-Tetrachlorobenzene | µg/kg | | | | | | | |
| Isosafrole | µg/kg | | | | | | | |
| 1,3,5-Trinitrobenzene | µg/kg | | | | | | | |
| m-Dinitrobenzene | µg/kg | | | | | | | |
| Safrole | µg/kg | | | | | | | |
| Nitrobenzene | µg/kg | | | | | | | |
| Benzidine | µg/kg | | | | | | | |

Notes: 1. Printed on 05/03/00

Table 3
SUMMARY OF ANALYTICAL RESULTS - SOIL
P&W East Hartford: NK Undeveloped Land Area - Outside Storage Area

Page 11 of 536

| | Location ID | NK-SB-215 | NK-SB-215 | NK-SB-215 | NK-SB-216 | NK-SB-216 | NK-SB-216 | NK-SB-216 |
|-------------------------------|--------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| | Sample ID | 1020842 | 1020843 | 1020844 | 1020847 | 1020848 | 1020849 | 1020849 |
| | Sample Date | 10/30/1996 | 10/30/1996 | 10/30/1996 | 10/31/1996 | 10/31/1996 | 10/31/1996 | 10/31/1996 |
| | Sample Time | 14:20 | 14:30 | 14:40 | 11:45 | 11:55 | 12:05 | 12:05 |
| | Sample Depth | 10' - 12' | 12' - 14' | 14' - 15' | 0' - 2' | 2' - 4' | 4' - 6' | 4' - 6' |
| | Laboratory | LEA | LEA | LEA | LEA | LEA | AEL | LEA |
| | Lab. Number | 96-5651-215 | 96-5652-216 | 96-5653-217 | 96-5678-245 | 96-5679-246 | AEL96012632 | 96-5680-247 |
| Constituent | Units | | | | | | | |
| 3,3'-Dichlorobenzidine | µg/kg | | | | | | | |
| o-Tolidine | µg/kg | | | | | | | |
| Benzo[a]pyrene | µg/kg | | | | | | | |
| Benzo[ghi]perylene | µg/kg | | | | | | | |
| Benzo[k]fluoranthene | µg/kg | | | | | | | |
| Benzoic Acid | µg/kg | | | | | | | |
| Benzyl Alcohol | µg/kg | | | | | | | |
| p-Aminobiphenyl | µg/kg | | | | | | | |
| Hexachlorobutadiene | µg/kg | | | | | | | |
| n-Nitrosodi-n-butylamine | µg/kg | | | | | | | |
| trans-1,4-Dichloro-2-butylene | µg/kg | | | | | | | |
| Carbazole | µg/kg | | | | | | | |
| 3-Methylchloanthrene | µg/kg | | | | | | | |
| Chrysene | µg/kg | | | | | | | |
| o-Cresol | µg/kg | | | | | | | |
| m-Cresol | µg/kg | | | | | | | |
| Dinitro-o-cresol | µg/kg | | | | | | | |
| p-Cresol | µg/kg | | | | | | | |
| p-Chloro-m-cresol | µg/kg | | | | | | | |
| Dibenz(a,h)anthracene | µg/kg | | | | | | | |
| Dibenzofuran | µg/kg | | | | | | | |
| n-Nitrosodiethylamine | µg/kg | | | | | | | |
| n-Nitrosodimethylamine | µg/kg | | | | | | | |
| Diphenylamine | µg/kg | | | | | | | |
| n-Nitrosodiphenylamine | µg/kg | | | | | | | |
| n-Nitrosodipropylamine | µg/kg | | | | | | | |
| Hexachloroethane | µg/kg | | | | | | | |
| 4-Bromophenyl Phenyl Ether | µg/kg | | | | | | | |

Notes: 1. Printed on 05/03/00

Table 3
SUMMARY OF ANALYTICAL RESULTS - SOIL
P&W East Hartford: NK Undeveloped Land Area - Outside Storage Area

Page 12 of 536

| | Location ID | NK-SB-215 | NK-SB-215 | NK-SB-215 | NK-SB-216 | NK-SB-216 | NK-SB-216 | NK-SB-216 |
|--|-------------|-------------|-------------|-------------|-------------|-------------|-------------|------------|
| Sample ID | 1020842 | 1020843 | 1020844 | 1020847 | 1020848 | 1020849 | 1020849 | 1020849 |
| Sample Date | 10/30/1996 | 10/30/1996 | 10/30/1996 | 10/31/1996 | 10/31/1996 | 10/31/1996 | 10/31/1996 | 10/31/1996 |
| Sample Time | 14:20 | 14:30 | 14:40 | 11:45 | 11:55 | 12:05 | 12:05 | |
| Sample Depth | 10' - 12' | 12' - 14' | 14' - 15' | 0' - 2' | 2' - 4' | 4' - 6' | 4' - 6' | |
| Laboratory | LEA | LEA | LEA | LEA | LEA | AEL | LEA | |
| Lab. Number | 96-5651-215 | 96-5652-216 | 96-5653-217 | 96-5678-245 | 96-5679-246 | AEL96012632 | 96-5680-247 | |
| Constituent | Units | | | | | | | |
| 4-Chlorophenyl phenyl ether | µg/kg | | | | | | | |
| Dichlorodiisopropyl ether | µg/kg | | | | | | | |
| Dichloroethyl Ether | µg/kg | | | | | | | |
| n-Methyl-n-nitrosoethylamine | µg/kg | | | | | | | |
| Fluoranthene | µg/kg | | | | | | | |
| Fluorene | µg/kg | | | | | | | |
| 1,2-Diphenylhydrazine | µg/kg | | | | | | | |
| Indeno(1,2,3-cd)pyrene | µg/kg | | | | | | | |
| Isophorone | µg/kg | | | | | | | |
| bis(2-Chloroethoxy)methane | µg/kg | | | | | | | |
| Ethylmethanesulfonate | µg/kg | | | | | | | |
| Methylmethanesulfonate | µg/kg | | | | | | | |
| Methapyrilene | µg/kg | | | | | | | |
| n-Nitrosomorpholine | µg/kg | | | | | | | |
| Naphthalene | µg/kg | | | | | | | |
| 2-Chloronaphthalene | µg/kg | | | | | | | |
| 2-Methylnaphthalene | µg/kg | | | | | | | |
| 1,4-Naphthoquinone | µg/kg | | | | | | | |
| alpha-Naphthylamine | µg/kg | | | | | | | |
| beta-Naphthylamine | µg/kg | | | | | | | |
| Phenanthrene | µg/kg | | | | | | | |
| alpha,alpha-Dimethylphenethylamine | µg/kg | | | | | | | |
| Phenol | µg/kg | | | | | | | |
| 2,2'-Methylenebis(3,4,6-trichlorophenol) | µg/kg | | | | | | | |
| 2,3,4,6-Tetrachlorophenol | µg/kg | | | | | | | |
| 2,4,5-Trichlorophenol | µg/kg | | | | | | | |
| 2,4,6-Trichlorophenol | µg/kg | | | | | | | |
| 2,4-Dichlorophenol | µg/kg | | | | | | | |

Notes: 1. Printed on 03/03/00

Table 3
SUMMARY OF ANALYTICAL RESULTS - SOIL
P&W East Hartford: NK Undeveloped Land Area - Outside Storage Area

Page 13 of 536

| | Location ID | NK-SB-215 | NK-SB-215 | NK-SB-215 | NK-SB-216 | NK-SB-216 | NK-SB-216 | NK-SB-216 |
|---------------------------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|------------|
| Sample ID | 1020842 | 1020843 | 1020844 | 1020847 | 1020848 | 1020849 | 1020849 | 1020849 |
| Sample Date | 10/30/1996 | 10/30/1996 | 10/30/1996 | 10/31/1996 | 10/31/1996 | 10/31/1996 | 10/31/1996 | 10/31/1996 |
| Sample Time | 14:20 | 14:30 | 14:40 | 11:45 | 11:55 | 12:05 | 12:05 | |
| Sample Depth | 10' - 12' | 12' - 14' | 14' - 15' | 0' - 2' | 2' - 4' | 4' - 6' | 4' - 6' | |
| Laboratory | LEA | LEA | LEA | LEA | LEA | AEL | LEA | |
| Lab. Number | 96-5651-215 | 96-5652-216 | 96-5653-217 | 96-5678-245 | 96-5679-246 | AEL96012632 | 96-5680-247 | |
| Constituent | Units | | | | | | | |
| 2,4-Dinitrophenol | µg/kg | | | | | | | |
| o-Chlorophenol | µg/kg | | | | | | | |
| o-Nitrophenol | µg/kg | | | | | | | |
| p-Nitrophenol | µg/kg | | | | | | | |
| Pentachlorophenol | µg/kg | | | | | | | |
| p-Phenylenediamine | µg/kg | | | | | | | |
| Butyl Benzyl Phthalate | µg/kg | | | | | | | |
| bis(2-Ethylhexyl)phthalate | µg/kg | | | | | | | |
| Di-n-butyl Phthalate | µg/kg | | | | | | | |
| Di-n-octyl Phthalate | µg/kg | | | | | | | |
| Diethyl Phthalate | µg/kg | | | | | | | |
| Dimethyl Phthalate | µg/kg | | | | | | | |
| 2-Picoline | µg/kg | | | | | | | |
| n-Nitrosopiperidine | µg/kg | | | | | | | |
| Pronamide | µg/kg | | | | | | | |
| Hexachloropropylene | µg/kg | | | | | | | |
| Pyrene | µg/kg | | | | | | | |
| Pyridine | µg/kg | | | | | | | |
| n-Nitrosopyrrolidine | µg/kg | | | | | | | |
| 4-Nitroquinoline, 1-oxide | µg/kg | | | | | | | |
| 2,4-Dinitrotoluene | µg/kg | | | | | | | |
| 2,6-Dinitrotoluene | µg/kg | | | | | | | |
| 5-Nitro-o-Toluidine | µg/kg | | | | | | | |
| o-Toluidine | µg/kg | | | | | | | |
| o,o,o-Triethyl phosphorothioate | µg/kg | | | | | | | |
| 2,4-Xylenol | µg/kg | | | | | | <40 | |
| Acetone | µg/kg | | | | | | | |
| Acetonitrile | µg/kg | | | | | | | |

Notes: 1. Printed on 05/03/00

Table 3
SUMMARY OF ANALYTICAL RESULTS - SOIL
P&W East Hartford: NK Undeveloped Land Area - Outside Storage Area

Page 14 of 536

| | Location ID | NK-SB-215 | NK-SB-215 | NK-SB-215 | NK-SB-216 | NK-SB-216 | NK-SB-216 | NK-SB-216 |
|-----------------------------------|--------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| | Sample ID | 1020842 | 1020843 | 1020844 | 1020847 | 1020848 | 1020849 | 1020849 |
| | Sample Date | 10/30/1996 | 10/30/1996 | 10/30/1996 | 10/31/1996 | 10/31/1996 | 10/31/1996 | 10/31/1996 |
| | Sample Time | 14:20 | 14:30 | 14:40 | 11:45 | 11:55 | 12:05 | 12:05 |
| | Sample Depth | 10' - 12' | 12' - 14' | 14' - 15' | 0' - 2' | 2' - 4' | 4' - 6' | 4' - 6' |
| | Laboratory | LEA | LEA | LEA | LEA | LEA | AEL | LEA |
| | Lab. Number | 96-5651-215 | 96-5652-216 | 96-5653-217 | 96-5678-245 | 96-5679-246 | AEL96012632 | 96-5680-247 |
| Constituent | Units | | | | | | | |
| Acrolein | µg/kg | | | | | | <20 | |
| Acrylonitrile | µg/kg | | | | | | <20 | |
| Benzene | µg/kg | | | | | | <8.0 | |
| Benzene (screening) | µg/xx | <6.63 | <6.85 | <7.36 | <7.79 | <7.95 | | <8.11 NC |
| 1,2,4-Trichlorobenzene | µg/kg | | | | | | | |
| o-Dichlorobenzene | µg/kg | | | | | | <8.0 | |
| m-Dichlorobenzene | µg/kg | | | | | | <8.0 | |
| p-Dichlorobenzene | µg/kg | | | | | | <8.0 | |
| Bromobenzene | µg/kg | | | | | | <8.0 | |
| Chlorobenzene | µg/kg | | | | | | <8.0 | |
| Ethyl Benzene | µg/kg | | | | | | <8.0 | |
| Ethyl Benzene (screening) | µg/xx | <14.3 | <14.7 | <15.8 | <16.8 | <17.1 | | <17.4 NC |
| Pentachlorobenzene | µg/kg | | | | | | | |
| Pentachloronitrobenzene | µg/kg | | | | | | | |
| beta-Chloroprene | µg/kg | | | | | | | |
| 2-Butanone | µg/kg | | | | | | <20 | |
| Carbon Disulfide | µg/kg | | | | | | <8.0 | |
| Carbon Tetrachloride | µg/kg | | | | | | <8.0 | |
| Chloroform | µg/kg | | | | | | <8.0 | |
| Dioxane | µg/kg | | | | | | | |
| 1,1,1,2-Tetrachloroethane | µg/kg | | | | | | <8.0 | |
| 1,1,1-Trichloroethane | µg/kg | | | | | | <8.0 | |
| 1,1,1-Trichloroethane (screening) | µg/xx | <179 | <185 | <199 | <211 | <215 | | <219 NC |
| 1,1,2,2-Tetrachloroethane | µg/kg | | | | | | <8.0 | |
| 1,1,2-Trichloroethane | µg/kg | | | | | | <8.0 | |
| 1,1-Dichloroethane | µg/kg | | | | | | <8.0 | |
| Ethylene Dibromide | µg/kg | | | | | | | |
| 1,2-Dichloroethane | µg/kg | | | | | | <8.0 | |

Notes: 1. Printed on 05/03/00

Table 3
SUMMARY OF ANALYTICAL RESULTS - SOIL
P&W East Hartford: NK Undeveloped Land Area - Outside Storage Area

Page 15 of 536

| | Location ID | NK-SB-215 | NK-SB-215 | NK-SB-215 | NK-SB-216 | NK-SB-216 | NK-SB-216 | NK-SB-216 |
|---------------------------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Sample ID | 1020842 | 1020843 | 1020844 | 1020847 | 1020848 | 1020849 | 1020849 | 1020849 |
| Sample Date | 10/30/1996 | 10/30/1996 | 10/30/1996 | 10/31/1996 | 10/31/1996 | 10/31/1996 | 10/31/1996 | 10/31/1996 |
| Sample Time | 14:20 | 14:30 | 14:40 | 11:45 | 11:55 | 12:05 | 12:05 | 12:05 |
| Sample Depth | 10' - 12' | 12' - 14' | 14' - 15' | 0' - 2' | 2' - 4' | 4' - 6' | 4' - 6' | 4' - 6' |
| Laboratory | LEA | LEA | LEA | LEA | LEA | AEL | AEL | LEA |
| Lab. Number | 96-5651-215 | 96-5652-216 | 96-5653-217 | 96-5678-245 | 96-5679-246 | AEL96012632 | AEL96012632 | 96-5680-247 |
| Constituent | Units | | | | | | | |
| Chloroethane | µg/kg | | | | | <8.0 | | |
| Pentachloroethane | µg/kg | | | | | | | |
| 2-Chloroethyl Vinyl ether | µg/kg | | | | | <8.0 | | |
| Methyl-tert-butyl Ether | µg/kg | | | | | <8.0 | | |
| 1,1-Dichloroethylene | µg/kg | | | | | <8.0 | | |
| Vinyl Chloride | µg/kg | | | | | <8.0 | | |
| cis-1,2-Dichloroethylene | µg/kg | | | | | <8.0 | | |
| Tetrachloroethylene | µg/kg | | | | | 190 | | |
| Tetrachloroethylene (screening) | µg/xx | <17.9 | <18.5 | <19.9 | 7 J | 46 | | 106 NC |
| trans-1,2-Dichloroethylene | µg/kg | | | | | | <8.0 | |
| Trichloroethylene | µg/kg | | | | | | 10 | |
| Trichloroethylene (screening) | µg/xx | <17.6 | <18.2 | <19.6 | <20.7 | <21.2 | | <21.6 NC |
| Ethylmethacrylate | µg/kg | | | | | | | |
| 2-Hexanone | µg/kg | | | | | | <20 | |
| Isobutyl Alcohol | µg/kg | | | | | | | |
| Bromomethane | µg/kg | | | | | | <8.0 | |
| Bromodichloromethane | µg/kg | | | | | | <8.0 | |
| Chloromethane | µg/kg | | | | | | <8.0 | |
| Dibromomethane | µg/kg | | | | | | <8.0 | |
| Dibromochloromethane | µg/kg | | | | | | <8.0 | |
| Methylene Chloride | µg/kg | | | | | | <16 | |
| Dichlorodifluoromethane | µg/kg | | | | | | <8.0 | |
| Iodomethane | µg/kg | | | | | | | |
| Bromoform | µg/kg | | | | | | <8.0 | |
| Fluorotrichloromethane | µg/kg | | | | | | <8.0 | |
| Methyl Methacrylate | µg/kg | | | | | | | |
| Methyl Isobutyl Ketone | µg/kg | | | | | | <20 | |
| 1,2,3-Trichloropropane | µg/kg | | | | | | <8.0 | |

Notes: 1. Printed on 05/03/00

LEA

Table 3
SUMMARY OF ANALYTICAL RESULTS - SOIL
P&W East Hartford: NK Undeveloped Land Area - Outside Storage Area

Page 16 of 536

Notes: 1. Printed on 05/03/00

Table 3
SUMMARY OF ANALYTICAL RESULTS - SOIL
P&W East Hartford: NK Undeveloped Land Area - Outside Storage Area

Page 17 of 536

| | Location ID | NK-SB-216 | NK-SB-216 | NK-SB-216 | NK-SB-216 | NK-SB-216 | NK-SB-216 | NK-SB-216 |
|--------------------------------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|------------|
| Sample ID | 1020850 | 1020850 | 1020851 | 1020851 | 1020852 | 1020852 | 1020853 | 1020853 |
| Sample Date | 10/31/1996 | 10/31/1996 | 10/31/1996 | 10/31/1996 | 10/31/1996 | 10/31/1996 | 10/31/1996 | 10/31/1996 |
| Sample Time | 12:15 | 12:15 | 12:25 | 12:25 | 12:35 | 12:35 | 12:45 | 12:45 |
| Sample Depth | 4' - 6' | 4' - 6' | 6' - 8' | 6' - 8' | 8' - 10' | 8' - 10' | 10' - 12' | 10' - 12' |
| Laboratory | AEL | LEA | AEL | LEA | AEL | LEA | LEA | LEA |
| Lab. Number | AEL96012633 | 96-5681-248 | AEL96012634 | 96-5682-249 | AEL96012635 | 96-5683-250 | 96-5684-251 | |
| Constituent | Units | | | | | | | |
| Date PCBs Analyzed | - | | | 11/22/1996 | | | | |
| Date Metals Analyzed | - | 11/11/1996 | | 11/11/1996 | | 11/11/1996 | | |
| Date Organics Analyzed | - | 11/13/1996 | 11/04/1996 | 11/13/1996 | 11/04/1996 | 11/13/1996 | 11/04/1996 | 11/04/1996 |
| Date Pesticides/Herbicides Analyzed | - | | | | | | | |
| Date Physical Analyzed | - | 11/11/1996 | | 11/11/1996 | | 11/11/1996 | | |
| Date Semi-volatile Organics Analyzed | - | | | 11/14/1996 | | | | |
| Dinoseb | µg/kg | | | | | | | |
| Arsenic | mg/kg | <1.33 | | <1.24 | | <1.16 | | |
| Barium | mg/kg | 7.72 | | 13.4 | | 9.86 | | |
| Cadmium | mg/kg | <3.99 | | <3.71 | | <3.48 | | |
| Chromium | mg/kg | <6.66 | | 7.54 | | <5.8 | | |
| Lead | mg/kg | <26.6 | | <24.7 | | <23.2 | | |
| Mercury | mg/kg | <0.266 | | <0.247 | | <0.232 | | |
| Nickel | mg/kg | <13.3 | | <12.4 | | <11.6 | | |
| Selenium | mg/kg | <1.33 | | <1.24 | | <1.16 | | |
| Silver | mg/kg | <6.66 | | <6.18 | | <5.8 | | |
| Zinc | mg/kg | <6.66 | | 11.9 | | 26.9 | | |
| PCB 1016 | µg/kg | | | <240 | | | | |
| PCB 1221 | µg/kg | | | <240 | | | | |
| PCB 1232 | µg/kg | | | <240 | | | | |
| PCB 1242 | µg/kg | | | <240 | | | | |
| PCB 1248 | µg/kg | | | <240 | | | | |
| PCB 1254 | µg/kg | | | <240 | | | | |
| PCB 1260 | µg/kg | | | <240 | | | | |
| 2-Acetylaminofluorene | µg/kg | | | | | | | |
| Aramite | µg/kg | | | | | | | |
| Hexachlorobenzene | µg/kg | | | <400 | | | | |
| Hexachlorocyclopentadiene | µg/kg | | | <400 | | | | |

Notes: 1. Printed on 05/03/00

Table 3
SUMMARY OF ANALYTICAL RESULTS - SOIL
P&W East Hartford: NK Undeveloped Land Area - Outside Storage Area

Page 18 of 536

| | Location ID | NK-SB-216 | NK-SB-216 | NK-SB-216 | NK-SB-216 | NK-SB-216 | NK-SB-216 | NK-SB-216 |
|--------------------------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|------------|
| Sample ID | 1020850 | 1020850 | 1020851 | 1020851 | 1020852 | 1020852 | 1020853 | 1020853 |
| Sample Date | 10/31/1996 | 10/31/1996 | 10/31/1996 | 10/31/1996 | 10/31/1996 | 10/31/1996 | 10/31/1996 | 10/31/1996 |
| Sample Time | 12:15 | 12:15 | 12:25 | 12:25 | 12:35 | 12:35 | 12:45 | |
| Sample Depth | 4' - 6' | 4' - 6' | 6' - 8' | 6' - 8' | 8' - 10' | 8' - 10' | 10' - 12' | |
| Laboratory | AEL | LEA | AEL | LEA | AEL | LEA | LEA | |
| Lab. Number | AEL96012633 | 96-5681-248 | AEL96012634 | 96-5682-249 | AEL96012635 | 96-5683-250 | 96-5684-251 | |
| Constituent | Units | | | | | | | |
| Dimethoate | µg/kg | | | | | | | |
| Disulfoton | µg/kg | | | | | | | |
| Famphur | µg/kg | | | | | | | |
| Phorate | µg/kg | | | | | | | |
| 1,2-Dibromo-3-chloropropane | µg/kg | | | | | | | |
| TPH | mg/kg | <42.4 | | <39.9 | | <37.7 | | |
| Total Solids | % | <78.2 | | <82.5 | | <86.2 | | |
| Acenaphthylene | µg/kg | | | <400 | | | | |
| Acenaphthalene | µg/kg | | | <400 | | | | |
| Phenacetin | µg/kg | | | | | | | |
| Acetophenone | µg/kg | | | | | | | |
| Aniline | µg/kg | | | | | | | |
| o-Nitroaniline | µg/kg | | | | | | | |
| m-Nitroaniline | µg/kg | | | | | | | |
| p-Chloroaniline | µg/kg | | | | | | | |
| p-Nitroaniline | µg/kg | | | | | | | |
| p-Dimethylaminoazobenzene | µg/kg | | | | | | | |
| Anthracene | µg/kg | | | <400 | | | | |
| Benzo(a)anthracene | µg/kg | | | <400 | | | | |
| 7,12-Dimethylbenz[a]anthracene | µg/kg | | | | | | | |
| Benzo(b)fluoranthene | µg/kg | | | <400 | | | | |
| 1,2,4,5-Tetrachlorobenzene | µg/kg | | | | | | | |
| Isosafrole | µg/kg | | | | | | | |
| 1,3,5-Trinitrobenzene | µg/kg | | | | | | | |
| m-Dinitrobenzene | µg/kg | | | | | | | |
| Safrole | µg/kg | | | | | | | |
| Nitrobenzene | µg/kg | | | <400 | | | | |
| Benzidine | µg/kg | | | <400 | | | | |

Notes: 1. Printed on 05/03/00



Table 3
SUMMARY OF ANALYTICAL RESULTS - SOIL
P&W East Hartford: NK Undeveloped Land Area - Outside Storage Area

Page 19 of 536

| | Location ID | NK-SB-216 | NK-SB-216 | NK-SB-216 | NK-SB-216 | NK-SB-216 | NK-SB-216 | NK-SB-216 | NK-SB-216 |
|-------------------------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|------------|-----------|
| Sample ID | 1020850 | 1020850 | 1020851 | 1020851 | 1020852 | 1020852 | 1020853 | 1020853 | |
| Sample Date | 10/31/1996 | 10/31/1996 | 10/31/1996 | 10/31/1996 | 10/31/1996 | 10/31/1996 | 10/31/1996 | 10/31/1996 | |
| Sample Time | 12:15 | 12:15 | 12:25 | 12:25 | 12:35 | 12:35 | 12:45 | | |
| Sample Depth | 4' - 6' | 4' - 6' | 6' - 8' | 6' - 8' | 8' - 10' | 8' - 10' | 10' - 12' | | |
| Laboratory | AEL | LEA | AEL | LEA | AEL | LEA | LEA | | |
| Lab. Number | AEL96012633 | 96-5681-248 | AEL96012634 | 96-5682-249 | AEL96012635 | 96-5683-250 | 96-5684-251 | | |
| Constituent | Units | | | | | | | | |
| 3,3'-Dichlorobenzidine | µg/kg | | | <400 | | | | | |
| o-Tolidine | µg/kg | | | | | | | | |
| Benzo[a]pyrene | µg/kg | | | <400 | | | | | |
| Benzo[ghi]perylene | µg/kg | | | <400 | | | | | |
| Benzo[k]fluoranthene | µg/kg | | | <400 | | | | | |
| Benzoic Acid | µg/kg | | | | | | | | |
| Benzyl Alcohol | µg/kg | | | | | | | | |
| p-Aminobiphenyl | µg/kg | | | | | | | | |
| Hexachlorobutadiene | µg/kg | | | <400 | | | | | |
| n-Nitrosodi-n-butylamine | µg/kg | | | | | | | | |
| trans-1,4-Dichloro-2-butylene | µg/kg | | | | | | | | |
| Carbazole | µg/kg | | | | | | | | |
| 3-Methylchloanthrene | µg/kg | | | | | | | | |
| Chrysene | µg/kg | | | <400 | | | | | |
| o-Cresol | µg/kg | | | | | | | | |
| m-Cresol | µg/kg | | | | | | | | |
| Dinitro-o-cresol | µg/kg | | | <400 | | | | | |
| p-Cresol | µg/kg | | | | | | | | |
| p-Chloro-m-cresol | µg/kg | | | | | | | | |
| Dibenz(a,h)anthracene | µg/kg | | | <400 | | | | | |
| Dibenzofuran | µg/kg | | | | | | | | |
| n-Nitrosodiethylamine | µg/kg | | | | | | | | |
| n-Nitrosodimethylamine | µg/kg | | | <400 | | | | | |
| Diphenylamine | µg/kg | | | | | | | | |
| n-Nitrosodiphenylamine | µg/kg | | | <400 | | | | | |
| n-Nitrosodipropylamine | µg/kg | | | <400 | | | | | |
| Hexachloroethane | µg/kg | | | <400 | | | | | |
| 4-Bromophenyl Phenyl Ether | µg/kg | | | <400 | | | | | |

Notes: 1. Printed on 05/03/00

Table 3
SUMMARY OF ANALYTICAL RESULTS - SOIL
P&W East Hartford: NK Undeveloped Land Area - Outside Storage Area

Page 20 of 536

| | Location ID | NK-SB-216 | NK-SB-216 | NK-SB-216 | NK-SB-216 | NK-SB-216 | NK-SB-216 | NK-SB-216 |
|--|-------------|-------------|-------------|-------------|-------------|-------------|-------------|------------|
| Sample ID | 1020850 | 1020850 | 1020851 | 1020851 | 1020852 | 1020852 | 1020853 | 1020853 |
| Sample Date | 10/31/1996 | 10/31/1996 | 10/31/1996 | 10/31/1996 | 10/31/1996 | 10/31/1996 | 10/31/1996 | 10/31/1996 |
| Sample Time | 12:15 | 12:15 | 12:25 | 12:25 | 12:35 | 12:35 | 12:45 | |
| Sample Depth | 4' - 6' | 4' - 6' | 6' - 8' | 6' - 8' | 8' - 10' | 8' - 10' | 10' - 12' | |
| Laboratory | AEL | LEA | AEL | LEA | AEL | LEA | LEA | |
| Lab. Number | AEL96012633 | 96-5681-248 | AEL96012634 | 96-5682-249 | AEL96012635 | 96-5683-250 | 96-5684-251 | |
| Constituent | Units | | | | | | | |
| 4-Chlorophenyl phenyl ether | µg/kg | | | <400 | | | | |
| Dichlorodiisopropyl ether | µg/kg | | | <400 | | | | |
| Dichloroethyl Ether | µg/kg | | | <400 | | | | |
| n-Methyl-n-nitrosoethylamine | µg/kg | | | | | | | |
| Fluoranthene | µg/kg | | | <400 | | | | |
| Fluorene | µg/kg | | | <400 | | | | |
| 1,2-Diphenylhydrazine | µg/kg | | | <400 | | | | |
| Indeno(1,2,3-cd)pyrene | µg/kg | | | <400 | | | | |
| Isophorone | µg/kg | | | <400 | | | | |
| bis(2-Chloroethoxy)methane | µg/kg | | | <400 | | | | |
| Ethylmethanesulfonate | µg/kg | | | | | | | |
| Methylmethanesulfonate | µg/kg | | | | | | | |
| Methapyrilene | µg/kg | | | | | | | |
| n-Nitrosomorpholine | µg/kg | | | | | | | |
| Naphthalene | µg/kg | | | <400 | | | | |
| 2-Chloronaphthalene | µg/kg | | | <400 | | | | |
| 2-Methylnaphthalene | µg/kg | | | | | | | |
| 1,4-Naphthoquinone | µg/kg | | | | | | | |
| alpha-Naphthylamine | µg/kg | | | | | | | |
| beta-Naphthylamine | µg/kg | | | | | | | |
| Phenanthrene | µg/kg | | | <400 | | | | |
| alpha,alpha-Dimethylphenethylamine | µg/kg | | | | | | | |
| Phenol | µg/kg | | | <400 | | | | |
| 2,2'-Methylenebis(3,4,6-trichlorophenol) | µg/kg | | | | | | | |
| 2,3,4,6-Tetrachlorophenol | µg/kg | | | | | | | |
| 2,4,5-Trichlorophenol | µg/kg | | | | | | | |
| 2,4,6-Trichlorophenol | µg/kg | | | <400 | | | | |
| 2,4-Dichlorophenol | µg/kg | | | <400 | | | | |

Notes: 1. Printed on 05/03/00

Table 3
SUMMARY OF ANALYTICAL RESULTS - SOIL
P&W East Hartford: NK Undeveloped Land Area - Outside Storage Area

Page 21 of 536

| | Location ID | NK-SB-216 |
|---------------------------------|--------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| | Sample ID | 1020850 | 1020850 | 1020851 | 1020851 | 1020852 | 1020852 | 1020853 |
| | Sample Date | 10/31/1996 | 10/31/1996 | 10/31/1996 | 10/31/1996 | 10/31/1996 | 10/31/1996 | 10/31/1996 |
| | Sample Time | 12:15 | 12:15 | 12:25 | 12:25 | 12:35 | 12:35 | 12:45 |
| | Sample Depth | 4' - 6' | 4' - 6' | 6' - 8' | 6' - 8' | 8' - 10' | 8' - 10' | 10' - 12' |
| | Laboratory | AEL | LEA | AEL | LEA | AEL | LEA | LEA |
| | Lab. Number | AEL96012633 | 96-5681-248 | AEL96012634 | 96-5682-249 | AEL96012635 | 96-5683-250 | 96-5684-251 |
| Constituent | Units | | | | | | | |
| 2,4-Dinitrophenol | µg/kg | | | <400 | | | | |
| o-Chlorophenol | µg/kg | | | <400 | | | | |
| o-Nitrophenol | µg/kg | | | <400 | | | | |
| p-Nitrophenol | µg/kg | | | <400 | | | | |
| Pentachlorophenol | µg/kg | | | <400 | | | | |
| p-Phenylenediamine | µg/kg | | | | | | | |
| Butyl Benzyl Phthalate | µg/kg | | | <400 | | | | |
| bis(2-Ethylhexyl)phthalate | µg/kg | | | <400 | | | | |
| Di-n-butyl Phthalate | µg/kg | | | <400 | | | | |
| Di-n-octyl Phthalate | µg/kg | | | <400 | | | | |
| Diethyl Phthalate | µg/kg | | | <400 | | | | |
| Dimethyl Phthalate | µg/kg | | | <400 | | | | |
| 2-Picoline | µg/kg | | | | | | | |
| n-Nitrosopiperidine | µg/kg | | | | | | | |
| Pronamide | µg/kg | | | | | | | |
| Hexachloropropylene | µg/kg | | | | | | | |
| Pyrene | µg/kg | | | <400 | | | | |
| Pyridine | µg/kg | | | | | | | |
| n-Nitrosopyrrolidine | µg/kg | | | | | | | |
| 4-Nitroquinoline, 1-oxide | µg/kg | | | | | | | |
| 2,4-Dinitrotoluene | µg/kg | | | <400 | | | | |
| 2,6-Dinitrotoluene | µg/kg | | | <400 | | | | |
| 5-Nitro-o-Toluidine | µg/kg | | | | | | | |
| o-Toluidine | µg/kg | | | | | | | |
| o,o,o-Triethyl phosphorothioate | µg/kg | | | | | | | |
| 2,4-Xylenol | µg/kg | | | <400 | | | | |
| Acetone | µg/kg | <32 | | <43 | | <24 | | |
| Acetonitrile | µg/kg | | | | | | | |

Notes: 1. Printed on 05/03/00

Table 3
SUMMARY OF ANALYTICAL RESULTS - SOIL
P&W East Hartford: NK Undeveloped Land Area - Outside Storage Area

Page 22 of 536

| | Location ID | NK-SB-216 | NK-SB-216 | NK-SB-216 | NK-SB-216 | NK-SB-216 | NK-SB-216 | NK-SB-216 |
|-----------------------------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|------------|
| Sample ID | 1020850 | 1020850 | 1020851 | 1020851 | 1020852 | 1020852 | 1020853 | 1020853 |
| Sample Date | 10/31/1996 | 10/31/1996 | 10/31/1996 | 10/31/1996 | 10/31/1996 | 10/31/1996 | 10/31/1996 | 10/31/1996 |
| Sample Time | 12:15 | 12:15 | 12:25 | 12:25 | 12:35 | 12:35 | 12:45 | 12:45 |
| Sample Depth | 4' - 6' | 4' - 6' | 6' - 8' | 6' - 8' | 8' - 10' | 8' - 10' | 10' - 12' | 10' - 12' |
| Laboratory | AEL | LEA | AEL | LEA | AEL | LEA | LEA | LEA |
| Lab. Number | AEL96012633 | 96-5681-248 | AEL96012634 | 96-5682-249 | AEL96012635 | 96-5683-250 | 96-5684-251 | |
| Constituent | Units | | | | | | | |
| Acrolein | µg/kg | <16 | | <21 | | <12 | | |
| Acrylonitrile | µg/kg | <16 | | <21 | | <12 | | |
| Benzene | µg/kg | <6.4 | | <8.6 | | <4.8 | | |
| Benzene (screening) | µg/xx | | <8.11 NC | | <7.64 | | <6.97 | <7.50 |
| 1,2,4-Trichlorobenzene | µg/kg | | | <400 | | | | |
| o-Dichlorobenzene | µg/kg | <6.4 | | <8.6 | | <4.8 | | |
| m-Dichlorobenzene | µg/kg | <6.4 | | <8.6 | | <4.8 | | |
| p-Dichlorobenzene | µg/kg | <6.4 | | <8.6 | | <4.8 | | |
| Bromobenzene | µg/kg | <6.4 | | <8.6 | | <4.8 | | |
| Chlorobenzene | µg/kg | <6.4 | | <8.6 | | <4.8 | | |
| Ethyl Benzene | µg/kg | <6.4 | | <8.6 | | <4.8 | | |
| Ethyl Benzene (screening) | µg/xx | | <17.4 NC | | <16.4 | | <15.0 | <16.1 |
| Pentachlorobenzene | µg/kg | | | | | | | |
| Pentachloronitrobenzene | µg/kg | | | | | | | |
| beta-Chloroprene | µg/kg | | | | | | | |
| 2-Butanone | µg/kg | <16 | | <21 | | <12 | | |
| Carbon Disulfide | µg/kg | <6.4 | | <8.6 | | <4.8 | | |
| Carbon Tetrachloride | µg/kg | <6.4 | | <8.6 | | <4.8 | | |
| Chloroform | µg/kg | <6.4 | | <8.6 | | <4.8 | | |
| Dioxane | µg/kg | | | | | | | |
| 1,1,1,2-Tetrachloroethane | µg/kg | <6.4 | | <8.6 | | <4.8 | | |
| 1,1,1-Trichloroethane | µg/kg | <6.4 | | <8.6 | | <4.8 | | |
| 1,1,1-Trichloroethane (screening) | µg/xx | | <219 NC | | <207 | | <188 | <203 |
| 1,1,2,2-Tetrachloroethane | µg/kg | <6.4 | | <8.6 | | <4.8 | | |
| 1,1,2-Trichloroethane | µg/kg | <6.4 | | <8.6 | | <4.8 | | |
| 1,1-Dichloroethane | µg/kg | <6.4 | | <8.6 | | <4.8 | | |
| Ethylene Dibromide | µg/kg | | | | | | | |
| 1,2-Dichloroethane | µg/kg | <6.4 | | <8.6 | | <4.8 | | |

Notes: 1. Printed on 05/03/00

Table 3
SUMMARY OF ANALYTICAL RESULTS - SOIL
P&W East Hartford: NK Undeveloped Land Area - Outside Storage Area

Page 23 of 536

| | Location ID | NK-SB-216 | NK-SB-216 | NK-SB-216 | NK-SB-216 | NK-SB-216 | NK-SB-216 | NK-SB-216 | NK-SB-216 |
|---------------------------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|------------|------------|
| Sample ID | 1020850 | 1020850 | 1020851 | 1020851 | 1020852 | 1020852 | 1020853 | 1020853 | 1020853 |
| Sample Date | 10/31/1996 | 10/31/1996 | 10/31/1996 | 10/31/1996 | 10/31/1996 | 10/31/1996 | 10/31/1996 | 10/31/1996 | 10/31/1996 |
| Sample Time | 12:15 | 12:15 | 12:25 | 12:25 | 12:35 | 12:35 | 12:45 | 12:45 | 12:45 |
| Sample Depth | 4' - 6' | 4' - 6' | 6' - 8' | 6' - 8' | 8' - 10' | 8' - 10' | 10' - 12' | 10' - 12' | 10' - 12' |
| Laboratory | AEL | LEA | AEL | LEA | AEL | LEA | LEA | LEA | LEA |
| Lab. Number | AEL96012633 | 96-5681-248 | AEL96012634 | 96-5682-249 | AEL96012635 | 96-5683-250 | 96-5684-251 | | |
| Constituent | Units | | | | | | | | |
| Chloroethane | µg/kg | <6.4 | | <8.6 | | <4.8 | | | |
| Pentachloroethane | µg/kg | | | | | | | | |
| 2-Chloroethyl Vinyl ether | µg/kg | <6.4 | | <8.6 | | <4.8 | | | |
| Methyl-tert-butyl Ether | µg/kg | <6.4 | | <8.6 | | <4.8 | | | |
| 1,1-Dichloroethylene | µg/kg | <6.4 | | <8.6 | | <4.8 | | | |
| Vinyl Chloride | µg/kg | <6.4 | | <8.6 | | <4.8 | | | |
| cis-1,2-Dichloroethylene | µg/kg | <6.4 | | <8.6 | | <4.8 | | | |
| Tetrachloroethylene | µg/kg | 230 | | 380 | | <4.8 | | | |
| Tetrachloroethylene (screening) | µg/xx | | 101 NC | | 38 | | 10 J | | <20.2 |
| trans-1,2-Dichloroethylene | µg/kg | <6.4 | | <8.6 | | <4.8 | | | |
| Trichloroethylene | µg/kg | 8.7 | | <8.6 N1 | | <4.8 | | | |
| Trichloroethylene (screening) | µg/xx | | <21.6 NC | | <20.3 | | <18.6 | | <20.0 |
| Ethylmethacrylate | µg/kg | | | | | | | | |
| 2-Hexanone | µg/kg | <16 | | <21 | | <12 | | | |
| Isobutyl Alcohol | µg/kg | | | | | | | | |
| Bromomethane | µg/kg | <6.4 | | <8.6 | | <4.8 | | | |
| Bromodichloromethane | µg/kg | <6.4 | | <8.6 | | <4.8 | | | |
| Chloromethane | µg/kg | <6.4 | | <8.6 | | <4.8 | | | |
| Dibromomethane | µg/kg | <6.4 | | <8.6 | | <4.8 | | | |
| Dibromochloromethane | µg/kg | <6.4 | | <8.6 | | <4.8 | | | |
| Methylene Chloride | µg/kg | <14 | | <13 | | <4.8 | | | |
| Dichlorodifluoromethane | µg/kg | <6.4 | | <8.6 | | <4.8 | | | |
| Iodomethane | µg/kg | | | | | | | | |
| Bromoform | µg/kg | <6.4 | | <8.6 | | <4.8 | | | |
| Fluorotrichloromethane | µg/kg | <6.4 | | <8.6 | | <4.8 | | | |
| Methyl Methacrylate | µg/kg | | | | | | | | |
| Methyl Isobutyl Ketone | µg/kg | <16 | | <21 | | <12 | | | |
| 1,2,3-Trichloropropane | µg/kg | <6.4 | | <8.6 | | <4.8 | | | |

Notes: 1. Printed on 05/03/00

Table 3
SUMMARY OF ANALYTICAL RESULTS - SOIL
P&W East Hartford: NK Undeveloped Land Area - Outside Storage Area

Page 24 of 536

Notes: 1. Printed on 05/03/00

18

Table 3
SUMMARY OF ANALYTICAL RESULTS - SOIL
P&W East Hartford: NK Undeveloped Land Area - Outside Storage Area

Page 25 of 536

| | Location ID | NK-SB-216 | NK-SB-216 | NK-SB-217 | NK-SB-217 | NK-SB-217 | NK-SB-217 | NK-SB-217 | NK-SB-217 |
|--------------------------------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Sample ID | 1020854 | 1020855 | 1020856 | 1020857 | 1020858 | 1020858 | 1020858 | 1020859 | 1020859 |
| Sample Date | 10/31/1996 | 10/31/1996 | 10/31/1996 | 10/31/1996 | 10/31/1996 | 10/31/1996 | 10/31/1996 | 10/31/1996 | 10/31/1996 |
| Sample Time | 12:55 | 13:00 | 13:25 | 13:35 | 13:45 | 13:45 | 13:45 | 13:55 | 13:55 |
| Sample Depth | 12' - 14' | 14' - 15' | 0' - 2' | 2' - 4' | 4' - 6' | 4' - 6' | 4' - 6' | 6' - 8' | 6' - 8' |
| Laboratory | LEA | LEA | LEA | LEA | AEL | LEA | LEA | AEL | AEL |
| Lab. Number | 96-5687-254 | 96-5688-255 | 96-5689-256 | 96-5690-257 | AEL96012636 | 96-5691-258 | 96-5691-258 | AEL96012637 | AEL96012637 |
| Constituent | Units | | | | | | | | |
| Date PCBs Analyzed | - | | | | | | | | |
| Date Metals Analyzed | - | | | | | 11/11/1996 | | | 11/11/1996 |
| Date Organics Analyzed | - | 11/05/1996 | 11/05/1996 | 11/05/1996 | 11/05/1996 | 11/13/1996 | 11/05/1996 | 11/13/1996 | 11/13/1996 |
| Date Pesticides/Herbicides Analyzed | - | | | | | | | | |
| Date Physical Analyzed | - | | | | | 11/11/1996 | | | 11/11/1996 |
| Date Semi-volatile Organics Analyzed | - | | | | | | | | |
| Dinoseb | µg/kg | | | | | | | | |
| Arsenic | mg/kg | | | | | <1.21 | | | <1.17 |
| Barium | mg/kg | | | | | 12.9 | | | 13.5 |
| Cadmium | mg/kg | | | | | <3.62 | | | <3.5 |
| Chromium | mg/kg | | | | | 7.96 | | | 5.83 |
| Lead | mg/kg | | | | | <24.1 | | | <23.3 |
| Mercury | mg/kg | | | | | <0.241 | | | <0.233 |
| Nickel | mg/kg | | | | | <12.1 | | | <11.7 |
| Selenium | mg/kg | | | | | <1.21 | | | <1.17 |
| Silver | mg/kg | | | | | <6.03 | | | <5.83 |
| Zinc | mg/kg | | | | | 17.7 | | | 16 |
| PCB 1016 | µg/kg | | | | | | | | |
| PCB 1221 | µg/kg | | | | | | | | |
| PCB 1232 | µg/kg | | | | | | | | |
| PCB 1242 | µg/kg | | | | | | | | |
| PCB 1248 | µg/kg | | | | | | | | |
| PCB 1254 | µg/kg | | | | | | | | |
| PCB 1260 | µg/kg | | | | | | | | |
| 2-Acetylaminofluorene | µg/kg | | | | | | | | |
| Aramite | µg/kg | | | | | | | | |
| Hexachlorobenzene | µg/kg | | | | | | | | |
| Hexachlorocyclopentadiene | µg/kg | | | | | | | | |

Notes: 1. Printed on 05/03/00



Table 3
SUMMARY OF ANALYTICAL RESULTS - SOIL
P&W East Hartford: NK Undeveloped Land Area - Outside Storage Area

Page 26 of 536

| | Location ID | NK-SB-216 | NK-SB-216 | NK-SB-217 | NK-SB-217 | NK-SB-217 | NK-SB-217 | NK-SB-217 |
|--------------------------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|------------|
| Sample ID | 1020854 | 1020855 | 1020856 | 1020857 | 1020858 | 1020858 | 1020859 | 1020859 |
| Sample Date | 10/31/1996 | 10/31/1996 | 10/31/1996 | 10/31/1996 | 10/31/1996 | 10/31/1996 | 10/31/1996 | 10/31/1996 |
| Sample Time | 12:55 | 13:00 | 13:25 | 13:35 | 13:45 | 13:45 | 13:55 | 13:55 |
| Sample Depth | 12' - 14' | 14' - 15' | 0' - 2' | 2' - 4' | 4' - 6' | 4' - 6' | 6' - 8' | 6' - 8' |
| Laboratory | LEA | LEA | LEA | LEA | AEL | LEA | LEA | AEL |
| Lab. Number | 96-5687-254 | 96-5688-255 | 96-5689-256 | 96-5690-257 | AEL96012636 | 96-5691-258 | AEL96012637 | |
| Constituent | Units | | | | | | | |
| Dimethoate | µg/kg | | | | | | | |
| Disulfoton | µg/kg | | | | | | | |
| Famphur | µg/kg | | | | | | | |
| Phorate | µg/kg | | | | | | | |
| 1,2-Dibromo-3-chloropropane | µg/kg | | | | | | | |
| TPH | mg/kg | | | | <39.2 | | | <37.7 |
| Total Solids | % | | | | <82.9 | | | <85.7 |
| Acenaphthylene | µg/kg | | | | | | | |
| Acenaphthalene | µg/kg | | | | | | | |
| Phenacetin | µg/kg | | | | | | | |
| Acetophenone | µg/kg | | | | | | | |
| Aniline | µg/kg | | | | | | | |
| o-Nitroaniline | µg/kg | | | | | | | |
| m-Nitroaniline | µg/kg | | | | | | | |
| p-Chloroaniline | µg/kg | | | | | | | |
| p-Nitroaniline | µg/kg | | | | | | | |
| p-Dimethylaminoazobenzene | µg/kg | | | | | | | |
| Anthracene | µg/kg | | | | | | | |
| Benzo(a)anthracene | µg/kg | | | | | | | |
| 7,12-Dimethylbenz[a]anthracene | µg/kg | | | | | | | |
| Benzo(b)fluoranthene | µg/kg | | | | | | | |
| 1,2,4,5-Tetrachlorobenzene | µg/kg | | | | | | | |
| Isosafrole | µg/kg | | | | | | | |
| 1,3,5-Trinitrobenzene | µg/kg | | | | | | | |
| m-Dinitrobenzene | µg/kg | | | | | | | |
| Safrole | µg/kg | | | | | | | |
| Nitrobenzene | µg/kg | | | | | | | |
| Benzidine | µg/kg | | | | | | | |

Notes: 1. Printed on 05/03/00

LEA

Table 3
SUMMARY OF ANALYTICAL RESULTS - SOIL
P&W East Hartford: NK Undeveloped Land Area - Outside Storage Area

Page 27 of 536

| | Location ID | NK-SB-216 | NK-SB-216 | NK-SB-217 | NK-SB-217 | NK-SB-217 | NK-SB-217 | NK-SB-217 |
|-------------------------------|--------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| | Sample ID | 1020854 | 1020855 | 1020856 | 1020857 | 1020858 | 1020858 | 1020859 |
| | Sample Date | 10/31/1996 | 10/31/1996 | 10/31/1996 | 10/31/1996 | 10/31/1996 | 10/31/1996 | 10/31/1996 |
| | Sample Time | 12:55 | 13:00 | 13:25 | 13:35 | 13:45 | 13:45 | 13:55 |
| | Sample Depth | 12' - 14' | 14' - 15' | 0' - 2' | 2' - 4' | 4' - 6' | 4' - 6' | 6' - 8' |
| | Laboratory | LEA | LEA | LEA | LEA | AEL | LEA | AEL |
| | Lab. Number | 96-5687-254 | 96-5688-255 | 96-5689-256 | 96-5690-257 | AEL96012636 | 96-5691-258 | AEL96012637 |
| Constituent | Units | | | | | | | |
| 3,3'-Dichlorobenzidine | µg/kg | | | | | | | |
| o-Tolidine | µg/kg | | | | | | | |
| Benzo[a]pyrene | µg/kg | | | | | | | |
| Benzo[ghi]perylene | µg/kg | | | | | | | |
| Benzo[k]fluoranthene | µg/kg | | | | | | | |
| Benzoic Acid | µg/kg | | | | | | | |
| Benzyl Alcohol | µg/kg | | | | | | | |
| p-Aminobiphenyl | µg/kg | | | | | | | |
| Hexachlorobutadiene | µg/kg | | | | | | | |
| n-Nitrosodi-n-butylamine | µg/kg | | | | | | | |
| trans-1,4-Dichloro-2-butylene | µg/kg | | | | | | | |
| Carbazole | µg/kg | | | | | | | |
| 3-Methylchloanthrene | µg/kg | | | | | | | |
| Chrysene | µg/kg | | | | | | | |
| o-Cresol | µg/kg | | | | | | | |
| m-Cresol | µg/kg | | | | | | | |
| Dinitro-o-cresol | µg/kg | | | | | | | |
| p-Cresol | µg/kg | | | | | | | |
| p-Chloro-m-cresol | µg/kg | | | | | | | |
| Dibenz(a,h)anthracene | µg/kg | | | | | | | |
| Dibenzofuran | µg/kg | | | | | | | |
| n-Nitrosodiethylamine | µg/kg | | | | | | | |
| n-Nitrosodimethylamine | µg/kg | | | | | | | |
| Diphenylamine | µg/kg | | | | | | | |
| n-Nitrosodiphenylamine | µg/kg | | | | | | | |
| n-Nitrosodipropylamine | µg/kg | | | | | | | |
| Hexachloroethane | µg/kg | | | | | | | |
| 4-Bromophenyl Phenyl Ether | µg/kg | | | | | | | |

Notes: 1. Printed on 05/03/00

Table 3
SUMMARY OF ANALYTICAL RESULTS - SOIL
P&W East Hartford: NK Undeveloped Land Area - Outside Storage Area

Page 28 of 536

| | Location ID | NK-SB-216 | NK-SB-216 | NK-SB-217 | NK-SB-217 | NK-SB-217 | NK-SB-217 | NK-SB-217 |
|--|-------------|-------------|-------------|-------------|-------------|-------------|-------------|------------|
| Sample ID | 1020854 | 1020855 | 1020856 | 1020857 | 1020858 | 1020858 | 1020859 | 1020859 |
| Sample Date | 10/31/1996 | 10/31/1996 | 10/31/1996 | 10/31/1996 | 10/31/1996 | 10/31/1996 | 10/31/1996 | 10/31/1996 |
| Sample Time | 12:55 | 13:00 | 13:25 | 13:35 | 13:45 | 13:45 | 13:55 | |
| Sample Depth | 12' - 14' | 14' - 15' | 0' - 2' | 2' - 4' | 4' - 6' | 4' - 6' | 6' - 8' | |
| Laboratory | LEA | LEA | LEA | LEA | AEL | LEA | LEA | AEL |
| Lab. Number | 96-5687-254 | 96-5688-255 | 96-5689-256 | 96-5690-257 | AEL96012636 | 96-5691-258 | AEL96012637 | |
| Constituent | Units | | | | | | | |
| 4-Chlorophenyl phenyl ether | µg/kg | | | | | | | |
| Dichlorodiisopropyl ether | µg/kg | | | | | | | |
| Dichloroethyl Ether | µg/kg | | | | | | | |
| n-Methyl-n-nitrosoethylamine | µg/kg | | | | | | | |
| Fluoranthene | µg/kg | | | | | | | |
| Fluorene | µg/kg | | | | | | | |
| 1,2-Diphenylhydrazine | µg/kg | | | | | | | |
| Indeno(1,2,3-cd)pyrene | µg/kg | | | | | | | |
| Isophorone | µg/kg | | | | | | | |
| bis(2-Chloroethoxy)methane | µg/kg | | | | | | | |
| Ethylmethanesulfonate | µg/kg | | | | | | | |
| Methylmethanesulfonate | µg/kg | | | | | | | |
| Methapyrilene | µg/kg | | | | | | | |
| n-Nitrosomorpholine | µg/kg | | | | | | | |
| Naphthalene | µg/kg | | | | | | | |
| 2-Chloronaphthalene | µg/kg | | | | | | | |
| 2-Methylnaphthalene | µg/kg | | | | | | | |
| 1,4-Naphthoquinone | µg/kg | | | | | | | |
| alpha-Naphthylamine | µg/kg | | | | | | | |
| beta-Naphthylamine | µg/kg | | | | | | | |
| Phenanthrene | µg/kg | | | | | | | |
| alpha,alpha-Dimethylphenethylamine | µg/kg | | | | | | | |
| Phenol | µg/kg | | | | | | | |
| 2,2'-Methylenebis(3,4,6-trichlorophenol) | µg/kg | | | | | | | |
| 2,3,4,6-Tetrachlorophenol | µg/kg | | | | | | | |
| 2,4,5-Trichlorophenol | µg/kg | | | | | | | |
| 2,4,6-Trichlorophenol | µg/kg | | | | | | | |
| 2,4-Dichlorophenol | µg/kg | | | | | | | |

Notes: 1. Printed on 05/03/00

Table 3
SUMMARY OF ANALYTICAL RESULTS - SOIL
P&W East Hartford: NK Undeveloped Land Area - Outside Storage Area

Page 29 of 536

| | Location ID | NK-SB-216 | NK-SB-216 | NK-SB-217 | NK-SB-217 | NK-SB-217 | NK-SB-217 | NK-SB-217 |
|---------------------------------|--------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| | Sample ID | 1020854 | 1020855 | 1020856 | 1020857 | 1020858 | 1020858 | 1020859 |
| | Sample Date | 10/31/1996 | 10/31/1996 | 10/31/1996 | 10/31/1996 | 10/31/1996 | 10/31/1996 | 10/31/1996 |
| | Sample Time | 12:55 | 13:00 | 13:25 | 13:35 | 13:45 | 13:45 | 13:55 |
| | Sample Depth | 12' - 14' | 14' - 15' | 0' - 2' | 2' - 4' | 4' - 6' | 4' - 6' | 6' - 8' |
| | Laboratory | LEA | LEA | LEA | LEA | AEL | LEA | AEL |
| | Lab. Number | 96-5687-254 | 96-5688-255 | 96-5689-256 | 96-5690-257 | AEL96012636 | 96-5691-258 | AEL96012637 |
| Constituent | Units | | | | | | | |
| 2,4-Dinitrophenol | µg/kg | | | | | | | |
| o-Chlorophenol | µg/kg | | | | | | | |
| o-Nitrophenol | µg/kg | | | | | | | |
| p-Nitrophenol | µg/kg | | | | | | | |
| Pentachlorophenol | µg/kg | | | | | | | |
| p-Phenylenediamine | µg/kg | | | | | | | |
| Butyl Benzyl Phthalate | µg/kg | | | | | | | |
| bis(2-Ethylhexyl)phthalate | µg/kg | | | | | | | |
| Di-n-butyl Phthalate | µg/kg | | | | | | | |
| Di-n-octyl Phthalate | µg/kg | | | | | | | |
| Diethyl Phthalate | µg/kg | | | | | | | |
| Dimethyl Phthalate | µg/kg | | | | | | | |
| 2-Picoline | µg/kg | | | | | | | |
| n-Nitrosopiperidine | µg/kg | | | | | | | |
| Pronamide | µg/kg | | | | | | | |
| Hexachloropropylene | µg/kg | | | | | | | |
| Pyrene | µg/kg | | | | | | | |
| Pyridine | µg/kg | | | | | | | |
| n-Nitrosopyrrolidine | µg/kg | | | | | | | |
| 4-Nitroquinoline, 1-oxide | µg/kg | | | | | | | |
| 2,4-Dinitrotoluene | µg/kg | | | | | | | |
| 2,6-Dinitrotoluene | µg/kg | | | | | | | |
| 5-Nitro-o-Toluidine | µg/kg | | | | | | | |
| o-Toluidine | µg/kg | | | | | | | |
| o,o,o-Triethyl phosphorothioate | µg/kg | | | | | | | |
| 2,4-Xylenol | µg/kg | | | | | | | |
| Acetone | µg/kg | | | | | <41 | | <32 |
| Acetonitrile | µg/kg | | | | | | | |

Notes: 1. Printed on 05/03/00

Table 3
SUMMARY OF ANALYTICAL RESULTS - SOIL
P&W East Hartford: NK Undeveloped Land Area - Outside Storage Area

Page 30 of 536

| | Location ID | NK-SB-216 | NK-SB-216 | NK-SB-217 | NK-SB-217 | NK-SB-217 | NK-SB-217 | NK-SB-217 |
|-----------------------------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|------------|
| Sample ID | 1020854 | 1020855 | 1020856 | 1020857 | 1020858 | 1020858 | 1020859 | 1020859 |
| Sample Date | 10/31/1996 | 10/31/1996 | 10/31/1996 | 10/31/1996 | 10/31/1996 | 10/31/1996 | 10/31/1996 | 10/31/1996 |
| Sample Time | 12:55 | 13:00 | 13:25 | 13:35 | 13:45 | 13:45 | 13:55 | 13:55 |
| Sample Depth | 12' - 14' | 14' - 15' | 0' - 2' | 2' - 4' | 4' - 6' | 4' - 6' | 6' - 8' | |
| Laboratory | LEA | LEA | LEA | LEA | AEL | LEA | AEL | |
| Lab. Number | 96-5687-254 | 96-5688-255 | 96-5689-256 | 96-5690-257 | AEL96012636 | 96-5691-258 | AEL96012637 | |
| Constituent | Units | | | | | | | |
| Acrolein | µg/kg | | | | <21 | | <16 | |
| Acrylonitrile | µg/kg | | | | <21 | | <16 | |
| Benzene | µg/kg | | | | <8.2 | | <6.4 | |
| Benzene (screening) | µg/xx | <6.52 | <6.41 | <7.95 | <8.46 NC | | <5.85 | |
| 1,2,4-Trichlorobenzene | µg/kg | | | | | | | |
| o-Dichlorobenzene | µg/kg | | | | <8.2 | | <6.4 | |
| m-Dichlorobenzene | µg/kg | | | | <8.2 | | <6.4 | |
| p-Dichlorobenzene | µg/kg | | | | <8.2 | | <6.4 | |
| Bromobenzene | µg/kg | | | | <8.2 | | <6.4 | |
| Chlorobenzene | µg/kg | | | | <8.2 | | <6.4 | |
| Ethyl Benzene | µg/kg | | | | <8.2 | | <6.4 | |
| Ethyl Benzene (screening) | µg/xx | <14.0 | <13.8 | <17.1 | <18.2 NC | | <12.6 | |
| Pentachlorobenzene | µg/kg | | | | | | | |
| Pentachloronitrobenzene | µg/kg | | | | | | | |
| beta-Chloroprene | µg/kg | | | | | | | |
| 2-Butanone | µg/kg | | | | <21 | | <16 | |
| Carbon Disulfide | µg/kg | | | | <8.2 | | <6.4 | |
| Carbon Tetrachloride | µg/kg | | | | <8.2 | | <6.4 | |
| Chloroform | µg/kg | | | | <8.2 | | <6.4 | |
| Dioxane | µg/kg | | | | | | | |
| 1,1,1,2-Tetrachloroethane | µg/kg | | | | <8.2 | | <6.4 | |
| 1,1,1-Trichloroethane | µg/kg | | | | <8.2 | | <6.4 | |
| 1,1,1-Trichloroethane (screening) | µg/xx | <176 | <173 | <215 | <229 NC | | <158 | |
| 1,1,2,2-Tetrachloroethane | µg/kg | | | | <8.2 | | <6.4 | |
| 1,1,2-Trichloroethane | µg/kg | | | | <8.2 | | <6.4 | |
| 1,1-Dichloroethane | µg/kg | | | | <8.2 | | <6.4 | |
| Ethylene Dibromide | µg/kg | | | | | | | |
| 1,2-Dichloroethane | µg/kg | | | | <8.2 | | <6.4 | |

Notes: 1. Printed on 05/03/00

LEA

Table 3
SUMMARY OF ANALYTICAL RESULTS - SOIL
P&W East Hartford: NK Undeveloped Land Area - Outside Storage Area

Page 31 of 536

| | Location ID | NK-SB-216 | NK-SB-216 | NK-SB-217 | NK-SB-217 | NK-SB-217 | NK-SB-217 | NK-SB-217 |
|---------------------------------|--------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| | Sample ID | 1020854 | 1020855 | 1020856 | 1020857 | 1020858 | 1020858 | 1020859 |
| | Sample Date | 10/31/1996 | 10/31/1996 | 10/31/1996 | 10/31/1996 | 10/31/1996 | 10/31/1996 | 10/31/1996 |
| | Sample Time | 12:55 | 13:00 | 13:25 | 13:35 | 13:45 | 13:45 | 13:55 |
| | Sample Depth | 12' - 14' | 14' - 15' | 0' - 2' | 2' - 4' | 4' - 6' | 4' - 6' | 6' - 8' |
| | Laboratory | LEA | LEA | LEA | LEA | AEL | LEA | AEL |
| | Lab. Number | 96-5687-254 | 96-5688-255 | 96-5689-256 | 96-5690-257 | AEL96012636 | 96-5691-258 | AEL96012637 |
| Constituent | Units | | | | | | | |
| Chloroethane | µg/kg | | | | | <8.2 | | <6.4 |
| Pentachloroethane | µg/kg | | | | | | | |
| 2-Chloroethyl Vinyl ether | µg/kg | | | | | <8.2 | | <6.4 |
| Methyl-tert-butyl Ether | µg/kg | | | | | <8.2 | | <6.4 |
| 1,1-Dichloroethylene | µg/kg | | | | | <8.2 | | <6.4 |
| Vinyl Chloride | µg/kg | | | | | <8.2 | | <6.4 |
| cis-1,2-Dichloroethylene | µg/kg | | | | | <8.2 | | <6.4 |
| Tetrachloroethylene | µg/kg | | | | | <8.2 | | <6.4 |
| Tetrachloroethylene (screening) | µg/xx | <17.6 | <17.3 | <21.5 | <22.8 NC | | <15.8 | |
| trans-1,2-Dichloroethylene | µg/kg | | | | | <8.2 | | <6.4 |
| Trichloroethylene | µg/kg | | | | | <8.2 N1 | | <6.4 |
| Trichloroethylene (screening) | µg/xx | <17.3 | <17.1 | <21.2 | <22.5 NC | | <15.6 | |
| Ethylmethacrylate | µg/kg | | | | | | | |
| 2-Hexanone | µg/kg | | | | | <21 | | <16 |
| Isobutyl Alcohol | µg/kg | | | | | | | |
| Bromomethane | µg/kg | | | | | <8.2 | | <6.4 |
| Bromodichloromethane | µg/kg | | | | | <8.2 | | <6.4 |
| Chloromethane | µg/kg | | | | | <8.2 | | <6.4 |
| Dibromomethane | µg/kg | | | | | <8.2 | | <6.4 |
| Dibromochloromethane | µg/kg | | | | | <8.2 | | <6.4 |
| Methylene Chloride | µg/kg | | | | | <14 | | <7.9 |
| Dichlorodifluoromethane | µg/kg | | | | | <8.2 | | <6.4 |
| Iodomethane | µg/kg | | | | | | | |
| Bromoform | µg/kg | | | | | <8.2 | | <6.4 |
| Fluorotrichloromethane | µg/kg | | | | | <8.2 | | <6.4 |
| Methyl Methacrylate | µg/kg | | | | | | | |
| Methyl Isobutyl Ketone | µg/kg | | | | | <21 | | <16 |
| 1,2,3-Trichloropropane | µg/kg | | | | | <8.2 | | <6.4 |

Notes: 1. Printed on 03/03/00

Table 3
SUMMARY OF ANALYTICAL RESULTS - SOIL
P&W East Hartford: NK Undeveloped Land Area - Outside Storage Area

Page 32 of 536

Notes: 1. Printed on 05/03/00

Table 3
SUMMARY OF ANALYTICAL RESULTS - SOIL
P&W East Hartford: NK Undeveloped Land Area - Outside Storage Area

Page 33 of 536

| | Location ID | NK-SB-217 | NK-SB-217 | NK-SB-217 | NK-SB-217 | NK-SB-217 | NK-SB-218 | NK-SB-218 |
|--------------------------------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Sample ID | 1020859 | 1020860 | 1020861 | 1020862 | 1020863 | 1020864 | 1020865 | |
| Sample Date | 10/31/1996 | 10/31/1996 | 10/31/1996 | 10/31/1996 | 10/31/1996 | 10/31/1996 | 10/31/1996 | 10/31/1996 |
| Sample Time | 13:55 | 14:10 | 14:20 | 14:30 | 14:40 | 14:50 | 15:00 | |
| Sample Depth | 6' - 8' | 8' - 10' | 10' - 12' | 12' - 14' | 14' - 15' | 0' - 2' | 2' - 4' | |
| Laboratory | LEA | LEA | LEA | LEA | LEA | LEA | AEL | |
| Lab. Number | 96-5692-259 | 96-5693-260 | 96-5694-261 | 96-5695-262 | 96-5696-263 | 96-5697-264 | 96-5697-264 | AEL96012638 |
| Constituent | Units | | | | | | | |
| Date PCBs Analyzed | - | | | | | | | |
| Date Metals Analyzed | - | | | | | | | 11/11/1996 |
| Date Organics Analyzed | - | 11/05/1996 | 11/05/1996 | 11/05/1996 | 11/05/1996 | 11/05/1996 | 11/05/1996 | 11/13/1996 |
| Date Pesticides/Herbicides Analyzed | - | | | | | | | |
| Date Physical Analyzed | - | | | | | | | 11/11/1996 |
| Date Semi-volatile Organics Analyzed | - | | | | | | | |
| Dinoseb | µg/kg | | | | | | | |
| Arsenic | mg/kg | | | | | | | 1.26 |
| Barium | mg/kg | | | | | | | 14.7 |
| Cadmium | mg/kg | | | | | | | <3.22 |
| Chromium | mg/kg | | | | | | | 8.15 |
| Lead | mg/kg | | | | | | | <21.4 |
| Mercury | mg/kg | | | | | | | <0.214 |
| Nickel | mg/kg | | | | | | | <10.7 |
| Selenium | mg/kg | | | | | | | <1.07 |
| Silver | mg/kg | | | | | | | <5.36 |
| Zinc | mg/kg | | | | | | | 17.5 |
| PCB 1016 | µg/kg | | | | | | | |
| PCB 1221 | µg/kg | | | | | | | |
| PCB 1232 | µg/kg | | | | | | | |
| PCB 1242 | µg/kg | | | | | | | |
| PCB 1248 | µg/kg | | | | | | | |
| PCB 1254 | µg/kg | | | | | | | |
| PCB 1260 | µg/kg | | | | | | | |
| 2-Acetylaminofluorene | µg/kg | | | | | | | |
| Aramite | µg/kg | | | | | | | |
| Hexachlorobenzene | µg/kg | | | | | | | |
| Hexachlorocyclopentadiene | µg/kg | | | | | | | |

Notes: 1. Printed on 05/03/00

Table 3
SUMMARY OF ANALYTICAL RESULTS - SOIL
P&W East Hartford: NK Undeveloped Land Area - Outside Storage Area

Page 34 of 536

| | Location ID | NK-SB-217 | NK-SB-217 | NK-SB-217 | NK-SB-217 | NK-SB-217 | NK-SB-218 | NK-SB-218 |
|--------------------------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|------------|
| Sample ID | 1020859 | 1020860 | 1020861 | 1020862 | 1020863 | 1020864 | 1020865 | 1020865 |
| Sample Date | 10/31/1996 | 10/31/1996 | 10/31/1996 | 10/31/1996 | 10/31/1996 | 10/31/1996 | 10/31/1996 | 10/31/1996 |
| Sample Time | 13:55 | 14:10 | 14:20 | 14:30 | 14:40 | 14:50 | 15:00 | |
| Sample Depth | 6' - 8' | 8' - 10' | 10' - 12' | 12' - 14' | 14' - 15' | 0' - 2' | 2' - 4' | |
| Laboratory | LEA | LEA | LEA | LEA | LEA | LEA | AEL | |
| Lab. Number | 96-5692-259 | 96-5693-260 | 96-5694-261 | 96-5695-262 | 96-5696-263 | 96-5697-264 | AEL96012638 | |
| Constituent | Units | | | | | | | |
| Dimethoate | µg/kg | | | | | | | |
| Disulfoton | µg/kg | | | | | | | |
| Farnphur | µg/kg | | | | | | | |
| Phorate | µg/kg | | | | | | | |
| 1,2-Dibromo-3-chloropropane | µg/kg | | | | | | | |
| TPH | mg/kg | | | | | | | <35.5 |
| Total Solids | % | | | | | | | <91.5 |
| Acenaphthylene | µg/kg | | | | | | | |
| Acenaphthalene | µg/kg | | | | | | | |
| Phenacetin | µg/kg | | | | | | | |
| Acetophenone | µg/kg | | | | | | | |
| Aniline | µg/kg | | | | | | | |
| o-Nitroaniline | µg/kg | | | | | | | |
| m-Nitroaniline | µg/kg | | | | | | | |
| p-Chloroaniline | µg/kg | | | | | | | |
| p-Nitroaniline | µg/kg | | | | | | | |
| p-Dimethylaminoazobenzene | µg/kg | | | | | | | |
| Anthracene | µg/kg | | | | | | | |
| Benzo(a)anthracene | µg/kg | | | | | | | |
| 7,12-Dimethylbenz[a]anthracene | µg/kg | | | | | | | |
| Benzo(b)fluoranthene | µg/kg | | | | | | | |
| 1,2,4,5-Tetrachlorobenzene | µg/kg | | | | | | | |
| Isosafrole | µg/kg | | | | | | | |
| 1,3,5-Trinitrobenzene | µg/kg | | | | | | | |
| m-Dinitrobenzene | µg/kg | | | | | | | |
| Safrole | µg/kg | | | | | | | |
| Nitrobenzene | µg/kg | | | | | | | |
| Benzidine | µg/kg | | | | | | | |

Notes: 1. Printed on 03/03/00

Table 3
SUMMARY OF ANALYTICAL RESULTS - SOIL
P&W East Hartford: NK Undeveloped Land Area - Outside Storage Area

Page 35 of 536

| | Location ID | NK-SB-217 | NK-SB-217 | NK-SB-217 | NK-SB-217 | NK-SB-217 | NK-SB-218 | NK-SB-218 |
|-------------------------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|------------|
| Sample ID | 1020859 | 1020860 | 1020861 | 1020862 | 1020863 | 1020864 | 1020865 | 1020865 |
| Sample Date | 10/31/1996 | 10/31/1996 | 10/31/1996 | 10/31/1996 | 10/31/1996 | 10/31/1996 | 10/31/1996 | 10/31/1996 |
| Sample Time | 13:55 | 14:10 | 14:20 | 14:30 | 14:40 | 14:50 | 15:00 | |
| Sample Depth | 6' - 8' | 8' - 10' | 10' - 12' | 12' - 14' | 14' - 15' | 0' - 2' | 2' - 4' | |
| Laboratory | LEA | LEA | LEA | LEA | LEA | LEA | AEL | |
| Lab. Number | 96-5692-259 | 96-5693-260 | 96-5694-261 | 96-5695-262 | 96-5696-263 | 96-5697-264 | AEL96012638 | |
| Constituent | Units | | | | | | | |
| 3,3'-Dichlorobenzidine | µg/kg | | | | | | | |
| o-Tolidine | µg/kg | | | | | | | |
| Benzo[a]pyrene | µg/kg | | | | | | | |
| Benzo[ghi]perylene | µg/kg | | | | | | | |
| Benzo[k]fluoranthene | µg/kg | | | | | | | |
| Benzoic Acid | µg/kg | | | | | | | |
| Benzyl Alcohol | µg/kg | | | | | | | |
| p-Aminobiphenyl | µg/kg | | | | | | | |
| Hexachlorobutadiene | µg/kg | | | | | | | |
| n-Nitrosodi-n-butylamine | µg/kg | | | | | | | |
| trans-1,4-Dichloro-2-butylene | µg/kg | | | | | | | |
| Carbazole | µg/kg | | | | | | | |
| 3-Methylchloanthrene | µg/kg | | | | | | | |
| Chrysene | µg/kg | | | | | | | |
| o-Cresol | µg/kg | | | | | | | |
| m-Cresol | µg/kg | | | | | | | |
| Dinitro-o-cresol | µg/kg | | | | | | | |
| p-Cresol | µg/kg | | | | | | | |
| p-Chloro-m-cresol | µg/kg | | | | | | | |
| Dibenz(a,h)anthracene | µg/kg | | | | | | | |
| Dibenzofuran | µg/kg | | | | | | | |
| n-Nitrosodiethylamine | µg/kg | | | | | | | |
| n-Nitrosodimethylamine | µg/kg | | | | | | | |
| Diphenylamine | µg/kg | | | | | | | |
| n-Nitrosodiphenylamine | µg/kg | | | | | | | |
| n-Nitrosodipropylamine | µg/kg | | | | | | | |
| Hexachloroethane | µg/kg | | | | | | | |
| 4-Bromophenyl Phenyl Ether | µg/kg | | | | | | | |

Notes: 1. Printed on 05/03/00

Table 3
SUMMARY OF ANALYTICAL RESULTS - SOIL
P&W East Hartford: NK Undeveloped Land Area - Outside Storage Area

Page 36 of 536

| | Location ID | NK-SB-217 | NK-SB-217 | NK-SB-217 | NK-SB-217 | NK-SB-217 | NK-SB-218 | NK-SB-218 |
|--|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Sample ID | 1020859 | 1020860 | 1020861 | 1020862 | 1020863 | 1020864 | 1020865 | |
| Sample Date | 10/31/1996 | 10/31/1996 | 10/31/1996 | 10/31/1996 | 10/31/1996 | 10/31/1996 | 10/31/1996 | 10/31/1996 |
| Sample Time | 13:55 | 14:10 | 14:20 | 14:30 | 14:40 | 14:50 | 15:00 | |
| Sample Depth | 6' - 8' | 8' - 10' | 10' - 12' | 12' - 14' | 14' - 15' | 0' - 2' | 2' - 4' | |
| Laboratory | LEA | AEL |
| Lab. Number | 96-5692-259 | 96-5693-260 | 96-5694-261 | 96-5695-262 | 96-5696-263 | 96-5697-264 | 96-5697-264 | AEL96012638 |
| Constituent | Units | | | | | | | |
| 4-Chlorophenyl phenyl ether | µg/kg | | | | | | | |
| Dichlorodisopropyl ether | µg/kg | | | | | | | |
| Dichloroethyl Ether | µg/kg | | | | | | | |
| n-Methyl-n-nitrosoethylamine | µg/kg | | | | | | | |
| Fluoranthene | µg/kg | | | | | | | |
| Fluorene | µg/kg | | | | | | | |
| 1,2-Diphenylhydrazine | µg/kg | | | | | | | |
| Indeno(1,2,3-cd)pyrene | µg/kg | | | | | | | |
| Isophorone | µg/kg | | | | | | | |
| bis(2-Chloroethoxy)methane | µg/kg | | | | | | | |
| Ethylmethanesulfonate | µg/kg | | | | | | | |
| Methylmethanesulfonate | µg/kg | | | | | | | |
| Methapyrilene | µg/kg | | | | | | | |
| n-Nitrosomorpholine | µg/kg | | | | | | | |
| Naphthalene | µg/kg | | | | | | | |
| 2-Chloronaphthalene | µg/kg | | | | | | | |
| 2-Methylnaphthalene | µg/kg | | | | | | | |
| 1,4-Naphthoquinone | µg/kg | | | | | | | |
| alpha-Naphthylamine | µg/kg | | | | | | | |
| beta-Naphthylamine | µg/kg | | | | | | | |
| Phenanthrene | µg/kg | | | | | | | |
| alpha,alpha-Dimethylphenethylamine | µg/kg | | | | | | | |
| Phenol | µg/kg | | | | | | | |
| 2,2'-Methylenebis(3,4,6-trichlorophenol) | µg/kg | | | | | | | |
| 2,3,4,6-Tetrachlorophenol | µg/kg | | | | | | | |
| 2,4,5-Trichlorophenol | µg/kg | | | | | | | |
| 2,4,6-Trichlorophenol | µg/kg | | | | | | | |
| 2,4-Dichlorophenol | µg/kg | | | | | | | |

Notes: 1. Printed on 05/03/00

Table 3
SUMMARY OF ANALYTICAL RESULTS - SOIL
P&W East Hartford: NK Undeveloped Land Area - Outside Storage Area

Page 37 of 536

| | Location ID | NK-SB-217 | NK-SB-217 | NK-SB-217 | NK-SB-217 | NK-SB-217 | NK-SB-218 | NK-SB-218 |
|---------------------------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|------------|
| Sample ID | 1020859 | 1020860 | 1020861 | 1020862 | 1020863 | 1020864 | 1020865 | 1020865 |
| Sample Date | 10/31/1996 | 10/31/1996 | 10/31/1996 | 10/31/1996 | 10/31/1996 | 10/31/1996 | 10/31/1996 | 10/31/1996 |
| Sample Time | 13:55 | 14:10 | 14:20 | 14:30 | 14:40 | 14:50 | 15:00 | |
| Sample Depth | 6' - 8' | 8' - 10' | 10' - 12' | 12' - 14' | 14' - 15' | 0' - 2' | 2' - 4' | |
| Laboratory | LEA | LEA | LEA | LEA | LEA | LEA | AEL | |
| Lab. Number | 96-5692-259 | 96-5693-260 | 96-5694-261 | 96-5695-262 | 96-5696-263 | 96-5697-264 | AEL96012638 | |
| Constituent | Units | | | | | | | |
| 2,4-Dinitrophenol | µg/kg | | | | | | | |
| o-Chlorophenol | µg/kg | | | | | | | |
| o-Nitrophenol | µg/kg | | | | | | | |
| p-Nitrophenol | µg/kg | | | | | | | |
| Pentachlorophenol | µg/kg | | | | | | | |
| p-Phenylenediamine | µg/kg | | | | | | | |
| Butyl Benzyl Phthalate | µg/kg | | | | | | | |
| bis(2-Ethylhexyl)phthalate | µg/kg | | | | | | | |
| Di-n-butyl Phthalate | µg/kg | | | | | | | |
| Di-n-octyl Phthalate | µg/kg | | | | | | | |
| Diethyl Phthalate | µg/kg | | | | | | | |
| Dimethyl Phthalate | µg/kg | | | | | | | |
| 2-Picoline | µg/kg | | | | | | | |
| n-Nitrosopiperidine | µg/kg | | | | | | | |
| Pronamide | µg/kg | | | | | | | |
| Hexachloropropylene | µg/kg | | | | | | | |
| Pyrene | µg/kg | | | | | | | |
| Pyridine | µg/kg | | | | | | | |
| n-Nitrosopyrrolidine | µg/kg | | | | | | | |
| 4-Nitroquinoline, 1-oxide | µg/kg | | | | | | | |
| 2,4-Dinitrotoluene | µg/kg | | | | | | | |
| 2,6-Dinitrotoluene | µg/kg | | | | | | | |
| 5-Nitro-o-Toluidine | µg/kg | | | | | | | |
| o-Toluidine | µg/kg | | | | | | | |
| o,o,o-Triethyl phosphorothioate | µg/kg | | | | | | | |
| 2,4-Xylenol | µg/kg | | | | | | | <28 |
| Acetone | µg/kg | | | | | | | |
| Acetonitrile | µg/kg | | | | | | | |

Notes: 1. Printed on 05/03/00

Table 3
SUMMARY OF ANALYTICAL RESULTS - SOIL
P&W East Hartford: NK Undeveloped Land Area - Outside Storage Area

Page 38 of 536

| | Location ID | NK-SB-217 | NK-SB-217 | NK-SB-217 | NK-SB-217 | NK-SB-217 | NK-SB-218 | NK-SB-218 |
|-----------------------------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|------------|
| Sample ID | 1020859 | 1020860 | 1020861 | 1020862 | 1020863 | 1020864 | 1020865 | |
| Sample Date | 10/31/1996 | 10/31/1996 | 10/31/1996 | 10/31/1996 | 10/31/1996 | 10/31/1996 | 10/31/1996 | 10/31/1996 |
| Sample Time | 13:55 | 14:10 | 14:20 | 14:30 | 14:40 | 14:50 | 15:00 | |
| Sample Depth | 6' - 8' | 8' - 10' | 10' - 12' | 12' - 14' | 14' - 15' | 0' - 2' | 2' - 4' | |
| Laboratory | LEA | LEA | LEA | LEA | LEA | LEA | AEL | |
| Lab. Number | 96-5692-259 | 96-5693-260 | 96-5694-261 | 96-5695-262 | 96-5696-263 | 96-5697-264 | AEL96012638 | |
| Constituent | Units | | | | | | | |
| Acrolein | µg/kg | | | | | | | <14 |
| Acrylonitrile | µg/kg | | | | | | | <14 |
| Benzene | µg/kg | | | | | | | <5.7 |
| Benzene (screening) | µg/xx | <6.97 | <7.79 | <7.79 | <6.41 | <6.97 | <8.11 NC | |
| 1,2,4-Trichlorobenzene | µg/kg | | | | | | | |
| o-Dichlorobenzene | µg/kg | | | | | | | <5.7 |
| m-Dichlorobenzene | µg/kg | | | | | | | <5.7 |
| p-Dichlorobenzene | µg/kg | | | | | | | <5.7 |
| Bromobenzene | µg/kg | | | | | | | <5.7 |
| Chlorobenzene | µg/kg | | | | | | | <5.7 |
| Ethyl Benzene | µg/kg | | | | | | | <5.7 |
| Ethyl Benzene (screening) | µg/xx | <15.0 | <16.8 | <16.8 | <13.8 | <15.0 | <17.4 NC | |
| Pentachlorobenzene | µg/kg | | | | | | | |
| Pentachloronitrobenzene | µg/kg | | | | | | | |
| beta-Chloroprene | µg/kg | | | | | | | |
| 2-Butanone | µg/kg | | | | | | | <14 |
| Carbon Disulfide | µg/kg | | | | | | | <5.7 |
| Carbon Tetrachloride | µg/kg | | | | | | | <5.7 |
| Chloroform | µg/kg | | | | | | | <5.7 |
| Dioxane | µg/kg | | | | | | | |
| 1,1,1,2-Tetrachloroethane | µg/kg | | | | | | | <5.7 |
| 1,1,1-Trichloroethane | µg/kg | | | | | | | <5.7 |
| 1,1,1-Trichloroethane (screening) | µg/xx | <188 | <211 | <211 | <173 | <188 | <219 NC | |
| 1,1,2,2-Tetrachloroethane | µg/kg | | | | | | | <5.7 |
| 1,1,2-Trichloroethane | µg/kg | | | | | | | <5.7 |
| 1,1-Dichloroethane | µg/kg | | | | | | | <5.7 |
| Ethylene Dibromide | µg/kg | | | | | | | |
| 1,2-Dichloroethane | µg/kg | | | | | | | <5.7 |

Notes: 1. Printed on 05/03/00

Table 3
SUMMARY OF ANALYTICAL RESULTS - SOIL
P&W East Hartford: NK Undeveloped Land Area - Outside Storage Area

Page 39 of 536

| | Location ID | NK-SB-217 | NK-SB-217 | NK-SB-217 | NK-SB-217 | NK-SB-217 | NK-SB-218 | NK-SB-218 |
|---------------------------------|--------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| | Sample ID | 1020859 | 1020860 | 1020861 | 1020862 | 1020863 | 1020864 | 1020865 |
| | Sample Date | 10/31/1996 | 10/31/1996 | 10/31/1996 | 10/31/1996 | 10/31/1996 | 10/31/1996 | 10/31/1996 |
| | Sample Time | 13:55 | 14:10 | 14:20 | 14:30 | 14:40 | 14:50 | 15:00 |
| | Sample Depth | 6' - 8' | 8' - 10' | 10' - 12' | 12' - 14' | 14' - 15' | 0' - 2' | 2' - 4' |
| | Laboratory | LEA | LEA | LEA | LEA | LEA | LEA | AEL |
| | Lab. Number | 96-5692-259 | 96-5693-260 | 96-5694-261 | 96-5695-262 | 96-5696-263 | 96-5697-264 | AEL96012638 |
| Constituent | Units | | | | | | | |
| Chloroethane | µg/kg | | | | | | | <5.7 |
| Pentachloroethane | µg/kg | | | | | | | |
| 2-Chloroethyl Vinyl ether | µg/kg | | | | | | | <5.7 |
| Methyl-tert-butyl Ether | µg/kg | | | | | | | <5.7 |
| 1,1-Dichloroethylene | µg/kg | | | | | | | <5.7 |
| Vinyl Chloride | µg/kg | | | | | | | <5.7 |
| cis-1,2-Dichloroethylene | µg/kg | | | | | | | <5.7 |
| Tetrachloroethylene | µg/kg | | | | | | | <5.7 |
| Tetrachloroethylene (screening) | µg/xx | <18.8 | <21.0 | <21.0 | <17.3 | <18.8 | <21.9 NC | |
| trans-1,2-Dichloroethylene | µg/kg | | | | | | | <5.7 |
| Trichloroethylene | µg/kg | | | | | | | <5.7 N1 |
| Trichloroethylene (screening) | µg/xx | <18.6 | <20.7 | <20.7 | <17.1 | <18.6 | <21.6 NC | |
| Ethylmethacrylate | µg/kg | | | | | | | |
| 2-Hexanone | µg/kg | | | | | | | <14 |
| Isobutyl Alcohol | µg/kg | | | | | | | |
| Bromomethane | µg/kg | | | | | | | <5.7 |
| Bromodichloromethane | µg/kg | | | | | | | <5.7 |
| Chloromethane | µg/kg | | | | | | | <5.7 |
| Dibromomethane | µg/kg | | | | | | | <5.7 |
| Dibromo-chloromethane | µg/kg | | | | | | | <5.7 |
| Methylene Chloride | µg/kg | | | | | | | <10 |
| Dichlorodifluoromethane | µg/kg | | | | | | | <5.7 |
| Iodomethane | µg/kg | | | | | | | |
| Bromoform | µg/kg | | | | | | | <5.7 |
| Fluorotrichloromethane | µg/kg | | | | | | | <5.7 |
| Methyl Methacrylate | µg/kg | | | | | | | |
| Methyl Isobutyl Ketone | µg/kg | | | | | | | <14 |
| 1,2,3-Trichloropropane | µg/kg | | | | | | | <5.7 |

Notes: 1. Printed on 05/03/00

LEA

Table 3
SUMMARY OF ANALYTICAL RESULTS - SOIL
P&W East Hartford: NK Undeveloped Land Area - Outside Storage Area

Page 40 of 536

Notes: 1. Printed on 05/03/00

Table 3
SUMMARY OF ANALYTICAL RESULTS - SOIL
P&W East Hartford: NK Undeveloped Land Area - Outside Storage Area

Page 41 of 536

| | Location ID | NK-SB-218 |
|--------------------------------------|--------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| | Sample ID | 1020865 | 1020866 | 1020867 | 1020867 | 1020868 | 1020869 | 1020870 |
| | Sample Date | 10/31/1996 | 10/31/1996 | 10/31/1996 | 10/31/1996 | 10/31/1996 | 10/31/1996 | 10/31/1996 |
| | Sample Time | 15:00 | 15:10 | 15:20 | 15:20 | 15:30 | 15:40 | 15:50 |
| | Sample Depth | 2' - 4' | 4' - 6' | 6' - 8' | 6' - 8' | 8' - 10' | 10' - 12' | 12' - 14' |
| | Laboratory | LEA | LEA | AEL | LEA | LEA | LEA | LEA |
| | Lab. Number | 96-5700-267 | 96-5701-268 | AEL96012639 | 96-5702-269 | 96-5703-270 | 96-5704-271 | 96-5705-272 |
| Constituent | Units | | | | | | | |
| Date PCBs Analyzed | - | | | | | | | |
| Date Metals Analyzed | - | | | 11/11/1996 | | | | |
| Date Organics Analyzed | - | 11/05/1996 | 11/05/1996 | 11/13/1996 | 11/05/1996 | 11/05/1996 | 11/05/1996 | 11/05/1996 |
| Date Pesticides/Herbicides Analyzed | - | | | | | | | |
| Date Physical Analyzed | - | | | 11/11/1996 | | | | |
| Date Semi-volatile Organics Analyzed | - | | | | | | | |
| Dinoseb | µg/kg | | | | | | | |
| Arsenic | mg/kg | | | <1.14 | | | | |
| Barium | mg/kg | | | 16.7 | | | | |
| Cadmium | mg/kg | | | <3.43 | | | | |
| Chromium | mg/kg | | | 5.82 | | | | |
| Lead | mg/kg | | | <22.8 | | | | |
| Mercury | mg/kg | | | <0.228 | | | | |
| Nickel | mg/kg | | | <11.4 | | | | |
| Selenium | mg/kg | | | <1.14 | | | | |
| Silver | mg/kg | | | <5.71 | | | | |
| Zinc | mg/kg | | | 14.3 | | | | |
| PCB 1016 | µg/kg | | | | | | | |
| PCB 1221 | µg/kg | | | | | | | |
| PCB 1232 | µg/kg | | | | | | | |
| PCB 1242 | µg/kg | | | | | | | |
| PCB 1248 | µg/kg | | | | | | | |
| PCB 1254 | µg/kg | | | | | | | |
| PCB 1260 | µg/kg | | | | | | | |
| 2-Acetylaminofluorene | µg/kg | | | | | | | |
| Aramite | µg/kg | | | | | | | |
| Hexachlorobenzene | µg/kg | | | | | | | |
| Hexachlorocyclopentadiene | µg/kg | | | | | | | |

Notes: 1. Printed on 05/03/00

Table 3
SUMMARY OF ANALYTICAL RESULTS - SOIL
P&W East Hartford: NK Undeveloped Land Area - Outside Storage Area

Page 42 of 536

| | Location ID | NK-SB-218 | NK-SB-218 | NK-SB-218 | NK-SB-218 | NK-SB-218 | NK-SB-218 | NK-SB-218 |
|--------------------------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|------------|
| Sample ID | 1020865 | 1020866 | 1020867 | 1020867 | 1020868 | 1020869 | 1020870 | 1020870 |
| Sample Date | 10/31/1996 | 10/31/1996 | 10/31/1996 | 10/31/1996 | 10/31/1996 | 10/31/1996 | 10/31/1996 | 10/31/1996 |
| Sample Time | 15:00 | 15:10 | 15:20 | 15:20 | 15:30 | 15:40 | 15:50 | |
| Sample Depth | 2' - 4' | 4' - 6' | 6' - 8' | 6' - 8' | 8' - 10' | 10' - 12' | 12' - 14' | |
| Laboratory | LEA | LEA | AEL | LEA | LEA | LEA | LEA | |
| Lab. Number | 96-5700-267 | 96-5701-268 | AEL96012639 | 96-5702-269 | 96-5703-270 | 96-5704-271 | 96-5705-272 | |
| Constituent | Units | | | | | | | |
| Dimethoate | µg/kg | | | | | | | |
| Disulfoton | µg/kg | | | | | | | |
| Famphur | µg/kg | | | | | | | |
| Phorate | µg/kg | | | | | | | |
| 1,2-Dibromo-3-chloropropane | µg/kg | | | | | | | |
| TPH | mg/kg | | | <38.1 | | | | |
| Total Solids | % | | | <84.2 | | | | |
| Acenaphthylene | µg/kg | | | | | | | |
| Acenaphthalene | µg/kg | | | | | | | |
| Phenacetin | µg/kg | | | | | | | |
| Acetophenone | µg/kg | | | | | | | |
| Aniline | µg/kg | | | | | | | |
| o-Nitroaniline | µg/kg | | | | | | | |
| m-Nitroaniline | µg/kg | | | | | | | |
| p-Chloroaniline | µg/kg | | | | | | | |
| p-Nitroaniline | µg/kg | | | | | | | |
| p-Dimethylaminoazobenzene | µg/kg | | | | | | | |
| Anthracene | µg/kg | | | | | | | |
| Benzo(a)anthracene | µg/kg | | | | | | | |
| 7,12-Dimethylbenz[a]anthracene | µg/kg | | | | | | | |
| Benzo(b)fluoranthene | µg/kg | | | | | | | |
| 1,2,4,5-Tetrachlorobenzene | µg/kg | | | | | | | |
| Isosafrole | µg/kg | | | | | | | |
| 1,3,5-Trinitrobenzene | µg/kg | | | | | | | |
| m-Dinitrobenzene | µg/kg | | | | | | | |
| Safrole | µg/kg | | | | | | | |
| Nitrobenzene | µg/kg | | | | | | | |
| Benzidine | µg/kg | | | | | | | |

Notes: 1. Printed on 05/03/00

Table 3
SUMMARY OF ANALYTICAL RESULTS - SOIL
P&W East Hartford: NK Undeveloped Land Area - Outside Storage Area

Page 43 of 536

| | Location ID | NK-SB-218 |
|-------------------------------|--------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| | Sample ID | 1020865 | 1020866 | 1020867 | 1020867 | 1020868 | 1020869 | 1020870 |
| | Sample Date | 10/31/1996 | 10/31/1996 | 10/31/1996 | 10/31/1996 | 10/31/1996 | 10/31/1996 | 10/31/1996 |
| | Sample Time | 15:00 | 15:10 | 15:20 | 15:20 | 15:30 | 15:40 | 15:50 |
| | Sample Depth | 2' - 4' | 4' - 6' | 6' - 8' | 6' - 8' | 8' - 10' | 10' - 12' | 12' - 14' |
| | Laboratory | LEA | LEA | AEL | LEA | LEA | LEA | LEA |
| | Lab. Number | 96-5700-267 | 96-5701-268 | AEL96012639 | 96-5702-269 | 96-5703-270 | 96-5704-271 | 96-5705-272 |
| Constituent | Units | | | | | | | |
| 3,3'-Dichlorobenzidine | µg/kg | | | | | | | |
| o-Tolidine | µg/kg | | | | | | | |
| Benzo[a]pyrene | µg/kg | | | | | | | |
| Benzo[ghi]perylene | µg/kg | | | | | | | |
| Benzo[k]fluoranthene | µg/kg | | | | | | | |
| Benzoic Acid | µg/kg | | | | | | | |
| Benzyl Alcohol | µg/kg | | | | | | | |
| p-Aminobiphenyl | µg/kg | | | | | | | |
| Hexachlorobutadiene | µg/kg | | | | | | | |
| n-Nitrosodi-n-butylamine | µg/kg | | | | | | | |
| trans-1,4-Dichloro-2-butylene | µg/kg | | | | | | | |
| Carbazole | µg/kg | | | | | | | |
| 3-Methylchloanthrene | µg/kg | | | | | | | |
| Chrysene | µg/kg | | | | | | | |
| o-Cresol | µg/kg | | | | | | | |
| m-Cresol | µg/kg | | | | | | | |
| Dinitro-o-cresol | µg/kg | | | | | | | |
| p-Cresol | µg/kg | | | | | | | |
| p-Chloro-m-cresol | µg/kg | | | | | | | |
| Dibenz(a,h)anthracene | µg/kg | | | | | | | |
| Dibenzofuran | µg/kg | | | | | | | |
| n-Nitrosodiethylamine | µg/kg | | | | | | | |
| n-Nitrosodimethylamine | µg/kg | | | | | | | |
| Diphenylamine | µg/kg | | | | | | | |
| n-Nitrosodiphenylamine | µg/kg | | | | | | | |
| n-Nitrosodipropylamine | µg/kg | | | | | | | |
| Hexachloroethane | µg/kg | | | | | | | |
| 4-Bromophenyl Phenyl Ether | µg/kg | | | | | | | |

Notes: 1. Printed on 05/03/00

LEA

Table 3
SUMMARY OF ANALYTICAL RESULTS - SOIL
P&W East Hartford: NK Undeveloped Land Area - Outside Storage Area

Page 44 of 536

| | Location ID | NK-SB-218 | NK-SB-218 | NK-SB-218 | NK-SB-218 | NK-SB-218 | NK-SB-218 | NK-SB-218 |
|--|-------------|-------------|-------------|-------------|-------------|-------------|-------------|------------|
| Sample ID | 1020865 | 1020866 | 1020867 | 1020867 | 1020868 | 1020869 | 1020870 | |
| Sample Date | 10/31/1996 | 10/31/1996 | 10/31/1996 | 10/31/1996 | 10/31/1996 | 10/31/1996 | 10/31/1996 | 10/31/1996 |
| Sample Time | 15:00 | 15:10 | 15:20 | 15:20 | 15:30 | 15:40 | 15:50 | |
| Sample Depth | 2' - 4' | 4' - 6' | 6' - 8' | 6' - 8' | 8' - 10' | 10' - 12' | 12' - 14' | |
| Laboratory | LEA | LEA | AEL | LEA | LEA | LEA | LEA | |
| Lab. Number | 96-5700-267 | 96-5701-268 | AEL96012639 | 96-5702-269 | 96-5703-270 | 96-5704-271 | 96-5705-272 | |
| Constituent | Units | | | | | | | |
| 4-Chlorophenyl phenyl ether | µg/kg | | | | | | | |
| Dichlorodisopropyl ether | µg/kg | | | | | | | |
| Dichloroethyl Ether | µg/kg | | | | | | | |
| n-Methyl-n-nitrosoethylamine | µg/kg | | | | | | | |
| Fluoranthene | µg/kg | | | | | | | |
| Fluorene | µg/kg | | | | | | | |
| 1,2-Diphenylhydrazine | µg/kg | | | | | | | |
| Indeno(1,2,3-cd)pyrene | µg/kg | | | | | | | |
| Isophorone | µg/kg | | | | | | | |
| bis(2-Chloroethoxy)methane | µg/kg | | | | | | | |
| Ethylmethanesulfonate | µg/kg | | | | | | | |
| Methylmethanesulfonate | µg/kg | | | | | | | |
| Methapyrilene | µg/kg | | | | | | | |
| n-Nitrosomorpholine | µg/kg | | | | | | | |
| Naphthalene | µg/kg | | | | | | | |
| 2-Chloronaphthalene | µg/kg | | | | | | | |
| 2-Methylnaphthalene | µg/kg | | | | | | | |
| 1,4-Naphthoquinone | µg/kg | | | | | | | |
| alpha-Naphthylamine | µg/kg | | | | | | | |
| beta-Naphthylamine | µg/kg | | | | | | | |
| Phenanthrene | µg/kg | | | | | | | |
| alpha,alpha-Dimethylphenethylamine | µg/kg | | | | | | | |
| Phenol | µg/kg | | | | | | | |
| 2,2'-Methylenebis(3,4,6-trichlorophenol) | µg/kg | | | | | | | |
| 2,3,4,6-Tetrachlorophenol | µg/kg | | | | | | | |
| 2,4,5-Trichlorophenol | µg/kg | | | | | | | |
| 2,4,6-Trichlorophenol | µg/kg | | | | | | | |
| 2,4-Dichlorophenol | µg/kg | | | | | | | |

Notes: 1. Printed on 05/03/00

Table 3
SUMMARY OF ANALYTICAL RESULTS - SOIL
P&W East Hartford: NK Undeveloped Land Area - Outside Storage Area

Page 45 of 536

| | Location ID | NK-SB-218 |
|---------------------------------|--------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| | Sample ID | 1020865 | 1020866 | 1020867 | 1020867 | 1020868 | 1020869 | 1020870 |
| | Sample Date | 10/31/1996 | 10/31/1996 | 10/31/1996 | 10/31/1996 | 10/31/1996 | 10/31/1996 | 10/31/1996 |
| | Sample Time | 15:00 | 15:10 | 15:20 | 15:20 | 15:30 | 15:40 | 15:50 |
| | Sample Depth | 2' - 4' | 4' - 6' | 6' - 8' | 6' - 8' | 8' - 10' | 10' - 12' | 12' - 14' |
| | Laboratory | LEA | LEA | AEL | LEA | LEA | LEA | LEA |
| | Lab. Number | 96-5700-267 | 96-5701-268 | AEL96012639 | 96-5702-269 | 96-5703-270 | 96-5704-271 | 96-5705-272 |
| Constituent | Units | | | | | | | |
| 2,4-Dinitrophenol | µg/kg | | | | | | | |
| o-Chlorophenol | µg/kg | | | | | | | |
| o-Nitrophenol | µg/kg | | | | | | | |
| p-Nitrophenol | µg/kg | | | | | | | |
| Pentachlorophenol | µg/kg | | | | | | | |
| p-Phenylenediamine | µg/kg | | | | | | | |
| Butyl Benzyl Phthalate | µg/kg | | | | | | | |
| bis(2-Ethylhexyl)phthalate | µg/kg | | | | | | | |
| Di-n-butyl Phthalate | µg/kg | | | | | | | |
| Di-n-octyl Phthalate | µg/kg | | | | | | | |
| Diethyl Phthalate | µg/kg | | | | | | | |
| Dimethyl Phthalate | µg/kg | | | | | | | |
| 2-Picoline | µg/kg | | | | | | | |
| n-Nitrosopiperidine | µg/kg | | | | | | | |
| Pronamide | µg/kg | | | | | | | |
| Hexachloropropylene | µg/kg | | | | | | | |
| Pyrene | µg/kg | | | | | | | |
| Pyridine | µg/kg | | | | | | | |
| n-Nitrosopyrrolidine | µg/kg | | | | | | | |
| 4-Nitroquinoline, 1-oxide | µg/kg | | | | | | | |
| 2,4-Dinitrotoluene | µg/kg | | | | | | | |
| 2,6-Dinitrotoluene | µg/kg | | | | | | | |
| 5-Nitro-o-Toluidine | µg/kg | | | | | | | |
| o-Toluidine | µg/kg | | | | | | | |
| o,o,o-Triethyl phosphorothioate | µg/kg | | | | | | | |
| 2,4-Xylenol | µg/kg | | | | <31 | | | |
| Acetone | µg/kg | | | | | | | |
| Acetonitrile | µg/kg | | | | | | | |

Notes: 1. Printed on 05/03/00



Table 3
SUMMARY OF ANALYTICAL RESULTS - SOIL
P&W East Hartford: NK Undeveloped Land Area - Outside Storage Area

Page 46 of 536

| | Location ID | NK-SB-218 | NK-SB-218 | NK-SB-218 | NK-SB-218 | NK-SB-218 | NK-SB-218 | NK-SB-218 |
|-----------------------------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|------------|
| Sample ID | 1020865 | 1020866 | 1020867 | 1020867 | 1020868 | 1020869 | 1020870 | |
| Sample Date | 10/31/1996 | 10/31/1996 | 10/31/1996 | 10/31/1996 | 10/31/1996 | 10/31/1996 | 10/31/1996 | 10/31/1996 |
| Sample Time | 15:00 | 15:10 | 15:20 | 15:20 | 15:30 | 15:40 | 15:50 | |
| Sample Depth | 2' - 4' | 4' - 6' | 6' - 8' | 6' - 8' | 8' - 10' | 10' - 12' | 12' - 14' | |
| Laboratory | LEA | LEA | AEL | LEA | LEA | LEA | LEA | |
| Lab. Number | 96-5700-267 | 96-5701-268 | AEL96012639 | 96-5702-269 | 96-5703-270 | 96-5704-271 | 96-5705-272 | |
| Constituent | Units | | | | | | | |
| Acrolein | µg/kg | | | <15 | | | | |
| Acrylonitrile | µg/kg | | | <15 | | | | |
| Benzene | µg/kg | | | <6.1 | | | | |
| Benzene (screening) | µg/xx | <8.28 NC | <7.64 | | <8.11 NC | <8.11 NC | <7.50 | <8.46 NC |
| 1,2,4-Trichlorobenzene | µg/kg | | | | | | | |
| o-Dichlorobenzene | µg/kg | | | <6.1 | | | | |
| m-Dichlorobenzene | µg/kg | | | <6.1 | | | | |
| p-Dichlorobenzene | µg/kg | | | <6.1 | | | | |
| Bromobenzene | µg/kg | | | <6.1 | | | | |
| Chlorobenzene | µg/kg | | | <6.1 | | | | |
| Ethyl Benzene | µg/kg | | | <6.1 | | | | |
| Ethyl Benzene (screening) | µg/xx | <17.8 NC | <16.4 | | <17.4 NC | <17.4 NC | <16.1 | <18.2 NC |
| Pentachlorobenzene | µg/kg | | | | | | | |
| Pentachloronitrobenzene | µg/kg | | | | | | | |
| beta-Chloroprene | µg/kg | | | | | | | |
| 2-Butanone | µg/kg | | | <15 | | | | |
| Carbon Disulfide | µg/kg | | | <6.1 | | | | |
| Carbon Tetrachloride | µg/kg | | | <6.1 | | | | |
| Chloroform | µg/kg | | | <6.1 | | | | |
| Dioxane | µg/kg | | | | | | | |
| 1,1,1,2-Tetrachloroethane | µg/kg | | | <6.1 | | | | |
| 1,1,1-Trichloroethane | µg/kg | | | <6.1 | | | | |
| 1,1,1-Trichloroethane (screening) | µg/xx | <224 NC | <207 | | <219 NC | <219 NC | <203 | <229 NC |
| 1,1,2,2-Tetrachloroethane | µg/kg | | | <6.1 | | | | |
| 1,1,2-Trichloroethane | µg/kg | | | <6.1 | | | | |
| 1,1-Dichloroethane | µg/kg | | | <6.1 | | | | |
| Ethylene Dibromide | µg/kg | | | | | | | |
| 1,2-Dichloroethane | µg/kg | | | <6.1 | | | | |

Notes: 1. Printed on 05/03/00

Table 3
SUMMARY OF ANALYTICAL RESULTS - SOIL
P&W East Hartford: NK Undeveloped Land Area - Outside Storage Area

Page 47 of 536

| | Location ID | NK-SB-218 |
|---------------------------------|--------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| | Sample ID | 1020865 | 1020866 | 1020867 | 1020867 | 1020868 | 1020869 | 1020870 |
| | Sample Date | 10/31/1996 | 10/31/1996 | 10/31/1996 | 10/31/1996 | 10/31/1996 | 10/31/1996 | 10/31/1996 |
| | Sample Time | 15:00 | 15:10 | 15:20 | 15:20 | 15:30 | 15:40 | 15:50 |
| | Sample Depth | 2' - 4' | 4' - 6' | 6' - 8' | 6' - 8' | 8' - 10' | 10' - 12' | 12' - 14' |
| | Laboratory | LEA | LEA | AEL | LEA | LEA | LEA | LEA |
| | Lab. Number | 96-5700-267 | 96-5701-268 | AEL96012639 | 96-5702-269 | 96-5703-270 | 96-5704-271 | 96-5705-272 |
| Constituent | Units | | | | | | | |
| Chloroethane | µg/kg | | | <6.1 | | | | |
| Pentachloroethane | µg/kg | | | | | | | |
| 2-Chloroethyl Vinyl ether | µg/kg | | | <6.1 | | | | |
| Methyl-tert-butyl Ether | µg/kg | | | <6.1 | | | | |
| 1,1-Dichloroethylene | µg/kg | | | <6.1 | | | | |
| Vinyl Chloride | µg/kg | | | <6.1 | | | | |
| cis-1,2-Dichloroethylene | µg/kg | | | <6.1 | | | | |
| Tetrachloroethylene | µg/kg | | | <6.1 | | | | |
| Tetrachloroethylene (screening) | µg/xx | <22.3 NC | <20.6 | | <21.9 NC | <21.9 NC | <20.2 | <22.8 NC |
| trans-1,2-Dichloroethylene | µg/kg | | | <6.1 | | | | |
| Trichloroethylene | µg/kg | | | <6.1 | | | | |
| Trichloroethylene (screening) | µg/xx | <22.0 NC | <20.3 | | <21.6 NC | <21.6 NC | <20.0 | <22.5 NC |
| Ethylmethacrylate | µg/kg | | | | | | | |
| 2-Hexanone | µg/kg | | | <15 | | | | |
| Isobutyl Alcohol | µg/kg | | | | | | | |
| Bromomethane | µg/kg | | | <6.1 | | | | |
| Bromodichloromethane | µg/kg | | | <6.1 | | | | |
| Chloromethane | µg/kg | | | <6.1 | | | | |
| Dibromomethane | µg/kg | | | <6.1 | | | | |
| Dibromo-chloromethane | µg/kg | | | <6.1 | | | | |
| Methylene Chloride | µg/kg | | | <7.6 | | | | |
| Dichlorodifluoromethane | µg/kg | | | <6.1 | | | | |
| Iodomethane | µg/kg | | | | | | | |
| Bromoform | µg/kg | | | <6.1 | | | | |
| Fluorotrichloromethane | µg/kg | | | <6.1 | | | | |
| Methyl Methacrylate | µg/kg | | | | | | | |
| Methyl Isobutyl Ketone | µg/kg | | | <15 | | | | |
| 1,2,3-Trichloropropane | µg/kg | | | <6.1 | | | | |

Notes: 1. Printed on 05/03/00

Table 3
SUMMARY OF ANALYTICAL RESULTS - SOIL
P&W East Hartford: NK Undeveloped Land Area - Outside Storage Area

Page 48 of 536

Notes: 1. Printed on 03/03/00

Table 3
SUMMARY OF ANALYTICAL RESULTS - SOIL
P&W East Hartford: NK Undeveloped Land Area - Outside Storage Area

Page 49 of 536

| | Location ID | NK-SB-218 | NK-SB-272 | NK-SB-272 | NK-SB-272 | NK-SB-272 | NK-SB-272 | NK-SB-272 |
|--------------------------------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|------------|
| Sample ID | 1020871 | 1028166 | 1028167 | 1028168 | 1028170 | 1028170 | 1028169 | 1028169 |
| Sample Date | 10/31/1996 | 03/12/1997 | 03/12/1997 | 03/12/1997 | 03/12/1997 | 03/12/1997 | 03/12/1997 | 03/12/1997 |
| Sample Time | 16:00 | 11:20 | 11:25 | 11:40 | 11:40 | 11:40 | 11:40 | 11:45 |
| Sample Depth | 14' - 15' | 0' - 2' | 2' - 4' | 4' - 6' | 4' - 6' | 4' - 6' | 4' - 6' | 6' - 8' |
| Laboratory | LEA | LEA |
| Lab. Number | 96-5706-275 | 97-1995-500 | 97-1996-501 | 97-2001-506 | 97-2002-507 | 97-2003-508 | 97-2006-511 | |
| Constituent | Units | | | | | | | |
| Date PCBs Analyzed | - | | | | | | | |
| Date Metals Analyzed | - | | | | | | | |
| Date Organics Analyzed | - | 11/05/1996 | 03/13/1997 | 03/13/1997 | 03/14/1997 | 03/14/1997 | 03/14/1997 | 03/14/1997 |
| Date Pesticides/Herbicides Analyzed | - | | | | | | | |
| Date Physical Analyzed | - | | | | | | | |
| Date Semi-volatile Organics Analyzed | - | | | | | | | |
| Dinoseb | µg/kg | | | | | | | |
| Arsenic | mg/kg | | | | | | | |
| Barium | mg/kg | | | | | | | |
| Cadmium | mg/kg | | | | | | | |
| Chromium | mg/kg | | | | | | | |
| Lead | mg/kg | | | | | | | |
| Mercury | mg/kg | | | | | | | |
| Nickel | mg/kg | | | | | | | |
| Selenium | mg/kg | | | | | | | |
| Silver | mg/kg | | | | | | | |
| Zinc | mg/kg | | | | | | | |
| PCB 1016 | µg/kg | | | | | | | |
| PCB 1221 | µg/kg | | | | | | | |
| PCB 1232 | µg/kg | | | | | | | |
| PCB 1242 | µg/kg | | | | | | | |
| PCB 1248 | µg/kg | | | | | | | |
| PCB 1254 | µg/kg | | | | | | | |
| PCB 1260 | µg/kg | | | | | | | |
| 2-Acetylaminofluorene | µg/kg | | | | | | | |
| Aramite | µg/kg | | | | | | | |
| Hexachlorobenzene | µg/kg | | | | | | | |
| Hexachlorocyclopentadiene | µg/kg | | | | | | | |

Notes: 1. Printed on 05/03/00

Table 3
SUMMARY OF ANALYTICAL RESULTS - SOIL
P&W East Hartford: NK Undeveloped Land Area - Outside Storage Area

Page 50 of 536

| | Location ID | NK-SB-218 | NK-SB-272 | NK-SB-272 | NK-SB-272 | NK-SB-272 | NK-SB-272 | NK-SB-272 |
|--------------------------------|--------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| | Sample ID | 1020871 | 1028166 | 1028167 | 1028168 | 1028170 | 1028170 | 1028169 |
| | Sample Date | 10/31/1996 | 03/12/1997 | 03/12/1997 | 03/12/1997 | 03/12/1997 | 03/12/1997 | 03/12/1997 |
| | Sample Time | 16:00 | 11:20 | 11:25 | 11:40 | 11:40 | 11:40 | 11:45 |
| | Sample Depth | 14' - 15' | 0' - 2' | 2' - 4' | 4' - 6' | 4' - 6' | 4' - 6' | 6' - 8' |
| | Laboratory | LEA |
| | Lab. Number | 96-5706-275 | 97-1995-500 | 97-1996-501 | 97-2001-506 | 97-2002-507 | 97-2003-508 | 97-2006-511 |
| Constituent | Units | | | | | | | |
| Dimethoate | µg/kg | | | | | | | |
| Disulfoton | µg/kg | | | | | | | |
| Famphur | µg/kg | | | | | | | |
| Phorate | µg/kg | | | | | | | |
| 1,2-Dibromo-3-chloropropane | µg/kg | | | | | | | |
| TPH | mg/kg | | | | | | | |
| Total Solids | % | | | | | | | |
| Acenaphthylene | µg/kg | | | | | | | |
| Acenaphthalene | µg/kg | | | | | | | |
| Phenacetin | µg/kg | | | | | | | |
| Acetophenone | µg/kg | | | | | | | |
| Aniline | µg/kg | | | | | | | |
| o-Nitroaniline | µg/kg | | | | | | | |
| m-Nitroaniline | µg/kg | | | | | | | |
| p-Chloroaniline | µg/kg | | | | | | | |
| p-Nitroaniline | µg/kg | | | | | | | |
| p-Dimethylaminoazobenzene | µg/kg | | | | | | | |
| Anthracene | µg/kg | | | | | | | |
| Benzo(a)anthracene | µg/kg | | | | | | | |
| 7,12-Dimethylbenz[a]anthracene | µg/kg | | | | | | | |
| Benzo(b)fluoranthene | µg/kg | | | | | | | |
| 1,2,4,5-Tetrachlorobenzene | µg/kg | | | | | | | |
| Isosafrole | µg/kg | | | | | | | |
| 1,3,5-Trinitrobenzene | µg/kg | | | | | | | |
| m-Dinitrobenzene | µg/kg | | | | | | | |
| Safrole | µg/kg | | | | | | | |
| Nitrobenzene | µg/kg | | | | | | | |
| Benzidine | µg/kg | | | | | | | |

Notes: 1. Printed on 05/03/00

Table 3
SUMMARY OF ANALYTICAL RESULTS - SOIL
P&W East Hartford: NK Undeveloped Land Area - Outside Storage Area

Page 51 of 536

| | Location ID | NK-SB-218 | NK-SB-272 | NK-SB-272 | NK-SB-272 | NK-SB-272 | NK-SB-272 | NK-SB-272 |
|-------------------------------|--------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| | Sample ID | 1020871 | 1028166 | 1028167 | 1028168 | 1028170 | 1028170 | 1028169 |
| | Sample Date | 10/31/1996 | 03/12/1997 | 03/12/1997 | 03/12/1997 | 03/12/1997 | 03/12/1997 | 03/12/1997 |
| | Sample Time | 16:00 | 11:20 | 11:25 | 11:40 | 11:40 | 11:40 | 11:45 |
| | Sample Depth | 14' - 15' | 0' - 2' | 2' - 4' | 4' - 6' | 4' - 6' | 4' - 6' | 6' - 8' |
| | Laboratory | LEA |
| | Lab. Number | 96-5706-275 | 97-1995-500 | 97-1996-501 | 97-2001-506 | 97-2002-507 | 97-2003-508 | 97-2006-511 |
| Constituent | Units | | | | | | | |
| 3,3'-Dichlorobenzidine | µg/kg | | | | | | | |
| o-Tolidine | µg/kg | | | | | | | |
| Benzo[a]pyrene | µg/kg | | | | | | | |
| Benzo[ghi]perylene | µg/kg | | | | | | | |
| Benzo[k]fluoranthene | µg/kg | | | | | | | |
| Benzoic Acid | µg/kg | | | | | | | |
| Benzyl Alcohol | µg/kg | | | | | | | |
| p-Aminobiphenyl | µg/kg | | | | | | | |
| Hexachlorobutadiene | µg/kg | | | | | | | |
| n-Nitrosodi-n-butylamine | µg/kg | | | | | | | |
| trans-1,4-Dichloro-2-butylene | µg/kg | | | | | | | |
| Carbazole | µg/kg | | | | | | | |
| 3-Methylchloanthrene | µg/kg | | | | | | | |
| Chrysene | µg/kg | | | | | | | |
| o-Cresol | µg/kg | | | | | | | |
| m-Cresol | µg/kg | | | | | | | |
| Dinitro-o-cresol | µg/kg | | | | | | | |
| p-Cresol | µg/kg | | | | | | | |
| p-Chloro-m-cresol | µg/kg | | | | | | | |
| Dibenz(a,h)anthracene | µg/kg | | | | | | | |
| Dibenzofuran | µg/kg | | | | | | | |
| n-Nitrosodiethylamine | µg/kg | | | | | | | |
| n-Nitrosodimethylamine | µg/kg | | | | | | | |
| Diphenylamine | µg/kg | | | | | | | |
| n-Nitrosodiphenylamine | µg/kg | | | | | | | |
| n-Nitrosodipropylamine | µg/kg | | | | | | | |
| Hexachloroethane | µg/kg | | | | | | | |
| 4-Bromophenyl Phenyl Ether | µg/kg | | | | | | | |

Notes: 1. Printed on 05/03/00

Table 3
SUMMARY OF ANALYTICAL RESULTS - SOIL
P&W East Hartford: NK Undeveloped Land Area - Outside Storage Area

Page 52 of 536

| | Location ID | NK-SB-218 | NK-SB-272 | NK-SB-272 | NK-SB-272 | NK-SB-272 | NK-SB-272 | NK-SB-272 |
|--|-------------|-------------|-------------|-------------|-------------|-------------|-------------|------------|
| Sample ID | 1020871 | 1028166 | 1028167 | 1028168 | 1028170 | 1028170 | 1028169 | 1028169 |
| Sample Date | 10/31/1996 | 03/12/1997 | 03/12/1997 | 03/12/1997 | 03/12/1997 | 03/12/1997 | 03/12/1997 | 03/12/1997 |
| Sample Time | 16:00 | 11:20 | 11:25 | 11:40 | 11:40 | 11:40 | 11:45 | |
| Sample Depth | 14' - 15' | 0' - 2' | 2' - 4' | 4' - 6' | 4' - 6' | 4' - 6' | 6' - 8' | |
| Laboratory | LEA | LEA |
| Lab. Number | 96-5706-275 | 97-1995-500 | 97-1996-501 | 97-2001-506 | 97-2002-507 | 97-2003-508 | 97-2006-511 | |
| Constituent | Units | | | | | | | |
| 4-Chlorophenyl phenyl ether | µg/kg | | | | | | | |
| Dichlorodisopropyl ether | µg/kg | | | | | | | |
| Dichloroethyl Ether | µg/kg | | | | | | | |
| n-Methyl-n-nitrosoethylamine | µg/kg | | | | | | | |
| Fluoranthene | µg/kg | | | | | | | |
| Fluorene | µg/kg | | | | | | | |
| 1,2-Diphenylhydrazine | µg/kg | | | | | | | |
| Indeno(1,2,3-cd)pyrene | µg/kg | | | | | | | |
| Isophorone | µg/kg | | | | | | | |
| bis(2-Chloroethoxy)methane | µg/kg | | | | | | | |
| Ethylmethanesulfonate | µg/kg | | | | | | | |
| Methylmethanesulfonate | µg/kg | | | | | | | |
| Methapyrilene | µg/kg | | | | | | | |
| n-Nitrosomorpholine | µg/kg | | | | | | | |
| Naphthalene | µg/kg | | | | | | | |
| 2-Chloronaphthalene | µg/kg | | | | | | | |
| 2-Methylnaphthalene | µg/kg | | | | | | | |
| 1,4-Naphthoquinone | µg/kg | | | | | | | |
| alpha-Naphthylamine | µg/kg | | | | | | | |
| beta-Naphthylamine | µg/kg | | | | | | | |
| Phenanthrene | µg/kg | | | | | | | |
| alpha,alpha-Dimethylphenethylamine | µg/kg | | | | | | | |
| Phenol | µg/kg | | | | | | | |
| 2,2'-Methylenebis(3,4,6-trichlorophenol) | µg/kg | | | | | | | |
| 2,3,4,6-Tetrachlorophenol | µg/kg | | | | | | | |
| 2,4,5-Trichlorophenol | µg/kg | | | | | | | |
| 2,4,6-Trichlorophenol | µg/kg | | | | | | | |
| 2,4-Dichlorophenol | µg/kg | | | | | | | |

Notes: 1. Printed on 05/03/00

Table 3
SUMMARY OF ANALYTICAL RESULTS - SOIL
P&W East Hartford: NK Undeveloped Land Area - Outside Storage Area

Page 53 of 536

| | Location ID | NK-SB-218 | NK-SB-272 | NK-SB-272 | NK-SB-272 | NK-SB-272 | NK-SB-272 | NK-SB-272 |
|---------------------------------|--------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| | Sample ID | 1020871 | 1028166 | 1028167 | 1028168 | 1028170 | 1028170 | 1028169 |
| | Sample Date | 10/31/1996 | 03/12/1997 | 03/12/1997 | 03/12/1997 | 03/12/1997 | 03/12/1997 | 03/12/1997 |
| | Sample Time | 16:00 | 11:20 | 11:25 | 11:40 | 11:40 | 11:40 | 11:45 |
| | Sample Depth | 14' - 15' | 0' - 2' | 2' - 4' | 4' - 6' | 4' - 6' | 4' - 6' | 6' - 8' |
| | Laboratory | LEA |
| | Lab. Number | 96-5706-275 | 97-1995-500 | 97-1996-501 | 97-2001-506 | 97-2002-507 | 97-2003-508 | 97-2006-511 |
| Constituent | Units | | | | | | | |
| 2,4-Dinitrophenol | µg/kg | | | | | | | |
| o-Chlorophenol | µg/kg | | | | | | | |
| o-Nitrophenol | µg/kg | | | | | | | |
| p-Nitrophenol | µg/kg | | | | | | | |
| Pentachlorophenol | µg/kg | | | | | | | |
| p-Phenylenediamine | µg/kg | | | | | | | |
| Butyl Benzyl Phthalate | µg/kg | | | | | | | |
| bis(2-Ethylhexyl)phthalate | µg/kg | | | | | | | |
| Di-n-butyl Phthalate | µg/kg | | | | | | | |
| Di-n-octyl Phthalate | µg/kg | | | | | | | |
| Diethyl Phthalate | µg/kg | | | | | | | |
| Dimethyl Phthalate | µg/kg | | | | | | | |
| 2-Picoline | µg/kg | | | | | | | |
| n-Nitrosopiperidine | µg/kg | | | | | | | |
| Pronamide | µg/kg | | | | | | | |
| Hexachloropropylene | µg/kg | | | | | | | |
| Pyrene | µg/kg | | | | | | | |
| Pyridine | µg/kg | | | | | | | |
| n-Nitrosopyrrolidine | µg/kg | | | | | | | |
| 4-Nitroquinoline, 1-oxide | µg/kg | | | | | | | |
| 2,4-Dinitrotoluene | µg/kg | | | | | | | |
| 2,6-Dinitrotoluene | µg/kg | | | | | | | |
| 5-Nitro-o-Tolidine | µg/kg | | | | | | | |
| o-Tolidine | µg/kg | | | | | | | |
| o,o,o-Triethyl phosphorothioate | µg/kg | | | | | | | |
| 2,4-Xylenol | µg/kg | | | | | | | |
| Acetone | µg/kg | | | | | | | |
| Acetonitrile | µg/kg | | | | | | | |

Notes: 1. Printed on 03/03/00

Table 3
SUMMARY OF ANALYTICAL RESULTS - SOIL
P&W East Hartford: NK Undeveloped Land Area - Outside Storage Area

Page 54 of 536

| | Location ID | NK-SB-218 | NK-SB-272 | NK-SB-272 | NK-SB-272 | NK-SB-272 | NK-SB-272 | NK-SB-272 |
|-----------------------------------|--------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| | Sample ID | 102087I | 1028166 | 1028167 | 1028168 | 1028170 | 1028170 | 1028169 |
| | Sample Date | 10/31/1996 | 03/12/1997 | 03/12/1997 | 03/12/1997 | 03/12/1997 | 03/12/1997 | 03/12/1997 |
| | Sample Time | 16:00 | 11:20 | 11:25 | 11:40 | 11:40 | 11:40 | 11:45 |
| | Sample Depth | 14' - 15' | 0' - 2' | 2' - 4' | 4' - 6' | 4' - 6' | 4' - 6' | 6' - 8' |
| | Laboratory | LEA |
| | Lab. Number | 96-5706-275 | 97-1995-500 | 97-1996-501 | 97-2001-506 | 97-2002-507 | 97-2003-508 | 97-2006-511 |
| Constituent | Units | | | | | | | |
| Acrolein | µg/kg | | | | | | | |
| Acrylonitrile | µg/kg | | | | | | | |
| Benzene | µg/kg | | | | | | | |
| Benzene (screening) | µg/xx | <7.36 | <7.79 | <7.95 | <7.50 | <7.36 | <7.36 | <8.28 NC |
| 1,2,4-Trichlorobenzene | µg/kg | | | | | | | |
| o-Dichlorobenzene | µg/kg | | | | | | | |
| m-Dichlorobenzene | µg/kg | | | | | | | |
| p-Dichlorobenzene | µg/kg | | | | | | | |
| Bromobenzene | µg/kg | | | | | | | |
| Chlorobenzene | µg/kg | | | | | | | |
| Ethyl Benzene | µg/kg | | | | | | | |
| Ethyl Benzene (screening) | µg/xx | <15.8 | <16.8 | <17.1 | <16.1 | <15.8 | <15.8 | <17.8 NC |
| Pentachlorobenzene | µg/kg | | | | | | | |
| Pentachloronitrobenzene | µg/kg | | | | | | | |
| beta-Chloroprene | µg/kg | | | | | | | |
| 2-Butanone | µg/kg | | | | | | | |
| Carbon Disulfide | µg/kg | | | | | | | |
| Carbon Tetrachloride | µg/kg | | | | | | | |
| Chloroform | µg/kg | | | | | | | |
| Dioxane | µg/kg | | | | | | | |
| 1,1,1,2-Tetrachloroethane | µg/kg | | | | | | | |
| 1,1,1-Trichloroethane | µg/kg | | | | | | | |
| 1,1,1-Trichloroethane (screening) | µg/xx | <199 | <211 | <215 | <203 | <199 | <199 | <224 NC |
| 1,1,2,2-Tetrachloroethane | µg/kg | | | | | | | |
| 1,1,2-Trichloroethane | µg/kg | | | | | | | |
| 1,1-Dichloroethane | µg/kg | | | | | | | |
| Ethylene Dibromide | µg/kg | | | | | | | |
| 1,2-Dichloroethane | µg/kg | | | | | | | |

Notes: 1. Printed on 05/03/00

Table 3
SUMMARY OF ANALYTICAL RESULTS - SOIL
P&W East Hartford: NK Undeveloped Land Area - Outside Storage Area

Page 55 of 536

| | Location ID | NK-SB-218 | NK-SB-272 | NK-SB-272 | NK-SB-272 | NK-SB-272 | NK-SB-272 | NK-SB-272 |
|---------------------------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|------------|
| Sample ID | 1020871 | 1028166 | 1028167 | 1028168 | 1028170 | 1028170 | 1028169 | 1028169 |
| Sample Date | 10/31/1996 | 03/12/1997 | 03/12/1997 | 03/12/1997 | 03/12/1997 | 03/12/1997 | 03/12/1997 | 03/12/1997 |
| Sample Time | 16:00 | 11:20 | 11:25 | 11:40 | 11:40 | 11:40 | 11:40 | 11:45 |
| Sample Depth | 14' - 15' | 0' - 2' | 2' - 4' | 4' - 6' | 4' - 6' | 4' - 6' | 4' - 6' | 6' - 8' |
| Laboratory | LEA | LEA |
| Lab. Number | 96-5706-275 | 97-1995-500 | 97-1996-501 | 97-2001-506 | 97-2002-507 | 97-2003-508 | 97-2006-511 | |
| Constituent | Units | | | | | | | |
| Chloroethane | µg/kg | | | | | | | |
| Pentachloroethane | µg/kg | | | | | | | |
| 2-Chloroethyl Vinyl ether | µg/kg | | | | | | | |
| Methyl-tert-butyl Ether | µg/kg | | | | | | | |
| 1,1-Dichloroethylene | µg/kg | | | | | | | |
| Vinyl Chloride | µg/kg | | | | | | | |
| cis-1,2-Dichloroethylene | µg/kg | | | | | | | |
| Tetrachloroethylene | µg/kg | | | | | | | |
| Tetrachloroethylene (screening) | µg/xx | <19.9 | <21.0 | <21.5 | 10 J | <19.9 | <19.9 | <22.3 NC |
| trans-1,2-Dichloroethylene | µg/kg | | | | | | | |
| Trichloroethylene | µg/kg | | | | | | | |
| Trichloroethylene (screening) | µg/xx | <19.6 | <20.7 | <21.2 | <20.0 | <19.6 | <19.6 | <22.0 NC |
| Ethylmethacrylate | µg/kg | | | | | | | |
| 2-Hexanone | µg/kg | | | | | | | |
| Isobutyl Alcohol | µg/kg | | | | | | | |
| Bromomethane | µg/kg | | | | | | | |
| Bromodichloromethane | µg/kg | | | | | | | |
| Chloromethane | µg/kg | | | | | | | |
| Dibromomethane | µg/kg | | | | | | | |
| Dibromo-chloromethane | µg/kg | | | | | | | |
| Methylene Chloride | µg/kg | | | | | | | |
| Dichlorodifluoromethane | µg/kg | | | | | | | |
| Iodomethane | µg/kg | | | | | | | |
| Bromoform | µg/kg | | | | | | | |
| Fluorotrichloromethane | µg/kg | | | | | | | |
| Methyl Methacrylate | µg/kg | | | | | | | |
| Methyl Isobutyl Ketone | µg/kg | | | | | | | |
| 1,2,3-Trichloropropane | µg/kg | | | | | | | |

Notes: 1. Printed on 05/03/00

Table 3
SUMMARY OF ANALYTICAL RESULTS - SOIL
P&W East Hartford: NK Undeveloped Land Area - Outside Storage Area

Page 56 of 536

Notes: 1. Printed on 05/03/00

LEA

Table 3
SUMMARY OF ANALYTICAL RESULTS - SOIL
P&W East Hartford: NK Undeveloped Land Area - Outside Storage Area

Page 57 of 536

| | Location ID | NK-SB-272 | NK-SB-272 | NK-SB-273 | NK-SB-273 | NK-SB-273 | NK-SB-273 | NK-SB-273 |
|--------------------------------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|------------|
| Sample ID | 1028171 | 1028172 | 1028173 | 1028174 | 1028175 | 1028176 | 1028177 | 1028177 |
| Sample Date | 03/12/1997 | 03/12/1997 | 03/12/1997 | 03/12/1997 | 03/12/1997 | 03/12/1997 | 03/12/1997 | 03/12/1997 |
| Sample Time | 11:55 | 12:00 | 13:40 | 13:45 | 13:55 | 14:00 | 14:05 | |
| Sample Depth | 8' - 10' | 10' - 12' | 0' - 2' | 2' - 4' | 4' - 6' | 6' - 8' | 8' - 10' | |
| Laboratory | LEA | LEA |
| Lab. Number | 97-2007-512 | 97-2004-509 | 97-2008-513 | 97-2009-514 | 97-2010-515 | 97-2011-516 | 97-2012-517 | |
| Constituent | Units | | | | | | | |
| Date PCBs Analyzed | - | | | | | | | |
| Date Metals Analyzed | - | | | | | | | |
| Date Organics Analyzed | - | 03/14/1997 | 03/14/1997 | 03/14/1997 | 03/14/1997 | 03/14/1997 | 03/14/1997 | 03/14/1997 |
| Date Pesticides/Herbicides Analyzed | - | | | | | | | |
| Date Physical Analyzed | - | | | | | | | |
| Date Semi-volatile Organics Analyzed | - | | | | | | | |
| Dinoseb | µg/kg | | | | | | | |
| Arsenic | mg/kg | | | | | | | |
| Barium | mg/kg | | | | | | | |
| Cadmium | mg/kg | | | | | | | |
| Chromium | mg/kg | | | | | | | |
| Lead | mg/kg | | | | | | | |
| Mercury | mg/kg | | | | | | | |
| Nickel | mg/kg | | | | | | | |
| Selenium | mg/kg | | | | | | | |
| Silver | mg/kg | | | | | | | |
| Zinc | mg/kg | | | | | | | |
| PCB 1016 | µg/kg | | | | | | | |
| PCB 1221 | µg/kg | | | | | | | |
| PCB 1232 | µg/kg | | | | | | | |
| PCB 1242 | µg/kg | | | | | | | |
| PCB 1248 | µg/kg | | | | | | | |
| PCB 1254 | µg/kg | | | | | | | |
| PCB 1260 | µg/kg | | | | | | | |
| 2-Acetylaminofluorene | µg/kg | | | | | | | |
| Aramite | µg/kg | | | | | | | |
| Hexachlorobenzene | µg/kg | | | | | | | |
| Hexachlorocyclopentadiene | µg/kg | | | | | | | |

Notes: 1. Printed on 05/03/00

Table 3
SUMMARY OF ANALYTICAL RESULTS - SOIL
P&W East Hartford: NK Undeveloped Land Area - Outside Storage Area

Page 58 of 536

| | Location ID | NK-SB-272 | NK-SB-272 | NK-SB-273 | NK-SB-273 | NK-SB-273 | NK-SB-273 | NK-SB-273 |
|--------------------------------|-------------|-------------|-------------|-------------|-------------|-------------|------------|-------------|
| Sample ID | 1028171 | 1028172 | 1028173 | 1028174 | 1028175 | 1028176 | 1028177 | |
| Sample Date | 03/12/1997 | 03/12/1997 | 03/12/1997 | 03/12/1997 | 03/12/1997 | 03/12/1997 | 03/12/1997 | 03/12/1997 |
| Sample Time | 11:55 | 12:00 | 13:40 | 13:45 | 13:55 | 14:00 | | 14:05 |
| Sample Depth | 8' - 10' | 10' - 12' | 0' - 2' | 2' - 4' | 4' - 6' | 6' - 8' | | 8' - 10' |
| Laboratory | LEA | LEA | LEA | LEA | LEA | LEA | | LEA |
| Lab. Number | 97-2007-512 | 97-2004-509 | 97-2008-513 | 97-2009-514 | 97-2010-515 | 97-2011-516 | | 97-2012-517 |
| Constituent | Units | | | | | | | |
| Dimethoate | µg/kg | | | | | | | |
| Disulfoton | µg/kg | | | | | | | |
| Famphur | µg/kg | | | | | | | |
| Phorate | µg/kg | | | | | | | |
| 1,2-Dibromo-3-chloropropane | µg/kg | | | | | | | |
| TPH | mg/kg | | | | | | | |
| Total Solids | % | | | | | | | |
| Acenaphthylene | µg/kg | | | | | | | |
| Acenaphthalene | µg/kg | | | | | | | |
| Phenacetin | µg/kg | | | | | | | |
| Acetophenone | µg/kg | | | | | | | |
| Aniline | µg/kg | | | | | | | |
| o-Nitroaniline | µg/kg | | | | | | | |
| m-Nitroaniline | µg/kg | | | | | | | |
| p-Chloroaniline | µg/kg | | | | | | | |
| p-Nitroaniline | µg/kg | | | | | | | |
| p-Dimethylaminoazobenzene | µg/kg | | | | | | | |
| Anthracene | µg/kg | | | | | | | |
| Benzo(a)anthracene | µg/kg | | | | | | | |
| 7,12-Dimethylbenz[a]anthracene | µg/kg | | | | | | | |
| Benzo(b)fluoranthene | µg/kg | | | | | | | |
| 1,2,4,5-Tetrachlorobenzene | µg/kg | | | | | | | |
| Isosafrole | µg/kg | | | | | | | |
| 1,3,5-Trinitrobenzene | µg/kg | | | | | | | |
| m-Dinitrobenzene | µg/kg | | | | | | | |
| Safrole | µg/kg | | | | | | | |
| Nitrobenzene | µg/kg | | | | | | | |
| Benzidine | µg/kg | | | | | | | |

Notes: 1. Printed on 05/03/00

Table 3
SUMMARY OF ANALYTICAL RESULTS - SOIL
P&W East Hartford: NK Undeveloped Land Area - Outside Storage Area

Page 59 of 536

| | Location ID | NK-SB-272 | NK-SB-272 | NK-SB-273 | NK-SB-273 | NK-SB-273 | NK-SB-273 | NK-SB-273 |
|-------------------------------|--------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| | Sample ID | 1028171 | 1028172 | 1028173 | 1028174 | 1028175 | 1028176 | 1028177 |
| | Sample Date | 03/12/1997 | 03/12/1997 | 03/12/1997 | 03/12/1997 | 03/12/1997 | 03/12/1997 | 03/12/1997 |
| | Sample Time | 11:55 | 12:00 | 13:40 | 13:45 | 13:55 | 14:00 | 14:05 |
| | Sample Depth | 8' - 10' | 10' - 12' | 0' - 2' | 2' - 4' | 4' - 6' | 6' - 8' | 8' - 10' |
| | Laboratory | LEA |
| | Lab. Number | 97-2007-512 | 97-2004-509 | 97-2008-513 | 97-2009-514 | 97-2010-515 | 97-2011-516 | 97-2012-517 |
| Constituent | Units | | | | | | | |
| 3,3'-Dichlorobenzidine | µg/kg | | | | | | | |
| o-Tolidine | µg/kg | | | | | | | |
| Benzo[a]pyrene | µg/kg | | | | | | | |
| Benzo[ghi]perylene | µg/kg | | | | | | | |
| Benzo[k]fluoranthene | µg/kg | | | | | | | |
| Benzoic Acid | µg/kg | | | | | | | |
| Benzyl Alcohol | µg/kg | | | | | | | |
| p-Aminobiphenyl | µg/kg | | | | | | | |
| Hexachlorobutadiene | µg/kg | | | | | | | |
| n-Nitrosodi-n-butylamine | µg/kg | | | | | | | |
| trans-1,4-Dichloro-2-butylene | µg/kg | | | | | | | |
| Carbazole | µg/kg | | | | | | | |
| 3-Methylchloanthrene | µg/kg | | | | | | | |
| Chrysene | µg/kg | | | | | | | |
| o-Cresol | µg/kg | | | | | | | |
| m-Cresol | µg/kg | | | | | | | |
| Dinitro-o-cresol | µg/kg | | | | | | | |
| p-Cresol | µg/kg | | | | | | | |
| p-Chloro-m-cresol | µg/kg | | | | | | | |
| Dibenz(a,h)anthracene | µg/kg | | | | | | | |
| Dibenzofuran | µg/kg | | | | | | | |
| n-Nitrosodiethylamine | µg/kg | | | | | | | |
| n-Nitrosodimethylamine | µg/kg | | | | | | | |
| Diphenylamine | µg/kg | | | | | | | |
| n-Nitrosodiphenylamine | µg/kg | | | | | | | |
| n-Nitrosodipropylamine | µg/kg | | | | | | | |
| Hexachloroethane | µg/kg | | | | | | | |
| 4-Bromophenyl Phenyl Ether | µg/kg | | | | | | | |

Notes: 1. Printed on 05/03/00

Table 3
SUMMARY OF ANALYTICAL RESULTS - SOIL
P&W East Hartford: NK Undeveloped Land Area - Outside Storage Area

Page 60 of 536

| | Location ID | NK-SB-272 | NK-SB-272 | NK-SB-273 | NK-SB-273 | NK-SB-273 | NK-SB-273 | NK-SB-273 |
|--|-------------|-------------|-------------|-------------|-------------|-------------|-------------|------------|
| Sample ID | 1028171 | 1028172 | 1028173 | 1028174 | 1028175 | 1028176 | 1028177 | 1028177 |
| Sample Date | 03/12/1997 | 03/12/1997 | 03/12/1997 | 03/12/1997 | 03/12/1997 | 03/12/1997 | 03/12/1997 | 03/12/1997 |
| Sample Time | 11:55 | 12:00 | 13:40 | 13:45 | 13:55 | 14:00 | 14:05 | |
| Sample Depth | 8' - 10' | 10' - 12' | 0' - 2' | 2' - 4' | 4' - 6' | 6' - 8' | 8' - 10' | |
| Laboratory | LEA | LEA |
| Lab. Number | 97-2007-512 | 97-2004-509 | 97-2008-513 | 97-2009-514 | 97-2010-515 | 97-2011-516 | 97-2012-517 | |
| Constituent | Units | | | | | | | |
| 4-Chlorophenyl phenyl ether | µg/kg | | | | | | | |
| Dichlorodiisopropyl ether | µg/kg | | | | | | | |
| Dichloroethyl Ether | µg/kg | | | | | | | |
| n-Methyl-n-nitrosoethylamine | µg/kg | | | | | | | |
| Fluoranthene | µg/kg | | | | | | | |
| Fluorene | µg/kg | | | | | | | |
| 1,2-Diphenylhydrazine | µg/kg | | | | | | | |
| Indeno(1,2,3-cd)pyrene | µg/kg | | | | | | | |
| Isophorone | µg/kg | | | | | | | |
| bis(2-Chloroethoxy)methane | µg/kg | | | | | | | |
| Ethylmethanesulfonate | µg/kg | | | | | | | |
| Methylmethanesulfonate | µg/kg | | | | | | | |
| Methapyrilene | µg/kg | | | | | | | |
| n-Nitrosomorpholine | µg/kg | | | | | | | |
| Naphthalene | µg/kg | | | | | | | |
| 2-Chloronaphthalene | µg/kg | | | | | | | |
| 2-Methylnaphthalene | µg/kg | | | | | | | |
| 1,4-Naphthoquinone | µg/kg | | | | | | | |
| alpha-Naphthylamine | µg/kg | | | | | | | |
| beta-Naphthylamine | µg/kg | | | | | | | |
| Phenanthrene | µg/kg | | | | | | | |
| alpha,alpha-Dimethylphenethylamine | µg/kg | | | | | | | |
| Phenol | µg/kg | | | | | | | |
| 2,2'-Methylenebis(3,4,6-trichlorophenol) | µg/kg | | | | | | | |
| 2,3,4,6-Tetrachlorophenol | µg/kg | | | | | | | |
| 2,4,5-Trichlorophenol | µg/kg | | | | | | | |
| 2,4,6-Trichlorophenol | µg/kg | | | | | | | |
| 2,4-Dichlorophenol | µg/kg | | | | | | | |

Notes: 1. Printed on 05/03/00

Table 3
SUMMARY OF ANALYTICAL RESULTS - SOIL
P&W East Hartford: NK Undeveloped Land Area - Outside Storage Area

Page 61 of 536

| | Location ID | NK-SB-272 | NK-SB-272 | NK-SB-273 | NK-SB-273 | NK-SB-273 | NK-SB-273 | NK-SB-273 |
|---------------------------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|------------|
| Sample ID | 1028171 | 1028172 | 1028173 | 1028174 | 1028175 | 1028176 | 1028177 | 1028177 |
| Sample Date | 03/12/1997 | 03/12/1997 | 03/12/1997 | 03/12/1997 | 03/12/1997 | 03/12/1997 | 03/12/1997 | 03/12/1997 |
| Sample Time | 11:55 | 12:00 | 13:40 | 13:45 | 13:55 | 14:00 | 14:05 | |
| Sample Depth | 8' - 10' | 10' - 12' | 0' - 2' | 2' - 4' | 4' - 6' | 6' - 8' | 8' - 10' | |
| Laboratory | LEA | LEA |
| Lab. Number | 97-2007-512 | 97-2004-509 | 97-2008-513 | 97-2009-514 | 97-2010-515 | 97-2011-516 | 97-2012-517 | |
| Constituent | Units | | | | | | | |
| 2,4-Dinitrophenol | µg/kg | | | | | | | |
| o-Chlorophenol | µg/kg | | | | | | | |
| o-Nitrophenol | µg/kg | | | | | | | |
| p-Nitrophenol | µg/kg | | | | | | | |
| Pentachlorophenol | µg/kg | | | | | | | |
| p-Phenylenediamine | µg/kg | | | | | | | |
| Butyl Benzyl Phthalate | µg/kg | | | | | | | |
| bis(2-Ethylhexyl)phthalate | µg/kg | | | | | | | |
| Di-n-butyl Phthalate | µg/kg | | | | | | | |
| Di-n-octyl Phthalate | µg/kg | | | | | | | |
| Diethyl Phthalate | µg/kg | | | | | | | |
| Dimethyl Phthalate | µg/kg | | | | | | | |
| 2-Picoline | µg/kg | | | | | | | |
| n-Nitrosopiperidine | µg/kg | | | | | | | |
| Pronamide | µg/kg | | | | | | | |
| Hexachloropropylene | µg/kg | | | | | | | |
| Pyrene | µg/kg | | | | | | | |
| Pyridine | µg/kg | | | | | | | |
| n-Nitrosopyrrolidine | µg/kg | | | | | | | |
| 4-Nitroquinoline, 1-oxide | µg/kg | | | | | | | |
| 2,4-Dinitrotoluene | µg/kg | | | | | | | |
| 2,6-Dinitrotoluene | µg/kg | | | | | | | |
| 5-Nitro-o-Toluidine | µg/kg | | | | | | | |
| o-Toluidine | µg/kg | | | | | | | |
| o,o,o-Triethyl phosphorothioate | µg/kg | | | | | | | |
| 2,4-Xylenol | µg/kg | | | | | | | |
| Acetone | µg/kg | | | | | | | |
| Acetonitrile | µg/kg | | | | | | | |

Notes: 1. Printed on 05/03/00

Table 3
SUMMARY OF ANALYTICAL RESULTS - SOIL
P&W East Hartford: NK Undeveloped Land Area - Outside Storage Area

Page 62 of 536

| | Location ID | NK-SB-272 | NK-SB-272 | NK-SB-273 | NK-SB-273 | NK-SB-273 | NK-SB-273 | NK-SB-273 |
|-----------------------------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|------------|
| Sample ID | 1028171 | 1028172 | 1028173 | 1028174 | 1028175 | 1028176 | 1028177 | |
| Sample Date | 03/12/1997 | 03/12/1997 | 03/12/1997 | 03/12/1997 | 03/12/1997 | 03/12/1997 | 03/12/1997 | 03/12/1997 |
| Sample Time | 11:55 | 12:00 | 13:40 | 13:45 | 13:55 | 14:00 | 14:05 | |
| Sample Depth | 8' - 10' | 10' - 12' | 0' - 2' | 2' - 4' | 4' - 6' | 6' - 8' | 8' - 10' | |
| Laboratory | LEA | |
| Lab. Number | 97-2007-512 | 97-2004-509 | 97-2008-513 | 97-2009-514 | 97-2010-515 | 97-2011-516 | 97-2012-517 | |
| Constituent | Units | | | | | | | |
| Acrolein | µg/kg | | | | | | | |
| Acrylonitrile | µg/kg | | | | | | | |
| Benzene | µg/kg | | | | | | | |
| Benzene (screening) | µg/xx | <7.79 | <7.50 | <8.46 NC | <7.79 | <7.10 | <7.50 | <6.52 |
| 1,2,4-Trichlorobenzene | µg/kg | | | | | | | |
| o-Dichlorobenzene | µg/kg | | | | | | | |
| m-Dichlorobenzene | µg/kg | | | | | | | |
| p-Dichlorobenzene | µg/kg | | | | | | | |
| Bromobenzene | µg/kg | | | | | | | |
| Chlorobenzene | µg/kg | | | | | | | |
| Ethyl Benzene | µg/kg | | | | | | | |
| Ethyl Benzene (screening) | µg/xx | <16.8 | <16.1 | <18.2 NC | <16.8 | <15.3 | <16.1 | <14.0 |
| Pentachlorobenzene | µg/kg | | | | | | | |
| Pentachloronitrobenzene | µg/kg | | | | | | | |
| beta-Chloroprene | µg/kg | | | | | | | |
| 2-Butanone | µg/kg | | | | | | | |
| Carbon Disulfide | µg/kg | | | | | | | |
| Carbon Tetrachloride | µg/kg | | | | | | | |
| Chloroform | µg/kg | | | | | | | |
| Dioxane | µg/kg | | | | | | | |
| 1,1,1,2-Tetrachloroethane | µg/kg | | | | | | | |
| 1,1,1-Trichloroethane | µg/kg | | | | | | | |
| 1,1,1-Trichloroethane (screening) | µg/xx | <211 | <203 | <229 NC | <211 | <192 | <203 | <176 |
| 1,1,2,2-Tetrachloroethane | µg/kg | | | | | | | |
| 1,1,2-Trichloroethane | µg/kg | | | | | | | |
| 1,1-Dichloroethane | µg/kg | | | | | | | |
| Ethylene Dibromide | µg/kg | | | | | | | |
| 1,2-Dichloroethane | µg/kg | | | | | | | |

Notes: 1. Printed on 05/03/00

Table 3
SUMMARY OF ANALYTICAL RESULTS - SOIL
P&W East Hartford: NK Undeveloped Land Area - Outside Storage Area

Page 63 of 536

| | Location ID | NK-SB-272 | NK-SB-272 | NK-SB-273 | NK-SB-273 | NK-SB-273 | NK-SB-273 | NK-SB-273 |
|---------------------------------|--------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| | Sample ID | 1028171 | 1028172 | 1028173 | 1028174 | 1028175 | 1028176 | 1028177 |
| | Sample Date | 03/12/1997 | 03/12/1997 | 03/12/1997 | 03/12/1997 | 03/12/1997 | 03/12/1997 | 03/12/1997 |
| | Sample Time | 11:55 | 12:00 | 13:40 | 13:45 | 13:55 | 14:00 | 14:05 |
| | Sample Depth | 8' - 10' | 10' - 12' | 0' - 2' | 2' - 4' | 4' - 6' | 6' - 8' | 8' - 10' |
| | Laboratory | LEA |
| | Lab. Number | 97-2007-512 | 97-2004-509 | 97-2008-513 | 97-2009-514 | 97-2010-515 | 97-2011-516 | 97-2012-517 |
| Constituent | Units | | | | | | | |
| Chloroethane | µg/kg | | | | | | | |
| Pentachloroethane | µg/kg | | | | | | | |
| 2-Chloroethyl Vinyl ether | µg/kg | | | | | | | |
| Methyl-tert-butyl Ether | µg/kg | | | | | | | |
| 1,1-Dichloroethylene | µg/kg | | | | | | | |
| Vinyl Chloride | µg/kg | | | | | | | |
| cis-1,2-Dichloroethylene | µg/kg | | | | | | | |
| Tetrachloroethylene | µg/kg | | | | | | | |
| Tetrachloroethylene (screening) | µg/xx | <21.0 | <20.2 | <22.8 NC | <21.0 | <19.2 | <20.2 | <17.6 |
| trans-1,2-Dichloroethylene | µg/kg | | | | | | | |
| Trichloroethylene | µg/kg | | | | | | | |
| Trichloroethylene (screening) | µg/xx | <20.7 | <20.0 | <22.5 NC | <20.7 | <18.9 | <20.0 | <17.3 |
| Ethylmethacrylate | µg/kg | | | | | | | |
| 2-Hexanone | µg/kg | | | | | | | |
| Isobutyl Alcohol | µg/kg | | | | | | | |
| Bromomethane | µg/kg | | | | | | | |
| Bromodichloromethane | µg/kg | | | | | | | |
| Chloromethane | µg/kg | | | | | | | |
| Dibromomethane | µg/kg | | | | | | | |
| Dibromo-chloromethane | µg/kg | | | | | | | |
| Methylene Chloride | µg/kg | | | | | | | |
| Dichlorodifluoromethane | µg/kg | | | | | | | |
| Iodomethane | µg/kg | | | | | | | |
| Bromoform | µg/kg | | | | | | | |
| Fluorotrichloromethane | µg/kg | | | | | | | |
| Methyl Methacrylate | µg/kg | | | | | | | |
| Methyl Isobutyl Ketone | µg/kg | | | | | | | |
| 1,2,3-Trichloropropane | µg/kg | | | | | | | |

Notes: 1. Printed on 05/03/00

Table 3
SUMMARY OF ANALYTICAL RESULTS - SOIL
P&W East Hartford: NK Undeveloped Land Area - Outside Storage Area

Page 64 of 536

Notes: 1. Printed on 03/03/00

Table 3
SUMMARY OF ANALYTICAL RESULTS - SOIL
P&W East Hartford: NK Undeveloped Land Area - Outside Storage Area

Page 65 of 536

| | Location ID | NK-SB-273 | NK-SB-273 | NK-SB-273 | NK-SB-274 | NK-SB-274 | NK-SB-274 | NK-SB-274 |
|--------------------------------------|--------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| | Sample ID | 1028178 | 1028180 | 1028181 | 1028182 | 1028183 | 1028184 | 1028185 |
| | Sample Date | 03/12/1997 | 03/12/1997 | 03/12/1997 | 03/12/1997 | 03/12/1997 | 03/12/1997 | 03/12/1997 |
| | Sample Time | 14:10 | 14:20 | 14:25 | 14:50 | 14:55 | 15:05 | 15:10 |
| | Sample Depth | 10' - 12' | 12' - 14' | 14' - 16' | 0' - 2' | 2' - 4' | 4' - 6' | 6' - 8' |
| | Laboratory | LEA |
| | Lab. Number | 97-2013-518 | 97-2015-520 | 97-2016-521 | 97-2017-522 | 97-2018-523 | 97-2020-525 | 97-2021-526 |
| Constituent | Units | | | | | | | |
| Date PCBs Analyzed | - | | | | | | | |
| Date Metals Analyzed | - | | | | | | | |
| Date Organics Analyzed | - | 03/14/1997 | 03/14/1997 | 03/14/1997 | 03/14/1997 | 03/14/1997 | 03/14/1997 | 03/14/1997 |
| Date Pesticides/Herbicides Analyzed | - | | | | | | | |
| Date Physical Analyzed | - | | | | | | | |
| Date Semi-volatile Organics Analyzed | - | | | | | | | |
| Dinoseb | µg/kg | | | | | | | |
| Arsenic | mg/kg | | | | | | | |
| Barium | mg/kg | | | | | | | |
| Cadmium | mg/kg | | | | | | | |
| Chromium | mg/kg | | | | | | | |
| Lead | mg/kg | | | | | | | |
| Mercury | mg/kg | | | | | | | |
| Nickel | mg/kg | | | | | | | |
| Selenium | mg/kg | | | | | | | |
| Silver | mg/kg | | | | | | | |
| Zinc | mg/kg | | | | | | | |
| PCB 1016 | µg/kg | | | | | | | |
| PCB 1221 | µg/kg | | | | | | | |
| PCB 1232 | µg/kg | | | | | | | |
| PCB 1242 | µg/kg | | | | | | | |
| PCB 1248 | µg/kg | | | | | | | |
| PCB 1254 | µg/kg | | | | | | | |
| PCB 1260 | µg/kg | | | | | | | |
| 2-Acetylaminofluorene | µg/kg | | | | | | | |
| Aramite | µg/kg | | | | | | | |
| Hexachlorobenzene | µg/kg | | | | | | | |
| Hexachlorocyclopentadiene | µg/kg | | | | | | | |

Notes: 1. Printed on 05/03/00

Table 3
SUMMARY OF ANALYTICAL RESULTS - SOIL
P&W East Hartford: NK Undeveloped Land Area - Outside Storage Area

Page 66 of 536

| | Location ID | NK-SB-273 | NK-SB-273 | NK-SB-273 | NK-SB-274 | NK-SB-274 | NK-SB-274 | NK-SB-274 |
|--------------------------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|------------|
| Sample ID | 1028178 | 1028180 | 1028181 | 1028182 | 1028183 | 1028184 | 1028185 | |
| Sample Date | 03/12/1997 | 03/12/1997 | 03/12/1997 | 03/12/1997 | 03/12/1997 | 03/12/1997 | 03/12/1997 | 03/12/1997 |
| Sample Time | 14:10 | 14:20 | 14:25 | 14:50 | 14:55 | 15:05 | 15:10 | |
| Sample Depth | 10' - 12' | 12' - 14' | 14' - 16' | 0' - 2' | 2' - 4' | 4' - 6' | 6' - 8' | |
| Laboratory | LEA | LEA |
| Lab. Number | 97-2013-518 | 97-2015-520 | 97-2016-521 | 97-2017-522 | 97-2018-523 | 97-2020-525 | 97-2021-526 | |
| Constituent | Units | | | | | | | |
| Dimethoate | µg/kg | | | | | | | |
| Disulfoton | µg/kg | | | | | | | |
| Famphur | µg/kg | | | | | | | |
| Phorate | µg/kg | | | | | | | |
| 1,2-Dibromo-3-chloropropane | µg/kg | | | | | | | |
| TPH | mg/kg | | | | | | | |
| Total Solids | % | | | | | | | |
| Acenaphthylene | µg/kg | | | | | | | |
| Acenaphthalene | µg/kg | | | | | | | |
| Phenacetin | µg/kg | | | | | | | |
| Acetophenone | µg/kg | | | | | | | |
| Aniline | µg/kg | | | | | | | |
| o-Nitroaniline | µg/kg | | | | | | | |
| m-Nitroaniline | µg/kg | | | | | | | |
| p-Chloroaniline | µg/kg | | | | | | | |
| p-Nitroaniline | µg/kg | | | | | | | |
| p-Dimethylaminoazobenzene | µg/kg | | | | | | | |
| Anthracene | µg/kg | | | | | | | |
| Benzo(a)anthracene | µg/kg | | | | | | | |
| 7,12-Dimethylbenz[a]anthracene | µg/kg | | | | | | | |
| Benzo(b)fluoranthene | µg/kg | | | | | | | |
| 1,2,4,5-Tetrachlorobenzene | µg/kg | | | | | | | |
| Isosafrole | µg/kg | | | | | | | |
| 1,3,5-Trinitrobenzene | µg/kg | | | | | | | |
| m-Dinitrobenzene | µg/kg | | | | | | | |
| Safrole | µg/kg | | | | | | | |
| Nitrobenzene | µg/kg | | | | | | | |
| Benzidine | µg/kg | | | | | | | |

Notes: 1. Printed on 03/03/00

Table 3
SUMMARY OF ANALYTICAL RESULTS - SOIL
P&W East Hartford: NK Undeveloped Land Area - Outside Storage Area

Page 67 of 536

| | Location ID | NK-SB-273 | NK-SB-273 | NK-SB-273 | NK-SB-274 | NK-SB-274 | NK-SB-274 | NK-SB-274 |
|-------------------------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|------------|
| Sample ID | 1028178 | 1028180 | 1028181 | 1028182 | 1028183 | 1028184 | 1028185 | 1028185 |
| Sample Date | 03/12/1997 | 03/12/1997 | 03/12/1997 | 03/12/1997 | 03/12/1997 | 03/12/1997 | 03/12/1997 | 03/12/1997 |
| Sample Time | 14:10 | 14:20 | 14:25 | 14:50 | 14:55 | 15:05 | 15:10 | |
| Sample Depth | 10' - 12' | 12' - 14' | 14' - 16' | 0' - 2' | 2' - 4' | 4' - 6' | 6' - 8' | |
| Laboratory | LEA | LEA |
| Lab. Number | 97-2013-518 | 97-2015-520 | 97-2016-521 | 97-2017-522 | 97-2018-523 | 97-2020-525 | 97-2021-526 | |
| Constituent | Units | | | | | | | |
| 3,3'-Dichlorobenzidine | µg/kg | | | | | | | |
| o-Tolidine | µg/kg | | | | | | | |
| Benzo[a]pyrene | µg/kg | | | | | | | |
| Benzo[ghi]perylene | µg/kg | | | | | | | |
| Benzo[k]fluoranthene | µg/kg | | | | | | | |
| Benzoic Acid | µg/kg | | | | | | | |
| Benzyl Alcohol | µg/kg | | | | | | | |
| p-Aminobiphenyl | µg/kg | | | | | | | |
| Hexachlorobutadiene | µg/kg | | | | | | | |
| n-Nitrosodi-n-butylamine | µg/kg | | | | | | | |
| trans-1,4-Dichloro-2-butylene | µg/kg | | | | | | | |
| Carbazole | µg/kg | | | | | | | |
| 3-Methylchloanthrene | µg/kg | | | | | | | |
| Chrysene | µg/kg | | | | | | | |
| o-Cresol | µg/kg | | | | | | | |
| m-Cresol | µg/kg | | | | | | | |
| Dinitro-o-cresol | µg/kg | | | | | | | |
| p-Cresol | µg/kg | | | | | | | |
| p-Chloro-m-cresol | µg/kg | | | | | | | |
| Dibenz(a,h)anthracene | µg/kg | | | | | | | |
| Dibenzofuran | µg/kg | | | | | | | |
| n-Nitrosodiethylamine | µg/kg | | | | | | | |
| n-Nitrosodimethylamine | µg/kg | | | | | | | |
| Diphenylamine | µg/kg | | | | | | | |
| n-Nitrosodiphenylamine | µg/kg | | | | | | | |
| n-Nitrosodipropylamine | µg/kg | | | | | | | |
| Hexachloroethane | µg/kg | | | | | | | |
| 4-Bromophenyl Phenyl Ether | µg/kg | | | | | | | |

Notes: 1. Printed on 03/03/00

Table 3
SUMMARY OF ANALYTICAL RESULTS - SOIL
P&W East Hartford: NK Undeveloped Land Area - Outside Storage Area

Page 68 of 536

| | Location ID | NK-SB-273 | NK-SB-273 | NK-SB-273 | NK-SB-274 | NK-SB-274 | NK-SB-274 | NK-SB-274 |
|--|-------------|-------------|-------------|-------------|-------------|-------------|-------------|------------|
| Sample ID | 1028178 | 1028180 | 1028181 | 1028182 | 1028183 | 1028184 | 1028185 | |
| Sample Date | 03/12/1997 | 03/12/1997 | 03/12/1997 | 03/12/1997 | 03/12/1997 | 03/12/1997 | 03/12/1997 | 03/12/1997 |
| Sample Time | 14:10 | 14:20 | 14:25 | 14:50 | 14:55 | 15:05 | 15:10 | |
| Sample Depth | 10' - 12' | 12' - 14' | 14' - 16' | 0' - 2' | 2' - 4' | 4' - 6' | 6' - 8' | |
| Laboratory | LEA | LEA |
| Lab. Number | 97-2013-518 | 97-2015-520 | 97-2016-521 | 97-2017-522 | 97-2018-523 | 97-2020-525 | 97-2021-526 | |
| Constituent | Units | | | | | | | |
| 4-Chlorophenyl phenyl ether | µg/kg | | | | | | | |
| Dichlorodiisopropyl ether | µg/kg | | | | | | | |
| Dichloroethyl Ether | µg/kg | | | | | | | |
| n-Methyl-n-nitrosoethylamine | µg/kg | | | | | | | |
| Fluoranthene | µg/kg | | | | | | | |
| Fluorene | µg/kg | | | | | | | |
| 1,2-Diphenylhydrazine | µg/kg | | | | | | | |
| Indeno(1,2,3-cd)pyrene | µg/kg | | | | | | | |
| Isophorone | µg/kg | | | | | | | |
| bis(2-Chloroethoxy)methane | µg/kg | | | | | | | |
| Ethylmethanesulfonate | µg/kg | | | | | | | |
| Methylmethanesulfonate | µg/kg | | | | | | | |
| Methapyrilene | µg/kg | | | | | | | |
| n-Nitrosomorpholine | µg/kg | | | | | | | |
| Naphthalene | µg/kg | | | | | | | |
| 2-Chloronaphthalene | µg/kg | | | | | | | |
| 2-Methylnaphthalene | µg/kg | | | | | | | |
| 1,4-Naphthoquinone | µg/kg | | | | | | | |
| alpha-Naphthylamine | µg/kg | | | | | | | |
| beta-Naphthylamine | µg/kg | | | | | | | |
| Phenanthrene | µg/kg | | | | | | | |
| alpha,alpha-Dimethylphenethylamine | µg/kg | | | | | | | |
| Phenol | µg/kg | | | | | | | |
| 2,2'-Methylenebis(3,4,6-trichlorophenol) | µg/kg | | | | | | | |
| 2,3,4,6-Tetrachlorophenol | µg/kg | | | | | | | |
| 2,4,5-Trichlorophenol | µg/kg | | | | | | | |
| 2,4,6-Trichlorophenol | µg/kg | | | | | | | |
| 2,4-Dichlorophenol | µg/kg | | | | | | | |

Notes: 1. Printed on 05/03/00

Table 3
SUMMARY OF ANALYTICAL RESULTS - SOIL
P&W East Hartford: NK Undeveloped Land Area - Outside Storage Area

Page 69 of 536

| | Location ID | NK-SB-273 | NK-SB-273 | NK-SB-273 | NK-SB-274 | NK-SB-274 | NK-SB-274 | NK-SB-274 |
|---------------------------------|--------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| | Sample ID | 1028178 | 1028180 | 1028181 | 1028182 | 1028183 | 1028184 | 1028185 |
| | Sample Date | 03/12/1997 | 03/12/1997 | 03/12/1997 | 03/12/1997 | 03/12/1997 | 03/12/1997 | 03/12/1997 |
| | Sample Time | 14:10 | 14:20 | 14:25 | 14:50 | 14:55 | 15:05 | 15:10 |
| | Sample Depth | 10' - 12' | 12' - 14' | 14' - 16' | 0' - 2' | 2' - 4' | 4' - 6' | 6' - 8' |
| | Laboratory | LEA |
| | Lab. Number | 97-2013-518 | 97-2015-520 | 97-2016-521 | 97-2017-522 | 97-2018-523 | 97-2020-525 | 97-2021-526 |
| Constituent | Units | | | | | | | |
| 2,4-Dinitrophenol | µg/kg | | | | | | | |
| o-Chlorophenol | µg/kg | | | | | | | |
| o-Nitrophenol | µg/kg | | | | | | | |
| p-Nitrophenol | µg/kg | | | | | | | |
| Pentachlorophenol | µg/kg | | | | | | | |
| p-Phenylenediamine | µg/kg | | | | | | | |
| Butyl Benzyl Phthalate | µg/kg | | | | | | | |
| bis(2-Ethylhexyl)phthalate | µg/kg | | | | | | | |
| Di-n-butyl Phthalate | µg/kg | | | | | | | |
| Di-n-octyl Phthalate | µg/kg | | | | | | | |
| Diethyl Phthalate | µg/kg | | | | | | | |
| Dimethyl Phthalate | µg/kg | | | | | | | |
| 2-Picoline | µg/kg | | | | | | | |
| n-Nitrosopiperidine | µg/kg | | | | | | | |
| Pronamide | µg/kg | | | | | | | |
| Hexachloropropylene | µg/kg | | | | | | | |
| Pyrene | µg/kg | | | | | | | |
| Pyridine | µg/kg | | | | | | | |
| n-Nitrosopyrrolidine | µg/kg | | | | | | | |
| 4-Nitroquinoline, 1-oxide | µg/kg | | | | | | | |
| 2,4-Dinitrotoluene | µg/kg | | | | | | | |
| 2,6-Dinitrotoluene | µg/kg | | | | | | | |
| 5-Nitro-o-Toluidine | µg/kg | | | | | | | |
| o-Toluidine | µg/kg | | | | | | | |
| o,o,o-Triethyl phosphorothioate | µg/kg | | | | | | | |
| 2,4-Xylenol | µg/kg | | | | | | | |
| Acetone | µg/kg | | | | | | | |
| Acetonitrile | µg/kg | | | | | | | |

Notes: 1. Printed on 05/03/00

Table 3
SUMMARY OF ANALYTICAL RESULTS - SOIL
P&W East Hartford: NK Undeveloped Land Area - Outside Storage Area

Page 70 of 536

| | Location ID | NK-SB-273 | NK-SB-273 | NK-SB-273 | NK-SB-274 | NK-SB-274 | NK-SB-274 | NK-SB-274 |
|-----------------------------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|------------|
| Sample ID | 1028178 | 1028180 | 1028181 | 1028182 | 1028183 | 1028184 | 1028185 | 1028185 |
| Sample Date | 03/12/1997 | 03/12/1997 | 03/12/1997 | 03/12/1997 | 03/12/1997 | 03/12/1997 | 03/12/1997 | 03/12/1997 |
| Sample Time | 14:10 | 14:20 | 14:25 | 14:50 | 14:55 | 15:05 | 15:10 | 15:10 |
| Sample Depth | 10' - 12' | 12' - 14' | 14' - 16' | 0' - 2' | 2' - 4' | 4' - 6' | 6' - 8' | |
| Laboratory | LEA | LEA |
| Lab. Number | 97-2013-518 | 97-2015-520 | 97-2016-521 | 97-2017-522 | 97-2018-523 | 97-2020-525 | 97-2021-526 | |
| Constituent | Units | | | | | | | |
| Acrolein | µg/kg | | | | | | | |
| Acrylonitrile | µg/kg | | | | | | | |
| Benzene | µg/kg | | | | | | | |
| Benzene (screening) | µg/xx | <7.79 | <6.21 | <8.64 NC | <8.28 NC | <7.64 | <8.11 NC | <7.64 |
| 1,2,4-Trichlorobenzene | µg/kg | | | | | | | |
| o-Dichlorobenzene | µg/kg | | | | | | | |
| m-Dichlorobenzene | µg/kg | | | | | | | |
| p-Dichlorobenzene | µg/kg | | | | | | | |
| Bromobenzene | µg/kg | | | | | | | |
| Chlorobenzene | µg/kg | | | | | | | |
| Ethyl Benzene | µg/kg | | | | | | | |
| Ethyl Benzene (screening) | µg/xx | <16.8 | <13.4 | <18.6 NC | <17.8 NC | <16.4 | <17.4 NC | <16.4 |
| Pentachlorobenzene | µg/kg | | | | | | | |
| Pentachloronitrobenzene | µg/kg | | | | | | | |
| beta-Chloroprene | µg/kg | | | | | | | |
| 2-Butanone | µg/kg | | | | | | | |
| Carbon Disulfide | µg/kg | | | | | | | |
| Carbon Tetrachloride | µg/kg | | | | | | | |
| Chloroform | µg/kg | | | | | | | |
| Dioxane | µg/kg | | | | | | | |
| 1,1,1,2-Tetrachloroethane | µg/kg | | | | | | | |
| 1,1,1-Trichloroethane | µg/kg | | | | | | | |
| 1,1,1-Trichloroethane (screening) | µg/xx | <211 | <168 | <233 NC | <224 NC | <207 | <219 NC | <207 |
| 1,1,2,2-Tetrachloroethane | µg/kg | | | | | | | |
| 1,1,2-Trichloroethane | µg/kg | | | | | | | |
| 1,1-Dichloroethane | µg/kg | | | | | | | |
| Ethylene Dibromide | µg/kg | | | | | | | |
| 1,2-Dichloroethane | µg/kg | | | | | | | |

Notes: 1. Printed on 05/03/00



Table 3
SUMMARY OF ANALYTICAL RESULTS - SOIL
P&W East Hartford: NK Undeveloped Land Area - Outside Storage Area

Page 71 of 536

| | Location ID | NK-SB-273 | NK-SB-273 | NK-SB-273 | NK-SB-274 | NK-SB-274 | NK-SB-274 | NK-SB-274 |
|---------------------------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|------------|
| Sample ID | 1028178 | 1028180 | 1028181 | 1028182 | 1028183 | 1028184 | 1028185 | |
| Sample Date | 03/12/1997 | 03/12/1997 | 03/12/1997 | 03/12/1997 | 03/12/1997 | 03/12/1997 | 03/12/1997 | 03/12/1997 |
| Sample Time | 14:10 | 14:20 | 14:25 | 14:50 | 14:55 | 15:05 | 15:10 | |
| Sample Depth | 10' - 12' | 12' - 14' | 14' - 16' | 0' - 2' | 2' - 4' | 4' - 6' | 6' - 8' | |
| Laboratory | LEA | |
| Lab. Number | 97-2013-518 | 97-2015-520 | 97-2016-521 | 97-2017-522 | 97-2018-523 | 97-2020-525 | 97-2021-526 | |
| Constituent | Units | | | | | | | |
| Chloroethane | µg/kg | | | | | | | |
| Pentachloroethane | µg/kg | | | | | | | |
| 2-Chloroethyl Vinyl ether | µg/kg | | | | | | | |
| Methyl-tert-butyl Ether | µg/kg | | | | | | | |
| 1,1-Dichloroethylene | µg/kg | | | | | | | |
| Vinyl Chloride | µg/kg | | | | | | | |
| cis-1,2-Dichloroethylene | µg/kg | | | | | | | |
| Tetrachloroethylene | µg/kg | | | | | | | |
| Tetrachloroethylene (screening) | µg/xx | <21.0 | <16.8 | <23.3 NC | <22.3 NC | <20.6 | <21.9 NC | <20.6 |
| trans-1,2-Dichloroethylene | µg/kg | | | | | | | |
| Trichloroethylene | µg/kg | | | | | | | |
| Trichloroethylene (screening) | µg/xx | <20.7 | <16.5 | <23.0 NC | <22.0 NC | <20.3 | <21.6 NC | <20.3 |
| Ethylmethacrylate | µg/kg | | | | | | | |
| 2-Hexanone | µg/kg | | | | | | | |
| Isobutyl Alcohol | µg/kg | | | | | | | |
| Bromomethane | µg/kg | | | | | | | |
| Bromodichloromethane | µg/kg | | | | | | | |
| Chloromethane | µg/kg | | | | | | | |
| Dibromomethane | µg/kg | | | | | | | |
| Dibromo-chloromethane | µg/kg | | | | | | | |
| Methylene Chloride | µg/kg | | | | | | | |
| Dichlorodifluoromethane | µg/kg | | | | | | | |
| Iodomethane | µg/kg | | | | | | | |
| Bromoform | µg/kg | | | | | | | |
| Fluorotrichloromethane | µg/kg | | | | | | | |
| Methyl Methacrylate | µg/kg | | | | | | | |
| Methyl Isobutyl Ketone | µg/kg | | | | | | | |
| 1,2,3-Trichloropropane | µg/kg | | | | | | | |

Notes: 1. Printed on 05/03/00

Table 3
SUMMARY OF ANALYTICAL RESULTS - SOIL
P&W East Hartford: NK Undeveloped Land Area - Outside Storage Area

Page 72 of 536

Notes: I. Printed on 05/03/00

10

Table 3
SUMMARY OF ANALYTICAL RESULTS - SOIL
P&W East Hartford: NK Undeveloped Land Area - Outside Storage Area

Page 73 of 536

| | Location ID | NK-SB-274 | NK-SB-274 | NK-SB-274 | NK-SB-274 | NK-SB-275 | NK-SB-275 | NK-SB-275 |
|--------------------------------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|------------|
| Sample ID | 1028186 | 1028187 | 1028188 | 1028189 | 1028193 | 1028194 | 1028195 | 1028195 |
| Sample Date | 03/12/1997 | 03/12/1997 | 03/12/1997 | 03/12/1997 | 03/13/1997 | 03/13/1997 | 03/13/1997 | 03/13/1997 |
| Sample Time | 15:20 | 15:25 | 15:35 | 15:40 | 09:50 | 09:55 | 10:05 | |
| Sample Depth | 8' - 10' | 10' - 12' | 12' - 14' | 14' - 16' | 0' - 2' | 2' - 4' | 4' - 6' | |
| Laboratory | LEA | |
| Lab. Number | 97-2022-527 | 97-2023-528 | 97-2024-529 | 97-2025-530 | 97-2026-531 | 97-2027-532 | 97-2028-533 | |
| Constituent | Units | | | | | | | |
| Date PCBs Analyzed | - | | | | | | | |
| Date Metals Analyzed | - | | | | | | | |
| Date Organics Analyzed | - | 03/14/1997 | 03/14/1997 | 03/14/1997 | 03/14/1997 | 03/14/1997 | 03/14/1997 | 03/14/1997 |
| Date Pesticides/Herbicides Analyzed | - | | | | | | | |
| Date Physical Analyzed | - | | | | | | | |
| Date Semi-volatile Organics Analyzed | - | | | | | | | |
| Dinoseb | µg/kg | | | | | | | |
| Arsenic | mg/kg | | | | | | | |
| Barium | mg/kg | | | | | | | |
| Cadmium | mg/kg | | | | | | | |
| Chromium | mg/kg | | | | | | | |
| Lead | mg/kg | | | | | | | |
| Mercury | mg/kg | | | | | | | |
| Nickel | mg/kg | | | | | | | |
| Selenium | mg/kg | | | | | | | |
| Silver | mg/kg | | | | | | | |
| Zinc | mg/kg | | | | | | | |
| PCB 1016 | µg/kg | | | | | | | |
| PCB 1221 | µg/kg | | | | | | | |
| PCB 1232 | µg/kg | | | | | | | |
| PCB 1242 | µg/kg | | | | | | | |
| PCB 1248 | µg/kg | | | | | | | |
| PCB 1254 | µg/kg | | | | | | | |
| PCB 1260 | µg/kg | | | | | | | |
| 2-Acetylaminofluorene | µg/kg | | | | | | | |
| Aramite | µg/kg | | | | | | | |
| Hexachlorobenzene | µg/kg | | | | | | | |
| Hexachlorocyclopentadiene | µg/kg | | | | | | | |

Notes: 1. Printed on 05/03/00

Table 3
SUMMARY OF ANALYTICAL RESULTS - SOIL
P&W East Hartford: NK Undeveloped Land Area - Outside Storage Area

Page 74 of 536

| | Location ID | NK-SB-274 | NK-SB-274 | NK-SB-274 | NK-SB-274 | NK-SB-275 | NK-SB-275 | NK-SB-275 |
|--------------------------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|------------|
| Sample ID | 1028186 | 1028187 | 1028188 | 1028189 | 1028193 | 1028194 | 1028195 | 1028195 |
| Sample Date | 03/12/1997 | 03/12/1997 | 03/12/1997 | 03/12/1997 | 03/13/1997 | 03/13/1997 | 03/13/1997 | 03/13/1997 |
| Sample Time | 15:20 | 15:25 | 15:35 | 15:40 | 09:50 | 09:55 | 10:05 | |
| Sample Depth | 8' - 10' | 10' - 12' | 12' - 14' | 14' - 16' | 0' - 2' | 2' - 4' | 4' - 6' | |
| Laboratory | LEA | LEA |
| Lab. Number | 97-2022-527 | 97-2023-528 | 97-2024-529 | 97-2025-530 | 97-2026-531 | 97-2027-532 | 97-2028-533 | |
| Constituent | Units | | | | | | | |
| Dimethoate | µg/kg | | | | | | | |
| Disulfoton | µg/kg | | | | | | | |
| Famphur | µg/kg | | | | | | | |
| Phorate | µg/kg | | | | | | | |
| 1,2-Dibromo-3-chloropropane | µg/kg | | | | | | | |
| TPH | mg/kg | | | | | | | |
| Total Solids | % | | | | | | | |
| Acenaphthylene | µg/kg | | | | | | | |
| Acenaphthalene | µg/kg | | | | | | | |
| Phenacetin | µg/kg | | | | | | | |
| Acetophenone | µg/kg | | | | | | | |
| Aniline | µg/kg | | | | | | | |
| o-Nitroaniline | µg/kg | | | | | | | |
| m-Nitroaniline | µg/kg | | | | | | | |
| p-Chloroaniline | µg/kg | | | | | | | |
| p-Nitroaniline | µg/kg | | | | | | | |
| p-Dimethylaminoazobenzene | µg/kg | | | | | | | |
| Anthracene | µg/kg | | | | | | | |
| Benzo(a)anthracene | µg/kg | | | | | | | |
| 7,12-Dimethylbenz[a]anthracene | µg/kg | | | | | | | |
| Benzo(b)fluoranthene | µg/kg | | | | | | | |
| 1,2,4,5-Tetrachlorobenzene | µg/kg | | | | | | | |
| Isosafrole | µg/kg | | | | | | | |
| 1,3,5-Trinitrobenzene | µg/kg | | | | | | | |
| m-Dinitrobenzene | µg/kg | | | | | | | |
| Safrole | µg/kg | | | | | | | |
| Nitrobenzene | µg/kg | | | | | | | |
| Benzidine | µg/kg | | | | | | | |

Notes: 1. Printed on 05/03/00

LEA

Table 3
SUMMARY OF ANALYTICAL RESULTS - SOIL
P&W East Hartford: NK Undeveloped Land Area - Outside Storage Area

Page 75 of 536

| | Location ID | NK-SB-274 | NK-SB-274 | NK-SB-274 | NK-SB-274 | NK-SB-275 | NK-SB-275 | NK-SB-275 |
|-------------------------------|--------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| | Sample ID | 1028186 | 1028187 | 1028188 | 1028189 | 1028193 | 1028194 | 1028195 |
| | Sample Date | 03/12/1997 | 03/12/1997 | 03/12/1997 | 03/12/1997 | 03/13/1997 | 03/13/1997 | 03/13/1997 |
| | Sample Time | 15:20 | 15:25 | 15:35 | 15:40 | 09:50 | 09:55 | 10:05 |
| | Sample Depth | 8' - 10' | 10' - 12' | 12' - 14' | 14' - 16' | 0' - 2' | 2' - 4' | 4' - 6' |
| | Laboratory | LEA |
| | Lab. Number | 97-2022-527 | 97-2023-528 | 97-2024-529 | 97-2025-530 | 97-2026-531 | 97-2027-532 | 97-2028-533 |
| Constituent | Units | | | | | | | |
| 3,3'-Dichlorobenzidine | µg/kg | | | | | | | |
| o-Tolidine | µg/kg | | | | | | | |
| Benzo[a]pyrene | µg/kg | | | | | | | |
| Benzo[ghi]perylene | µg/kg | | | | | | | |
| Benzo[k]fluoranthene | µg/kg | | | | | | | |
| Benzoic Acid | µg/kg | | | | | | | |
| Benzyl Alcohol | µg/kg | | | | | | | |
| p-Aminobiphenyl | µg/kg | | | | | | | |
| Hexachlorobutadiene | µg/kg | | | | | | | |
| n-Nitrosodi-n-butylamine | µg/kg | | | | | | | |
| trans-1,4-Dichloro-2-butylene | µg/kg | | | | | | | |
| Carbazole | µg/kg | | | | | | | |
| 3-Methylchloanthrene | µg/kg | | | | | | | |
| Chrysene | µg/kg | | | | | | | |
| o-Cresol | µg/kg | | | | | | | |
| m-Cresol | µg/kg | | | | | | | |
| Dinitro-o-cresol | µg/kg | | | | | | | |
| p-Cresol | µg/kg | | | | | | | |
| p-Chloro-m-cresol | µg/kg | | | | | | | |
| Dibenz(a,h)anthracene | µg/kg | | | | | | | |
| Dibenzofuran | µg/kg | | | | | | | |
| n-Nitrosodiethylamine | µg/kg | | | | | | | |
| n-Nitrosodimethylamine | µg/kg | | | | | | | |
| Diphenylamine | µg/kg | | | | | | | |
| n-Nitrosodiphenylamine | µg/kg | | | | | | | |
| n-Nitrosodipropylamine | µg/kg | | | | | | | |
| Hexachloroethane | µg/kg | | | | | | | |
| 4-Bromophenyl Phenyl Ether | µg/kg | | | | | | | |

Notes: 1. Printed on 05/03/00

Table 3
SUMMARY OF ANALYTICAL RESULTS - SOIL
P&W East Hartford: NK Undeveloped Land Area - Outside Storage Area

Page 76 of 536

| | Location ID | NK-SB-274 | NK-SB-274 | NK-SB-274 | NK-SB-274 | NK-SB-275 | NK-SB-275 | NK-SB-275 |
|--|-------------|-------------|-------------|-------------|-------------|-------------|-------------|------------|
| Sample ID | 1028186 | 1028187 | 1028188 | 1028189 | 1028193 | 1028194 | 1028195 | 1028195 |
| Sample Date | 03/12/1997 | 03/12/1997 | 03/12/1997 | 03/12/1997 | 03/13/1997 | 03/13/1997 | 03/13/1997 | 03/13/1997 |
| Sample Time | 15:20 | 15:25 | 15:35 | 15:40 | 09:50 | 09:55 | 10:05 | |
| Sample Depth | 8' - 10' | 10' - 12' | 12' - 14' | 14' - 16' | 0' - 2' | 2' - 4' | 4' - 6' | |
| Laboratory | LEA | LEA |
| Lab. Number | 97-2022-527 | 97-2023-528 | 97-2024-529 | 97-2025-530 | 97-2026-531 | 97-2027-532 | 97-2028-533 | |
| Constituent | Units | | | | | | | |
| 4-Chlorophenyl phenyl ether | µg/kg | | | | | | | |
| Dichlorodisopropyl ether | µg/kg | | | | | | | |
| Dichloroethyl Ether | µg/kg | | | | | | | |
| n-Methyl-n-nitrosoethylamine | µg/kg | | | | | | | |
| Fluoranthene | µg/kg | | | | | | | |
| Fluorene | µg/kg | | | | | | | |
| 1,2-Diphenylhydrazine | µg/kg | | | | | | | |
| Indeno(1,2,3-cd)pyrene | µg/kg | | | | | | | |
| Isophorone | µg/kg | | | | | | | |
| bis(2-Chloroethoxy)methane | µg/kg | | | | | | | |
| Ethylmethanesulfonate | µg/kg | | | | | | | |
| Methylmethanesulfonate | µg/kg | | | | | | | |
| Methapyrilene | µg/kg | | | | | | | |
| n-Nitrosomorpholine | µg/kg | | | | | | | |
| Naphthalene | µg/kg | | | | | | | |
| 2-Chloronaphthalene | µg/kg | | | | | | | |
| 2-Methylnaphthalene | µg/kg | | | | | | | |
| 1,4-Naphthoquinone | µg/kg | | | | | | | |
| alpha-Naphthylamine | µg/kg | | | | | | | |
| beta-Naphthylamine | µg/kg | | | | | | | |
| Phenanthrene | µg/kg | | | | | | | |
| alpha, alpha-Dimethylphenethylamine | µg/kg | | | | | | | |
| Phenol | µg/kg | | | | | | | |
| 2,2'-Methylenebis(3,4,6-trichlorophenol) | µg/kg | | | | | | | |
| 2,3,4,6-Tetrachlorophenol | µg/kg | | | | | | | |
| 2,4,5-Trichlorophenol | µg/kg | | | | | | | |
| 2,4,6-Trichlorophenol | µg/kg | | | | | | | |
| 2,4-Dichlorophenol | µg/kg | | | | | | | |

Notes: 1. Printed on 05/03/00

Table 3
SUMMARY OF ANALYTICAL RESULTS - SOIL
P&W East Hartford: NK Undeveloped Land Area - Outside Storage Area

Page 77 of 536

| | Location ID | NK-SB-274 | NK-SB-274 | NK-SB-274 | NK-SB-274 | NK-SB-275 | NK-SB-275 | NK-SB-275 |
|---------------------------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-----------|
| Sample ID | 1028186 | 1028187 | 1028188 | 1028189 | 1028193 | 1028194 | 1028195 | |
| Sample Date | 03/12/1997 | 03/12/1997 | 03/12/1997 | 03/12/1997 | 03/13/1997 | 03/13/1997 | 03/13/1997 | |
| Sample Time | 15:20 | 15:25 | 15:35 | 15:40 | 09:50 | 09:55 | 10:05 | |
| Sample Depth | 8' - 10' | 10' - 12' | 12' - 14' | 14' - 16' | 0' - 2' | 2' - 4' | 4' - 6' | |
| Laboratory | LEA | |
| Lab. Number | 97-2022-527 | 97-2023-528 | 97-2024-529 | 97-2025-530 | 97-2026-531 | 97-2027-532 | 97-2028-533 | |
| Constituent | Units | | | | | | | |
| 2,4-Dinitrophenol | µg/kg | | | | | | | |
| o-Chlorophenol | µg/kg | | | | | | | |
| o-Nitrophenol | µg/kg | | | | | | | |
| p-Nitrophenol | µg/kg | | | | | | | |
| Pentachlorophenol | µg/kg | | | | | | | |
| p-Phenylenediamine | µg/kg | | | | | | | |
| Butyl Benzyl Phthalate | µg/kg | | | | | | | |
| bis(2-Ethylhexyl)phthalate | µg/kg | | | | | | | |
| Di-n-butyl Phthalate | µg/kg | | | | | | | |
| Di-n-octyl Phthalate | µg/kg | | | | | | | |
| Diethyl Phthalate | µg/kg | | | | | | | |
| Dimethyl Phthalate | µg/kg | | | | | | | |
| 2-Picoline | µg/kg | | | | | | | |
| n-Nitrosopiperidine | µg/kg | | | | | | | |
| Pronamide | µg/kg | | | | | | | |
| Hexachloropropylene | µg/kg | | | | | | | |
| Pyrene | µg/kg | | | | | | | |
| Pyridine | µg/kg | | | | | | | |
| n-Nitrosopyrrolidine | µg/kg | | | | | | | |
| 4-Nitroquinoline, 1-oxide | µg/kg | | | | | | | |
| 2,4-Dinitrotoluene | µg/kg | | | | | | | |
| 2,6-Dinitrotoluene | µg/kg | | | | | | | |
| 5-Nitro-o-Toluidine | µg/kg | | | | | | | |
| o-Toluidine | µg/kg | | | | | | | |
| o,o,o-Triethyl phosphorothioate | µg/kg | | | | | | | |
| 2,4-Xylenol | µg/kg | | | | | | | |
| Acetone | µg/kg | | | | | | | |
| Acetonitrile | µg/kg | | | | | | | |

Notes: 1. Printed on 05/03/00

Table 3
SUMMARY OF ANALYTICAL RESULTS - SOIL
P&W East Hartford: NK Undeveloped Land Area - Outside Storage Area

Page 78 of 536

| | Location ID | NK-SB-274 | NK-SB-274 | NK-SB-274 | NK-SB-274 | NK-SB-275 | NK-SB-275 | NK-SB-275 |
|-----------------------------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|------------|
| Sample ID | 1028186 | 1028187 | 1028188 | 1028189 | 1028193 | 1028194 | 1028195 | 1028195 |
| Sample Date | 03/12/1997 | 03/12/1997 | 03/12/1997 | 03/12/1997 | 03/13/1997 | 03/13/1997 | 03/13/1997 | 03/13/1997 |
| Sample Time | 15:20 | 15:25 | 15:35 | 15:40 | 09:50 | 09:55 | 10:05 | |
| Sample Depth | 8' - 10' | 10' - 12' | 12' - 14' | 14' - 16' | 0' - 2' | 2' - 4' | 4' - 6' | |
| Laboratory | LEA | |
| Lab. Number | 97-2022-527 | 97-2023-528 | 97-2024-529 | 97-2025-530 | 97-2026-531 | 97-2027-532 | 97-2028-533 | |
| Constituent | Units | | | | | | | |
| Acrolein | µg/kg | | | | | | | |
| Acrylonitrile | µg/kg | | | | | | | |
| Benzene | µg/kg | | | | | | | |
| Benzene (screening) | µg/xx | <6.31 | <7.64 | <7.50 | <8.28 NC | <8.11 NC | <7.95 | <7.36 |
| 1,2,4-Trichlorobenzene | µg/kg | | | | | | | |
| o-Dichlorobenzene | µg/kg | | | | | | | |
| m-Dichlorobenzene | µg/kg | | | | | | | |
| p-Dichlorobenzene | µg/kg | | | | | | | |
| Bromobenzene | µg/kg | | | | | | | |
| Chlorobenzene | µg/kg | | | | | | | |
| Ethyl Benzene | µg/kg | | | | | | | |
| Ethyl Benzene (screening) | µg/xx | <13.6 | <16.4 | <16.1 | <17.8 NC | <17.4 NC | <17.1 | <15.8 |
| Pentachlorobenzene | µg/kg | | | | | | | |
| Pentachloronitrobenzene | µg/kg | | | | | | | |
| beta-Chloroprene | µg/kg | | | | | | | |
| 2-Butanone | µg/kg | | | | | | | |
| Carbon Disulfide | µg/kg | | | | | | | |
| Carbon Tetrachloride | µg/kg | | | | | | | |
| Chloroform | µg/kg | | | | | | | |
| Dioxane | µg/kg | | | | | | | |
| 1,1,1,2-Tetrachloroethane | µg/kg | | | | | | | |
| 1,1,1-Trichloroethane | µg/kg | | | | | | | |
| 1,1,1-Trichloroethane (screening) | µg/xx | <170 | <207 | <203 | <224 NC | <219 NC | <215 | <199 |
| 1,1,2,2-Tetrachloroethane | µg/kg | | | | | | | |
| 1,1,2-Trichloroethane | µg/kg | | | | | | | |
| 1,1-Dichloroethane | µg/kg | | | | | | | |
| Ethylene Dibromide | µg/kg | | | | | | | |
| 1,2-Dichloroethane | µg/kg | | | | | | | |

Notes: 1. Printed on 05/03/00

Table 3
SUMMARY OF ANALYTICAL RESULTS - SOIL
P&W East Hartford: NK Undeveloped Land Area - Outside Storage Area

Page 79 of 536

| | Location ID | NK-SB-274 | NK-SB-274 | NK-SB-274 | NK-SB-274 | NK-SB-275 | NK-SB-275 | NK-SB-275 |
|---------------------------------|--------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| | Sample ID | 1028186 | 1028187 | 1028188 | 1028189 | 1028193 | 1028194 | 1028195 |
| | Sample Date | 03/12/1997 | 03/12/1997 | 03/12/1997 | 03/12/1997 | 03/13/1997 | 03/13/1997 | 03/13/1997 |
| | Sample Time | 15:20 | 15:25 | 15:35 | 15:40 | 09:50 | 09:55 | 10:05 |
| | Sample Depth | 8' - 10' | 10' - 12' | 12' - 14' | 14' - 16' | 0' - 2' | 2' - 4' | 4' - 6' |
| | Laboratory | LEA |
| | Lab. Number | 97-2022-527 | 97-2023-528 | 97-2024-529 | 97-2025-530 | 97-2026-531 | 97-2027-532 | 97-2028-533 |
| Constituent | Units | | | | | | | |
| Chloroethane | µg/kg | | | | | | | |
| Pentachloroethane | µg/kg | | | | | | | |
| 2-Chloroethyl Vinyl ether | µg/kg | | | | | | | |
| Methyl-tert-butyl Ether | µg/kg | | | | | | | |
| 1,1-Dichloroethylene | µg/kg | | | | | | | |
| Vinyl Chloride | µg/kg | | | | | | | |
| cis-1,2-Dichloroethylene | µg/kg | | | | | | | |
| Tetrachloroethylene | µg/kg | | | | | | | |
| Tetrachloroethylene (screening) | µg/xx | <17.0 | <20.6 | <20.2 | <22.3 NC | <21.9 NC | <21.5 | <19.9 |
| trans-1,2-Dichloroethylene | µg/kg | | | | | | | |
| Trichloroethylene | µg/kg | | | | | | | |
| Trichloroethylene (screening) | µg/xx | <16.8 | <20.3 | <20.0 | <22.0 NC | <21.6 NC | <21.2 | <19.6 |
| Ethylmethacrylate | µg/kg | | | | | | | |
| 2-Hexanone | µg/kg | | | | | | | |
| Isobutyl Alcohol | µg/kg | | | | | | | |
| Bromomethane | µg/kg | | | | | | | |
| Bromodichloromethane | µg/kg | | | | | | | |
| Chloromethane | µg/kg | | | | | | | |
| Dibromomethane | µg/kg | | | | | | | |
| Dibromochloromethane | µg/kg | | | | | | | |
| Methylene Chloride | µg/kg | | | | | | | |
| Dichlorodifluoromethane | µg/kg | | | | | | | |
| Iodomethane | µg/kg | | | | | | | |
| Bromoform | µg/kg | | | | | | | |
| Fluorotrichloromethane | µg/kg | | | | | | | |
| Methyl Methacrylate | µg/kg | | | | | | | |
| Methyl Isobutyl Ketone | µg/kg | | | | | | | |
| 1,2,3-Trichloropropane | µg/kg | | | | | | | |

Notes: 1. Printed on 05/03/00

Table 3
SUMMARY OF ANALYTICAL RESULTS - SOIL
P&W East Hartford: NK Undeveloped Land Area - Outside Storage Area

Page 80 of 536

Notes: 1. Printed on 03/03/00

Table 3
SUMMARY OF ANALYTICAL RESULTS - SOIL
P&W East Hartford: NK Undeveloped Land Area - Outside Storage Area

Page 81 of 536

| | Location ID | NK-SB-275 | NK-SB-275 | NK-SB-275 | NK-SB-275 | NK-SB-275 | NK-SB-275 | NK-SB-276 |
|--------------------------------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|------------|
| Sample ID | 1028197 | 1028196 | 1028198 | 1028199 | 1028200 | 1028201 | 1028202 | |
| Sample Date | 03/13/1997 | 03/13/1997 | 03/13/1997 | 03/13/1997 | 03/13/1997 | 03/13/1997 | 03/13/1997 | 03/13/1997 |
| Sample Time | 10:05 | 10:10 | 10:20 | 10:25 | 10:35 | 10:40 | | 11:05 |
| Sample Depth | 4' - 6' | 6' - 8' | 8' - 10' | 10' - 12' | 12' - 14' | 14' - 16' | | 0' - 2' |
| Laboratory | LEA | |
| Lab. Number | 97-2030-535 | 97-2029-534 | 97-2031-536 | 97-2032-537 | 97-2033-538 | 97-2034-539 | 97-2035-540 | |
| Constituent | Units | | | | | | | |
| Date PCBs Analyzed | - | | | | | | | |
| Date Metals Analyzed | - | | | | | | | |
| Date Organics Analyzed | - | 03/14/1997 | 03/14/1997 | 03/14/1997 | 03/14/1997 | 03/14/1997 | 03/14/1997 | 03/14/1997 |
| Date Pesticides/Herbicides Analyzed | - | | | | | | | |
| Date Physical Analyzed | - | | | | | | | |
| Date Semi-volatile Organics Analyzed | - | | | | | | | |
| Dinoseb | µg/kg | | | | | | | |
| Arsenic | mg/kg | | | | | | | |
| Barium | mg/kg | | | | | | | |
| Cadmium | mg/kg | | | | | | | |
| Chromium | mg/kg | | | | | | | |
| Lead | mg/kg | | | | | | | |
| Mercury | mg/kg | | | | | | | |
| Nickel | mg/kg | | | | | | | |
| Selenium | mg/kg | | | | | | | |
| Silver | mg/kg | | | | | | | |
| Zinc | mg/kg | | | | | | | |
| PCB 1016 | µg/kg | | | | | | | |
| PCB 1221 | µg/kg | | | | | | | |
| PCB 1232 | µg/kg | | | | | | | |
| PCB 1242 | µg/kg | | | | | | | |
| PCB 1248 | µg/kg | | | | | | | |
| PCB 1254 | µg/kg | | | | | | | |
| PCB 1260 | µg/kg | | | | | | | |
| 2-Acetylaminofluorene | µg/kg | | | | | | | |
| Aramite | µg/kg | | | | | | | |
| Hexachlorobenzene | µg/kg | | | | | | | |
| Hexachlorocyclopentadiene | µg/kg | | | | | | | |

Notes: 1. Printed on 03/03/00

Table 3
SUMMARY OF ANALYTICAL RESULTS - SOIL
P&W East Hartford: NK Undeveloped Land Area - Outside Storage Area

Page 82 of 536

| | Location ID | NK-SB-275 | NK-SB-275 | NK-SB-275 | NK-SB-275 | NK-SB-275 | NK-SB-275 | NK-SB-275 |
|--------------------------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|------------|
| Sample ID | 1028197 | 1028196 | 1028198 | 1028199 | 1028200 | 1028201 | 1028202 | |
| Sample Date | 03/13/1997 | 03/13/1997 | 03/13/1997 | 03/13/1997 | 03/13/1997 | 03/13/1997 | 03/13/1997 | 03/13/1997 |
| Sample Time | 10:05 | 10:10 | 10:20 | 10:25 | 10:35 | 10:40 | 11:05 | |
| Sample Depth | 4' - 6' | 6' - 8' | 8' - 10' | 10' - 12' | 12' - 14' | 14' - 16' | 0' - 2' | |
| Laboratory | LEA | |
| Lab. Number | 97-2030-535 | 97-2029-534 | 97-2031-536 | 97-2032-537 | 97-2033-538 | 97-2034-539 | 97-2035-540 | |
| Constituent | Units | | | | | | | |
| Dimethoate | µg/kg | | | | | | | |
| Disulfoton | µg/kg | | | | | | | |
| Famphur | µg/kg | | | | | | | |
| Phorate | µg/kg | | | | | | | |
| 1,2-Dibromo-3-chloropropane | µg/kg | | | | | | | |
| TPH | mg/kg | | | | | | | |
| Total Solids | % | | | | | | | |
| Acenaphthylene | µg/kg | | | | | | | |
| Acenaphthalene | µg/kg | | | | | | | |
| Phenacetin | µg/kg | | | | | | | |
| Acetophenone | µg/kg | | | | | | | |
| Aniline | µg/kg | | | | | | | |
| o-Nitroaniline | µg/kg | | | | | | | |
| m-Nitroaniline | µg/kg | | | | | | | |
| p-Chloroaniline | µg/kg | | | | | | | |
| p-Nitroaniline | µg/kg | | | | | | | |
| p-Dimethylaminoazobenzene | µg/kg | | | | | | | |
| Anthracene | µg/kg | | | | | | | |
| Benzo(a)anthracene | µg/kg | | | | | | | |
| 7,12-Dimethylbenz[a]anthracene | µg/kg | | | | | | | |
| Benzo(b)fluoranthene | µg/kg | | | | | | | |
| 1,2,4,5-Tetrachlorobenzene | µg/kg | | | | | | | |
| Isosafrole | µg/kg | | | | | | | |
| 1,3,5-Trinitrobenzene | µg/kg | | | | | | | |
| m-Dinitrobenzene | µg/kg | | | | | | | |
| Safrole | µg/kg | | | | | | | |
| Nitrobenzene | µg/kg | | | | | | | |
| Benzidine | µg/kg | | | | | | | |

Notes: 1. Printed on 05/03/00

Table 3
SUMMARY OF ANALYTICAL RESULTS - SOIL
P&W East Hartford: NK Undeveloped Land Area - Outside Storage Area

Page 83 of 536

| | Location ID | NK-SB-275 |
|-------------------------------|--------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| | Sample ID | 1028197 | 1028196 | 1028198 | 1028199 | 1028200 | 1028201 | 1028202 |
| | Sample Date | 03/13/1997 | 03/13/1997 | 03/13/1997 | 03/13/1997 | 03/13/1997 | 03/13/1997 | 03/13/1997 |
| | Sample Time | 10:05 | 10:10 | 10:20 | 10:25 | 10:35 | 10:40 | 11:05 |
| | Sample Depth | 4' - 6' | 6' - 8' | 8' - 10' | 10' - 12' | 12' - 14' | 14' - 16' | 0' - 2' |
| | Laboratory | LEA |
| | Lab. Number | 97-2030-535 | 97-2029-534 | 97-2031-536 | 97-2032-537 | 97-2033-538 | 97-2034-539 | 97-2035-540 |
| Constituent | Units | | | | | | | |
| 3,3'-Dichlorobenzidine | µg/kg | | | | | | | |
| o-Tolidine | µg/kg | | | | | | | |
| Benzo[a]pyrene | µg/kg | | | | | | | |
| Benzo[ghi]perylene | µg/kg | | | | | | | |
| Benzo[k]fluoranthene | µg/kg | | | | | | | |
| Benzoic Acid | µg/kg | | | | | | | |
| Benzyl Alcohol | µg/kg | | | | | | | |
| p-Aminobiphenyl | µg/kg | | | | | | | |
| Hexachlorobutadiene | µg/kg | | | | | | | |
| n-Nitrosodi-n-butylamine | µg/kg | | | | | | | |
| trans-1,4-Dichloro-2-butylene | µg/kg | | | | | | | |
| Carbazole | µg/kg | | | | | | | |
| 3-Methylchiaranthrene | µg/kg | | | | | | | |
| Chrysene | µg/kg | | | | | | | |
| o-Cresol | µg/kg | | | | | | | |
| m-Cresol | µg/kg | | | | | | | |
| Dinitro-o-cresol | µg/kg | | | | | | | |
| p-Cresol | µg/kg | | | | | | | |
| p-Chloro-m-cresol | µg/kg | | | | | | | |
| Dibenz(a,h)anthracene | µg/kg | | | | | | | |
| Dibenzofuran | µg/kg | | | | | | | |
| n-Nitrosodiethylamine | µg/kg | | | | | | | |
| n-Nitrosodimethylamine | µg/kg | | | | | | | |
| Diphenylamine | µg/kg | | | | | | | |
| n-Nitrosodiphenylamine | µg/kg | | | | | | | |
| n-Nitrosodipropylamine | µg/kg | | | | | | | |
| Hexachloroethane | µg/kg | | | | | | | |
| 4-Bromophenyl Phenyl Ether | µg/kg | | | | | | | |

Notes: 1. Printed on 05/03/00

Table 3
SUMMARY OF ANALYTICAL RESULTS - SOIL
P&W East Hartford: NK Undeveloped Land Area - Outside Storage Area

Page 84 of 536

| | Location ID | NK-SB-275 | NK-SB-275 | NK-SB-275 | NK-SB-275 | NK-SB-275 | NK-SB-275 | NK-SB-275 |
|--|-------------|-------------|-------------|-------------|-------------|-------------|-------------|------------|
| Sample ID | 1028197 | 1028196 | 1028198 | 1028199 | 1028200 | 1028201 | 1028202 | |
| Sample Date | 03/13/1997 | 03/13/1997 | 03/13/1997 | 03/13/1997 | 03/13/1997 | 03/13/1997 | 03/13/1997 | 03/13/1997 |
| Sample Time | 10:05 | 10:10 | 10:20 | 10:25 | 10:35 | 10:40 | | 11:05 |
| Sample Depth | 4' - 6' | 6' - 8' | 8' - 10' | 10' - 12' | 12' - 14' | 14' - 16' | | 0' - 2' |
| Laboratory | LEA | |
| Lab. Number | 97-2030-535 | 97-2029-534 | 97-2031-536 | 97-2032-537 | 97-2033-538 | 97-2034-539 | 97-2035-540 | |
| Constituent | Units | | | | | | | |
| 4-Chlorophenyl phenyl ether | µg/kg | | | | | | | |
| Dichlorodiisopropyl ether | µg/kg | | | | | | | |
| Dichloroethyl Ether | µg/kg | | | | | | | |
| n-Methyl-n-nitrosoethylamine | µg/kg | | | | | | | |
| Fluoranthene | µg/kg | | | | | | | |
| Fluorene | µg/kg | | | | | | | |
| 1,2-Diphenylhydrazine | µg/kg | | | | | | | |
| Indeno(1,2,3-cd)pyrene | µg/kg | | | | | | | |
| Isophorone | µg/kg | | | | | | | |
| bis(2-Chloroethoxy)methane | µg/kg | | | | | | | |
| Ethylmethanesulfonate | µg/kg | | | | | | | |
| Methylmethanesulfonate | µg/kg | | | | | | | |
| Methapyrilene | µg/kg | | | | | | | |
| n-Nitrosomorpholine | µg/kg | | | | | | | |
| Naphthalene | µg/kg | | | | | | | |
| 2-Chloronaphthalene | µg/kg | | | | | | | |
| 2-Methylnaphthalene | µg/kg | | | | | | | |
| 1,4-Naphthoquinone | µg/kg | | | | | | | |
| alpha-Naphthylamine | µg/kg | | | | | | | |
| beta-Naphthylamine | µg/kg | | | | | | | |
| Phenanthrene | µg/kg | | | | | | | |
| alpha,alpha-Dimethylphenethylamine | µg/kg | | | | | | | |
| Phenol | µg/kg | | | | | | | |
| 2,2'-Methylenebis(3,4,6-trichlorophenol) | µg/kg | | | | | | | |
| 2,3,4,6-Tetrachlorophenol | µg/kg | | | | | | | |
| 2,4,5-Trichlorophenol | µg/kg | | | | | | | |
| 2,4,6-Trichlorophenol | µg/kg | | | | | | | |
| 2,4-Dichlorophenol | µg/kg | | | | | | | |

Notes: 1. Printed on 05/03/00

Table 3
SUMMARY OF ANALYTICAL RESULTS - SOIL
P&W East Hartford: NK Undeveloped Land Area - Outside Storage Area

Page 85 of 536

| | Location ID | NK-SB-275 | NK-SB-275 | NK-SB-275 | NK-SB-275 | NK-SB-275 | NK-SB-275 | NK-SB-276 |
|---------------------------------|-------------|-------------|-------------|-------------|-------------|-------------|------------|-------------|
| Sample ID | 1028197 | 1028196 | 1028198 | 1028199 | 1028200 | 1028201 | 1028202 | |
| Sample Date | 03/13/1997 | 03/13/1997 | 03/13/1997 | 03/13/1997 | 03/13/1997 | 03/13/1997 | 03/13/1997 | 03/13/1997 |
| Sample Time | 10:05 | 10:10 | 10:20 | 10:25 | 10:35 | 10:40 | | 11:05 |
| Sample Depth | 4' - 6' | 6' - 8' | 8' - 10' | 10' - 12' | 12' - 14' | 14' - 16' | | 0' - 2' |
| Laboratory | LEA | LEA | LEA | LEA | LEA | LEA | | LEA |
| Lab. Number | 97-2030-535 | 97-2029-534 | 97-2031-536 | 97-2032-537 | 97-2033-538 | 97-2034-539 | | 97-2035-540 |
| Constituent | Units | | | | | | | |
| 2,4-Dinitrophenol | µg/kg | | | | | | | |
| o-Chlorophenol | µg/kg | | | | | | | |
| o-Nitrophenol | µg/kg | | | | | | | |
| p-Nitrophenol | µg/kg | | | | | | | |
| Pentachlorophenol | µg/kg | | | | | | | |
| p-Phenylenediamine | µg/kg | | | | | | | |
| Butyl Benzyl Phthalate | µg/kg | | | | | | | |
| bis(2-Ethylhexyl)phthalate | µg/kg | | | | | | | |
| Di-n-butyl Phthalate | µg/kg | | | | | | | |
| Di-n-octyl Phthalate | µg/kg | | | | | | | |
| Diethyl Phthalate | µg/kg | | | | | | | |
| Dimethyl Phthalate | µg/kg | | | | | | | |
| 2-Picoline | µg/kg | | | | | | | |
| n-Nitrosopiperidine | µg/kg | | | | | | | |
| Pronamide | µg/kg | | | | | | | |
| Hexachloropropylene | µg/kg | | | | | | | |
| Pyrene | µg/kg | | | | | | | |
| Pyridine | µg/kg | | | | | | | |
| n-Nitrosopyrrolidine | µg/kg | | | | | | | |
| 4-Nitroquinoline, 1-oxide | µg/kg | | | | | | | |
| 2,4-Dinitrotoluene | µg/kg | | | | | | | |
| 2,6-Dinitrotoluene | µg/kg | | | | | | | |
| 5-Nitro-o-Toluidine | µg/kg | | | | | | | |
| o-Toluidine | µg/kg | | | | | | | |
| o,o,o-Triethyl phosphorothioate | µg/kg | | | | | | | |
| 2,4-Xylenol | µg/kg | | | | | | | |
| Acetone | µg/kg | | | | | | | |
| Acetonitrile | µg/kg | | | | | | | |

Notes: 1. Printed on 05/03/00

Table 3
SUMMARY OF ANALYTICAL RESULTS - SOIL
P&W East Hartford: NK Undeveloped Land Area - Outside Storage Area

Page 86 of 536

| | Location ID | NK-SB-275 | NK-SB-275 | NK-SB-275 | NK-SB-275 | NK-SB-275 | NK-SB-275 | NK-SB-275 |
|-----------------------------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|------------|
| Sample ID | 1028197 | 1028196 | 1028198 | 1028199 | 1028200 | 1028201 | 1028202 | |
| Sample Date | 03/13/1997 | 03/13/1997 | 03/13/1997 | 03/13/1997 | 03/13/1997 | 03/13/1997 | 03/13/1997 | 03/13/1997 |
| Sample Time | 10:05 | 10:10 | 10:20 | 10:25 | 10:35 | 10:40 | 11:05 | |
| Sample Depth | 4' - 6' | 6' - 8' | 8' - 10' | 10' - 12' | 12' - 14' | 14' - 16' | 0' - 2' | |
| Laboratory | LEA | |
| Lab. Number | 97-2030-535 | 97-2029-534 | 97-2031-536 | 97-2032-537 | 97-2033-538 | 97-2034-539 | 97-2035-540 | |
| Constituent | Units | | | | | | | |
| Acrolein | µg/kg | | | | | | | |
| Acrylonitrile | µg/kg | | | | | | | |
| Benzene | µg/kg | | | | | | | |
| Benzene (screening) | µg/xx | <7.95 | <6.21 | <8.46 NC | <7.64 | <6.97 | <7.79 | <6.97 |
| 1,2,4-Trichlorobenzene | µg/kg | | | | | | | |
| o-Dichlorobenzene | µg/kg | | | | | | | |
| m-Dichlorobenzene | µg/kg | | | | | | | |
| p-Dichlorobenzene | µg/kg | | | | | | | |
| Bromobenzene | µg/kg | | | | | | | |
| Chlorobenzene | µg/kg | | | | | | | |
| Ethyl Benzene | µg/kg | | | | | | | |
| Ethyl Benzene (screening) | µg/xx | <17.1 | <13.4 | <18.2 NC | <16.4 | <15.0 | <16.8 | <15.0 |
| Pentachlorobenzene | µg/kg | | | | | | | |
| Pentachloronitrobenzene | µg/kg | | | | | | | |
| beta-Chloroprene | µg/kg | | | | | | | |
| 2-Butanone | µg/kg | | | | | | | |
| Carbon Disulfide | µg/kg | | | | | | | |
| Carbon Tetrachloride | µg/kg | | | | | | | |
| Chloroform | µg/kg | | | | | | | |
| Dioxane | µg/kg | | | | | | | |
| 1,1,1,2-Tetrachloroethane | µg/kg | | | | | | | |
| 1,1,1-Trichloroethane | µg/kg | | | | | | | |
| 1,1,1-Trichloroethane (screening) | µg/xx | <215 | <168 | <229 NC | <207 | <188 | <211 | <188 |
| 1,1,2,2-Tetrachloroethane | µg/kg | | | | | | | |
| 1,1,2-Trichloroethane | µg/kg | | | | | | | |
| 1,1-Dichloroethane | µg/kg | | | | | | | |
| Ethylene Dibromide | µg/kg | | | | | | | |
| 1,2-Dichloroethane | µg/kg | | | | | | | |

Notes: 1. Printed on 05/03/00

Table 3
SUMMARY OF ANALYTICAL RESULTS - SOIL
P&W East Hartford: NK Undeveloped Land Area - Outside Storage Area

Page 87 of 536

| | Location ID | NK-SB-275 | NK-SB-275 | NK-SB-275 | NK-SB-275 | NK-SB-275 | NK-SB-275 | NK-SB-276 |
|---------------------------------|-------------|-------------|-------------|-------------|-------------|-------------|------------|-------------|
| Sample ID | 1028197 | 1028196 | 1028198 | 1028199 | 1028200 | 1028201 | 1028202 | |
| Sample Date | 03/13/1997 | 03/13/1997 | 03/13/1997 | 03/13/1997 | 03/13/1997 | 03/13/1997 | 03/13/1997 | 03/13/1997 |
| Sample Time | 10:05 | 10:10 | 10:20 | 10:25 | 10:35 | 10:40 | | 11:05 |
| Sample Depth | 4' - 6' | 6' - 8' | 8' - 10' | 10' - 12' | 12' - 14' | 14' - 16' | | 0' - 2' |
| Laboratory | LEA | LEA | LEA | LEA | LEA | LEA | | LEA |
| Lab. Number | 97-2030-535 | 97-2029-534 | 97-2031-536 | 97-2032-537 | 97-2033-538 | 97-2034-539 | | 97-2035-540 |
| Constituent | Units | | | | | | | |
| Chloroethane | µg/kg | | | | | | | |
| Pentachloroethane | µg/kg | | | | | | | |
| 2-Chloroethyl Vinyl ether | µg/kg | | | | | | | |
| Methyl-tert-butyl Ether | µg/kg | | | | | | | |
| 1,1-Dichloroethylene | µg/kg | | | | | | | |
| Vinyl Chloride | µg/kg | | | | | | | |
| cis-1,2-Dichloroethylene | µg/kg | | | | | | | |
| Tetrachloroethylene | µg/kg | | | | | | | |
| Tetrachloroethylene (screening) | µg/xx | <21.5 | <16.8 | <22.8 NC | <20.6 | <18.8 | <21.0 | 35 |
| trans-1,2-Dichloroethylene | µg/kg | | | | | | | |
| Trichloroethylene | µg/kg | | | | | | | |
| Trichloroethylene (screening) | µg/xx | <21.2 | <16.5 | 10 JNC | 9 J | <18.6 | 10 J | 9 J |
| Ethylmethacrylate | µg/kg | | | | | | | |
| 2-Hexanone | µg/kg | | | | | | | |
| Isobutyl Alcohol | µg/kg | | | | | | | |
| Bromomethane | µg/kg | | | | | | | |
| Bromodichloromethane | µg/kg | | | | | | | |
| Chloromethane | µg/kg | | | | | | | |
| Dibromomethane | µg/kg | | | | | | | |
| Dibromochloromethane | µg/kg | | | | | | | |
| Methylene Chloride | µg/kg | | | | | | | |
| Dichlorodifluoromethane | µg/kg | | | | | | | |
| Iodomethane | µg/kg | | | | | | | |
| Bromoform | µg/kg | | | | | | | |
| Fluorotrichloromethane | µg/kg | | | | | | | |
| Methyl Methacrylate | µg/kg | | | | | | | |
| Methyl Isobutyl Ketone | µg/kg | | | | | | | |
| 1,2,3-Trichloropropane | µg/kg | | | | | | | |

Notes: 1. Printed on 05/03/00

Table 3
SUMMARY OF ANALYTICAL RESULTS - SOIL
P&W East Hartford: NK Undeveloped Land Area - Outside Storage Area

Page 88 of 536

Notes: I. Printed on 05/03/00



Table 3
SUMMARY OF ANALYTICAL RESULTS - SOIL
P&W East Hartford: NK Undeveloped Land Area - Outside Storage Area

Page 89 of 536

| | Location ID | NK-SB-276 | NK-SB-276 | NK-SB-276 | NK-SB-276 | NK-SB-276 | NK-SB-277 | NK-SB-277 |
|--------------------------------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|------------|
| Sample ID | 1028203 | 1028204 | 1028205 | 1028206 | 1028207 | 1028208 | 1028209 | 1028209 |
| Sample Date | 03/13/1997 | 03/13/1997 | 03/13/1997 | 03/13/1997 | 03/13/1997 | 03/13/1997 | 03/13/1997 | 03/13/1997 |
| Sample Time | 11:10 | 11:20 | 11:25 | 11:35 | 11:40 | 13:15 | 13:20 | |
| Sample Depth | 2' - 4' | 4' - 6' | 6' - 8' | 8' - 10' | 10' - 12' | 0' - 2' | 2' - 4' | |
| Laboratory | LEA | |
| Lab. Number | 97-2036-541 | 97-2037-542 | 97-2038-543 | 97-2039-544 | 97-2040-545 | 97-2041-546 | 97-2042-547 | |
| Constituent | Units | | | | | | | |
| Date PCBs Analyzed | - | | | | | | | |
| Date Metals Analyzed | - | | | | | | | |
| Date Organics Analyzed | - | 03/14/1997 | 03/14/1997 | 03/14/1997 | 03/14/1997 | 03/14/1997 | 03/14/1997 | 03/14/1997 |
| Date Pesticides/Herbicides Analyzed | - | | | | | | | |
| Date Physical Analyzed | - | | | | | | | |
| Date Semi-volatile Organics Analyzed | - | | | | | | | |
| Dinoseb | µg/kg | | | | | | | |
| Arsenic | mg/kg | | | | | | | |
| Barium | mg/kg | | | | | | | |
| Cadmium | mg/kg | | | | | | | |
| Chromium | mg/kg | | | | | | | |
| Lead | mg/kg | | | | | | | |
| Mercury | mg/kg | | | | | | | |
| Nickel | mg/kg | | | | | | | |
| Selenium | mg/kg | | | | | | | |
| Silver | mg/kg | | | | | | | |
| Zinc | mg/kg | | | | | | | |
| PCB 1016 | µg/kg | | | | | | | |
| PCB 1221 | µg/kg | | | | | | | |
| PCB 1232 | µg/kg | | | | | | | |
| PCB 1242 | µg/kg | | | | | | | |
| PCB 1248 | µg/kg | | | | | | | |
| PCB 1254 | µg/kg | | | | | | | |
| PCB 1260 | µg/kg | | | | | | | |
| 2-Acetylaminofluorene | µg/kg | | | | | | | |
| Aramite | µg/kg | | | | | | | |
| Hexachlorobenzene | µg/kg | | | | | | | |
| Hexachlorocyclopentadiene | µg/kg | | | | | | | |

Notes: 1. Printed on 05/03/00

Table 3
SUMMARY OF ANALYTICAL RESULTS - SOIL
P&W East Hartford: NK Undeveloped Land Area - Outside Storage Area

Page 90 of 536

| | Location ID | NK-SB-276 | NK-SB-276 | NK-SB-276 | NK-SB-276 | NK-SB-276 | NK-SB-277 | NK-SB-277 |
|--------------------------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|------------|
| Sample ID | 1028203 | 1028204 | 1028205 | 1028206 | 1028207 | 1028208 | 1028209 | 1028209 |
| Sample Date | 03/13/1997 | 03/13/1997 | 03/13/1997 | 03/13/1997 | 03/13/1997 | 03/13/1997 | 03/13/1997 | 03/13/1997 |
| Sample Time | 11:10 | 11:20 | 11:25 | 11:35 | 11:40 | 13:15 | 13:20 | |
| Sample Depth | 2' - 4' | 4' - 6' | 6' - 8' | 8' - 10' | 10' - 12' | 0' - 2' | 2' - 4' | |
| Laboratory | LEA | LEA |
| Lab. Number | 97-2036-541 | 97-2037-542 | 97-2038-543 | 97-2039-544 | 97-2040-545 | 97-2041-546 | 97-2042-547 | |
| Constituent | Units | | | | | | | |
| Dimethoate | µg/kg | | | | | | | |
| Disulfoton | µg/kg | | | | | | | |
| Famphur | µg/kg | | | | | | | |
| Phorate | µg/kg | | | | | | | |
| 1,2-Dibromo-3-chloropropane | µg/kg | | | | | | | |
| TPH | mg/kg | | | | | | | |
| Total Solids | % | | | | | | | |
| Acenaphthylene | µg/kg | | | | | | | |
| Acenaphthalene | µg/kg | | | | | | | |
| Phenacetin | µg/kg | | | | | | | |
| Acetophenone | µg/kg | | | | | | | |
| Aniline | µg/kg | | | | | | | |
| o-Nitroaniline | µg/kg | | | | | | | |
| m-Nitroaniline | µg/kg | | | | | | | |
| p-Chloroaniline | µg/kg | | | | | | | |
| p-Nitroaniline | µg/kg | | | | | | | |
| p-Dimethylaminoazobenzene | µg/kg | | | | | | | |
| Anthracene | µg/kg | | | | | | | |
| Benzo(a)anthracene | µg/kg | | | | | | | |
| 7,12-Dimethylbenz[a]anthracene | µg/kg | | | | | | | |
| Benzo(b)fluoranthene | µg/kg | | | | | | | |
| 1,2,4,5-Tetrachlorobenzene | µg/kg | | | | | | | |
| Isosafrole | µg/kg | | | | | | | |
| 1,3,5-Trinitrobenzene | µg/kg | | | | | | | |
| m-Dinitrobenzene | µg/kg | | | | | | | |
| Safrole | µg/kg | | | | | | | |
| Nitrobenzene | µg/kg | | | | | | | |
| Benzidine | µg/kg | | | | | | | |

Notes: 1. Printed on 05/03/00

Table 3
SUMMARY OF ANALYTICAL RESULTS - SOIL
P&W East Hartford: NK Undeveloped Land Area - Outside Storage Area

Page 91 of 536

| | Location ID | NK-SB-276 | NK-SB-276 | NK-SB-276 | NK-SB-276 | NK-SB-276 | NK-SB-277 | NK-SB-277 |
|-------------------------------|--------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| | Sample ID | 1028203 | 1028204 | 1028205 | 1028206 | 1028207 | 1028208 | 1028209 |
| | Sample Date | 03/13/1997 | 03/13/1997 | 03/13/1997 | 03/13/1997 | 03/13/1997 | 03/13/1997 | 03/13/1997 |
| | Sample Time | 11:10 | 11:20 | 11:25 | 11:35 | 11:40 | 13:15 | 13:20 |
| | Sample Depth | 2' - 4' | 4' - 6' | 6' - 8' | 8' - 10' | 10' - 12' | 0' - 2' | 2' - 4' |
| | Laboratory | LEA |
| | Lab. Number | 97-2036-541 | 97-2037-542 | 97-2038-543 | 97-2039-544 | 97-2040-545 | 97-2041-546 | 97-2042-547 |
| Constituent | Units | | | | | | | |
| 3,3'-Dichlorobenzidine | µg/kg | | | | | | | |
| o-Tolidine | µg/kg | | | | | | | |
| Benzo[a]pyrene | µg/kg | | | | | | | |
| Benzo[ghi]perylene | µg/kg | | | | | | | |
| Benzo[k]fluoranthene | µg/kg | | | | | | | |
| Benzoic Acid | µg/kg | | | | | | | |
| Benzyl Alcohol | µg/kg | | | | | | | |
| p-Aminobiphenyl | µg/kg | | | | | | | |
| Hexachlorobutadiene | µg/kg | | | | | | | |
| n-Nitrosodi-n-butylamine | µg/kg | | | | | | | |
| trans-1,4-Dichloro-2-butylene | µg/kg | | | | | | | |
| Carbazole | µg/kg | | | | | | | |
| 3-Methylchloanthrene | µg/kg | | | | | | | |
| Chrysene | µg/kg | | | | | | | |
| o-Cresol | µg/kg | | | | | | | |
| m-Cresol | µg/kg | | | | | | | |
| Dinitro-o-cresol | µg/kg | | | | | | | |
| p-Cresol | µg/kg | | | | | | | |
| p-Chloro-m-cresol | µg/kg | | | | | | | |
| Dibenz(a,h)anthracene | µg/kg | | | | | | | |
| Dibenzofuran | µg/kg | | | | | | | |
| n-Nitrosodiethylamine | µg/kg | | | | | | | |
| n-Nitrosodimethylamine | µg/kg | | | | | | | |
| Diphenylamine | µg/kg | | | | | | | |
| n-Nitrosodiphenylamine | µg/kg | | | | | | | |
| n-Nitrosodipropylamine | µg/kg | | | | | | | |
| Hexachloroethane | µg/kg | | | | | | | |
| 4-Bromophenyl Phenyl Ether | µg/kg | | | | | | | |

Notes: 1. Printed on 05/03/00

Table 3
SUMMARY OF ANALYTICAL RESULTS - SOIL
P&W East Hartford: NK Undeveloped Land Area - Outside Storage Area

Page 92 of 536

| | Location ID | NK-SB-276 | NK-SB-276 | NK-SB-276 | NK-SB-276 | NK-SB-276 | NK-SB-277 | NK-SB-277 |
|--|-------------|-------------|-------------|-------------|-------------|-------------|-------------|------------|
| Sample ID | 1028203 | 1028204 | 1028205 | 1028206 | 1028207 | 1028208 | 1028209 | 1028209 |
| Sample Date | 03/13/1997 | 03/13/1997 | 03/13/1997 | 03/13/1997 | 03/13/1997 | 03/13/1997 | 03/13/1997 | 03/13/1997 |
| Sample Time | 11:10 | 11:20 | 11:25 | 11:35 | 11:40 | 13:15 | 13:20 | |
| Sample Depth | 2' - 4' | 4' - 6' | 6' - 8' | 8' - 10' | 10' - 12' | 0' - 2' | 2' - 4' | |
| Laboratory | LEA | |
| Lab. Number | 97-2036-541 | 97-2037-542 | 97-2038-543 | 97-2039-544 | 97-2040-545 | 97-2041-546 | 97-2042-547 | |
| Constituent | Units | | | | | | | |
| 4-Chlorophenyl phenyl ether | µg/kg | | | | | | | |
| Dichlorodiisopropyl ether | µg/kg | | | | | | | |
| Dichloroethyl Ether | µg/kg | | | | | | | |
| n-Methyl-n-nitrosoethylamine | µg/kg | | | | | | | |
| Fluoranthene | µg/kg | | | | | | | |
| Fluorene | µg/kg | | | | | | | |
| 1,2-Diphenylhydrazine | µg/kg | | | | | | | |
| Indeno(1,2,3-cd)pyrene | µg/kg | | | | | | | |
| Isophorone | µg/kg | | | | | | | |
| bis(2-Chloroethoxy)methane | µg/kg | | | | | | | |
| Ethylmethanesulfonate | µg/kg | | | | | | | |
| Methylmethanesulfonate | µg/kg | | | | | | | |
| Methapyrilene | µg/kg | | | | | | | |
| n-Nitrosomorpholine | µg/kg | | | | | | | |
| Naphthalene | µg/kg | | | | | | | |
| 2-Chloronaphthalene | µg/kg | | | | | | | |
| 2-Methylnaphthalene | µg/kg | | | | | | | |
| 1,4-Naphthoquinone | µg/kg | | | | | | | |
| alpha-Naphthylamine | µg/kg | | | | | | | |
| beta-Naphthylamine | µg/kg | | | | | | | |
| Phenanthrene | µg/kg | | | | | | | |
| alpha,alpha-Dimethylphenethylamine | µg/kg | | | | | | | |
| Phenol | µg/kg | | | | | | | |
| 2,2'-Methylenebis(3,4,6-trichlorophenol) | µg/kg | | | | | | | |
| 2,3,4,6-Tetrachlorophenol | µg/kg | | | | | | | |
| 2,4,5-Trichlorophenol | µg/kg | | | | | | | |
| 2,4,6-Trichlorophenol | µg/kg | | | | | | | |
| 2,4-Dichlorophenol | µg/kg | | | | | | | |

Notes: 1. Printed on 05/03/00

Table 3
SUMMARY OF ANALYTICAL RESULTS - SOIL
P&W East Hartford: NK Undeveloped Land Area - Outside Storage Area

Page 93 of 536

| | Location ID | NK-SB-276 | NK-SB-276 | NK-SB-276 | NK-SB-276 | NK-SB-276 | NK-SB-277 | NK-SB-277 |
|---------------------------------|--------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| | Sample ID | 1028203 | 1028204 | 1028205 | 1028206 | 1028207 | 1028208 | 1028209 |
| | Sample Date | 03/13/1997 | 03/13/1997 | 03/13/1997 | 03/13/1997 | 03/13/1997 | 03/13/1997 | 03/13/1997 |
| | Sample Time | 11:10 | 11:20 | 11:25 | 11:35 | 11:40 | 13:15 | 13:20 |
| | Sample Depth | 2' - 4' | 4' - 6' | 6' - 8' | 8' - 10' | 10' - 12' | 0' - 2' | 2' - 4' |
| | Laboratory | LEA |
| | Lab. Number | 97-2036-541 | 97-2037-542 | 97-2038-543 | 97-2039-544 | 97-2040-545 | 97-2041-546 | 97-2042-547 |
| Constituent | Units | | | | | | | |
| 2,4-Dinitrophenol | µg/kg | | | | | | | |
| o-Chlorophenol | µg/kg | | | | | | | |
| o-Nitrophenol | µg/kg | | | | | | | |
| p-Nitrophenol | µg/kg | | | | | | | |
| Pentachlorophenol | µg/kg | | | | | | | |
| p-Phenylenediamine | µg/kg | | | | | | | |
| Butyl Benzyl Phthalate | µg/kg | | | | | | | |
| bis(2-Ethylhexyl)phthalate | µg/kg | | | | | | | |
| Di-n-butyl Phthalate | µg/kg | | | | | | | |
| Di-n-octyl Phthalate | µg/kg | | | | | | | |
| Diethyl Phthalate | µg/kg | | | | | | | |
| Dimethyl Phthalate | µg/kg | | | | | | | |
| 2-Picoline | µg/kg | | | | | | | |
| n-Nitrosopiperidine | µg/kg | | | | | | | |
| Pronamide | µg/kg | | | | | | | |
| Hexachloropropylene | µg/kg | | | | | | | |
| Pyrene | µg/kg | | | | | | | |
| Pyridine | µg/kg | | | | | | | |
| n-Nitrosopyrrolidine | µg/kg | | | | | | | |
| 4-Nitroquinoline, 1-oxide | µg/kg | | | | | | | |
| 2,4-Dinitrotoluene | µg/kg | | | | | | | |
| 2,6-Dinitrotoluene | µg/kg | | | | | | | |
| 5-Nitro-o-Toluidine | µg/kg | | | | | | | |
| o-Toluidine | µg/kg | | | | | | | |
| o,o,o-Triethyl phosphorothioate | µg/kg | | | | | | | |
| 2,4-Xylenol | µg/kg | | | | | | | |
| Acetone | µg/kg | | | | | | | |
| Acetonitrile | µg/kg | | | | | | | |

Notes: 1. Printed on 05/03/00

Table 3
SUMMARY OF ANALYTICAL RESULTS - SOIL
P&W East Hartford: NK Undeveloped Land Area - Outside Storage Area

Page 94 of 536

| | Location ID | NK-SB-276 | NK-SB-276 | NK-SB-276 | NK-SB-276 | NK-SB-276 | NK-SB-277 | NK-SB-277 |
|-----------------------------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|------------|
| Sample ID | 1028203 | 1028204 | 1028205 | 1028206 | 1028207 | 1028208 | 1028209 | 1028209 |
| Sample Date | 03/13/1997 | 03/13/1997 | 03/13/1997 | 03/13/1997 | 03/13/1997 | 03/13/1997 | 03/13/1997 | 03/13/1997 |
| Sample Time | 11:10 | 11:20 | 11:25 | 11:35 | 11:40 | 13:15 | 13:20 | |
| Sample Depth | 2' - 4' | 4' - 6' | 6' - 8' | 8' - 10' | 10' - 12' | 0' - 2' | 2' - 4' | |
| Laboratory | LEA | |
| Lab. Number | 97-2036-541 | 97-2037-542 | 97-2038-543 | 97-2039-544 | 97-2040-545 | 97-2041-546 | 97-2042-547 | |
| Constituent | Units | | | | | | | |
| Acrolein | µg/kg | | | | | | | |
| Acrylonitrile | µg/kg | | | | | | | |
| Benzene | µg/kg | | | | | | | |
| Benzene (screening) | µg/xx | <7.23 | <6.63 | <7.95 | <7.79 | <7.79 | <7.10 | <8.28 NC |
| 1,2,4-Trichlorobenzene | µg/kg | | | | | | | |
| o-Dichlorobenzene | µg/kg | | | | | | | |
| m-Dichlorobenzene | µg/kg | | | | | | | |
| p-Dichlorobenzene | µg/kg | | | | | | | |
| Bromobenzene | µg/kg | | | | | | | |
| Chlorobenzene | µg/kg | | | | | | | |
| Ethyl Benzene | µg/kg | | | | | | | |
| Ethyl Benzene (screening) | µg/xx | <15.5 | <14.3 | <17.1 | <16.8 | <16.8 | <15.3 | <17.8 NC |
| Pentachlorobenzene | µg/kg | | | | | | | |
| Pentachloronitrobenzene | µg/kg | | | | | | | |
| beta-Chloroprene | µg/kg | | | | | | | |
| 2-Butanone | µg/kg | | | | | | | |
| Carbon Disulfide | µg/kg | | | | | | | |
| Carbon Tetrachloride | µg/kg | | | | | | | |
| Chloroform | µg/kg | | | | | | | |
| Dioxane | µg/kg | | | | | | | |
| 1,1,1,2-Tetrachloroethane | µg/kg | | | | | | | |
| 1,1,1-Trichloroethane | µg/kg | | | | | | | |
| 1,1,1-Trichloroethane (screening) | µg/xx | <195 | <179 | <215 | <211 | <211 | <192 | <224 NC |
| 1,1,2,2-Tetrachloroethane | µg/kg | | | | | | | |
| 1,1,2-Trichloroethane | µg/kg | | | | | | | |
| 1,1-Dichloroethane | µg/kg | | | | | | | |
| Ethylene Dibromide | µg/kg | | | | | | | |
| 1,2-Dichloroethane | µg/kg | | | | | | | |

Notes: 1. Printed on 05/03/00

Table 3
SUMMARY OF ANALYTICAL RESULTS - SOIL
P&W East Hartford: NK Undeveloped Land Area - Outside Storage Area

Page 95 of 536

| | Location ID | NK-SB-276 | NK-SB-276 | NK-SB-276 | NK-SB-276 | NK-SB-276 | NK-SB-277 | NK-SB-277 |
|---------------------------------|--------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| | Sample ID | 1028203 | 1028204 | 1028205 | 1028206 | 1028207 | 1028208 | 1028209 |
| | Sample Date | 03/13/1997 | 03/13/1997 | 03/13/1997 | 03/13/1997 | 03/13/1997 | 03/13/1997 | 03/13/1997 |
| | Sample Time | 11:10 | 11:20 | 11:25 | 11:35 | 11:40 | 13:15 | 13:20 |
| | Sample Depth | 2' - 4' | 4' - 6' | 6' - 8' | 8' - 10' | 10' - 12' | 0' - 2' | 2' - 4' |
| | Laboratory | LEA |
| | Lab. Number | 97-2036-541 | 97-2037-542 | 97-2038-543 | 97-2039-544 | 97-2040-545 | 97-2041-546 | 97-2042-547 |
| Constituent | Units | | | | | | | |
| Chloroethane | µg/kg | | | | | | | |
| Pentachloroethane | µg/kg | | | | | | | |
| 2-Chloroethyl Vinyl ether | µg/kg | | | | | | | |
| Methyl-tert-butyl Ether | µg/kg | | | | | | | |
| 1,1-Dichloroethylene | µg/kg | | | | | | | |
| Vinyl Chloride | µg/kg | | | | | | | |
| cis-1,2-Dichloroethylene | µg/kg | | | | | | | |
| Tetrachloroethylene | µg/kg | | | | | | | |
| Tetrachloroethylene (screening) | µg/xx | 20 E | 50 | 25 E | <21.0 | <21.0 | <19.2 | <22.3 NC |
| trans-1,2-Dichloroethylene | µg/kg | | | | | | | |
| Trichloroethylene | µg/kg | | | | | | | |
| Trichloroethylene (screening) | µg/xx | <19.2 | 10 J | 10 J | <20.7 | <20.7 | <18.9 | <22.0 NC |
| Ethylmethacrylate | µg/kg | | | | | | | |
| 2-Hexanone | µg/kg | | | | | | | |
| Isobutyl Alcohol | µg/kg | | | | | | | |
| Bromomethane | µg/kg | | | | | | | |
| Bromodichloromethane | µg/kg | | | | | | | |
| Chloromethane | µg/kg | | | | | | | |
| Dibromomethane | µg/kg | | | | | | | |
| Dibromo-chloromethane | µg/kg | | | | | | | |
| Methylene Chloride | µg/kg | | | | | | | |
| Dichlorodifluoromethane | µg/kg | | | | | | | |
| Iodomethane | µg/kg | | | | | | | |
| Bromoform | µg/kg | | | | | | | |
| Fluorotrichloromethane | µg/kg | | | | | | | |
| Methyl Methacrylate | µg/kg | | | | | | | |
| Methyl Isobutyl Ketone | µg/kg | | | | | | | |
| 1,2,3-Trichloropropane | µg/kg | | | | | | | |

Notes: 1. Printed on 05/03/00

Table 3
SUMMARY OF ANALYTICAL RESULTS - SOIL
P&W East Hartford: NK Undeveloped Land Area - Outside Storage Area

Page 96 of 536

Notes: 1. Printed on 05/03/00

Table 3
SUMMARY OF ANALYTICAL RESULTS - SOIL
P&W East Hartford: NK Undeveloped Land Area - Outside Storage Area

Page 97 of 536

| | Location ID | NK-SB-277 | NK-SB-277 | NK-SB-277 | NK-SB-277 | NK-SB-278 | NK-SB-278 | NK-SB-278 |
|--------------------------------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|------------|
| Sample ID | 1028210 | 1028211 | 1028212 | 1028213 | 1028214 | 1028215 | 1028216 | 1028216 |
| Sample Date | 03/13/1997 | 03/13/1997 | 03/13/1997 | 03/13/1997 | 03/13/1997 | 03/13/1997 | 03/13/1997 | 03/13/1997 |
| Sample Time | 13:25 | 13:30 | 13:35 | 13:40 | 14:00 | 14:05 | 14:15 | |
| Sample Depth | 4' - 6' | 6' - 8' | 8' - 10' | 10' - 12' | 0' - 2' | 2' - 4' | 4' - 6' | |
| Laboratory | LEA | LEA |
| Lab. Number | 97-2043-548 | 97-2044-549 | 97-2045-550 | 97-2046-551 | 97-2047-552 | 97-2048-553 | 97-2049-554 | |
| Constituent | Units | | | | | | | |
| Date PCBs Analyzed | - | | | | | | | |
| Date Metals Analyzed | - | | | | | | | |
| Date Organics Analyzed | - | 03/14/1997 | 03/14/1997 | 03/14/1997 | 03/14/1997 | 03/14/1997 | 03/14/1997 | 03/14/1997 |
| Date Pesticides/Herbicides Analyzed | - | | | | | | | |
| Date Physical Analyzed | - | | | | | | | |
| Date Semi-volatile Organics Analyzed | - | | | | | | | |
| Dinoseb | µg/kg | | | | | | | |
| Arsenic | mg/kg | | | | | | | |
| Barium | mg/kg | | | | | | | |
| Cadmium | mg/kg | | | | | | | |
| Chromium | mg/kg | | | | | | | |
| Lead | mg/kg | | | | | | | |
| Mercury | mg/kg | | | | | | | |
| Nickel | mg/kg | | | | | | | |
| Selenium | mg/kg | | | | | | | |
| Silver | mg/kg | | | | | | | |
| Zinc | mg/kg | | | | | | | |
| PCB 1016 | µg/kg | | | | | | | |
| PCB 1221 | µg/kg | | | | | | | |
| PCB 1232 | µg/kg | | | | | | | |
| PCB 1242 | µg/kg | | | | | | | |
| PCB 1248 | µg/kg | | | | | | | |
| PCB 1254 | µg/kg | | | | | | | |
| PCB 1260 | µg/kg | | | | | | | |
| 2-Acetylaminofluorene | µg/kg | | | | | | | |
| Aramite | µg/kg | | | | | | | |
| Hexachlorobenzene | µg/kg | | | | | | | |
| Hexachlorocyclopentadiene | µg/kg | | | | | | | |

Notes: 1. Printed on 03/03/00

(1A)

Table 3
SUMMARY OF ANALYTICAL RESULTS - SOIL
P&W East Hartford: NK Undeveloped Land Area - Outside Storage Area

Page 98 of 536

| | Location ID | NK-SB-277 | NK-SB-277 | NK-SB-277 | NK-SB-277 | NK-SB-278 | NK-SB-278 | NK-SB-278 |
|--------------------------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|------------|
| Sample ID | 1028210 | 1028211 | 1028212 | 1028213 | 1028214 | 1028215 | 1028216 | 1028216 |
| Sample Date | 03/13/1997 | 03/13/1997 | 03/13/1997 | 03/13/1997 | 03/13/1997 | 03/13/1997 | 03/13/1997 | 03/13/1997 |
| Sample Time | 13:25 | 13:30 | 13:35 | 13:40 | 14:00 | 14:05 | 14:15 | |
| Sample Depth | 4' - 6' | 6' - 8' | 8' - 10' | 10' - 12' | 0' - 2' | 2' - 4' | 4' - 6' | |
| Laboratory | LEA | |
| Lab. Number | 97-2043-548 | 97-2044-549 | 97-2045-550 | 97-2046-551 | 97-2047-552 | 97-2048-553 | 97-2049-554 | |
| Constituent | Units | | | | | | | |
| Dimethoate | µg/kg | | | | | | | |
| Disulfoton | µg/kg | | | | | | | |
| Famphur | µg/kg | | | | | | | |
| Phorate | µg/kg | | | | | | | |
| 1,2-Dibromo-3-chloropropane | µg/kg | | | | | | | |
| TPH | mg/kg | | | | | | | |
| Total Solids | % | | | | | | | |
| Acenaphthylene | µg/kg | | | | | | | |
| Acenaphthalene | µg/kg | | | | | | | |
| Phenacetin | µg/kg | | | | | | | |
| Acetophenone | µg/kg | | | | | | | |
| Aniline | µg/kg | | | | | | | |
| o-Nitroaniline | µg/kg | | | | | | | |
| m-Nitroaniline | µg/kg | | | | | | | |
| p-Chloroaniline | µg/kg | | | | | | | |
| p-Nitroaniline | µg/kg | | | | | | | |
| p-Dimethylaminoazobenzene | µg/kg | | | | | | | |
| Anthracene | µg/kg | | | | | | | |
| Benzo(a)anthracene | µg/kg | | | | | | | |
| 7,12-Dimethylbenz[a]anthracene | µg/kg | | | | | | | |
| Benzo(b)fluoranthene | µg/kg | | | | | | | |
| 1,2,4,5-Tetrachlorobenzene | µg/kg | | | | | | | |
| Isosafrole | µg/kg | | | | | | | |
| 1,3,5-Trinitrobenzene | µg/kg | | | | | | | |
| m-Dinitrobenzene | µg/kg | | | | | | | |
| Safrole | µg/kg | | | | | | | |
| Nitrobenzene | µg/kg | | | | | | | |
| Benzidine | µg/kg | | | | | | | |

Notes: 1. Printed on 03/03/00

(1A)

Table 3
SUMMARY OF ANALYTICAL RESULTS - SOIL
P&W East Hartford: NK Undeveloped Land Area - Outside Storage Area

Page 99 of 536

| | Location ID | NK-SB-277 | NK-SB-277 | NK-SB-277 | NK-SB-277 | NK-SB-278 | NK-SB-278 | NK-SB-278 |
|-------------------------------|--------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| | Sample ID | 1028210 | 1028211 | 1028212 | 1028213 | 1028214 | 1028215 | 1028216 |
| | Sample Date | 03/13/1997 | 03/13/1997 | 03/13/1997 | 03/13/1997 | 03/13/1997 | 03/13/1997 | 03/13/1997 |
| | Sample Time | 13:25 | 13:30 | 13:35 | 13:40 | 14:00 | 14:05 | 14:15 |
| | Sample Depth | 4' - 6' | 6' - 8' | 8' - 10' | 10' - 12' | 0' - 2' | 2' - 4' | 4' - 6' |
| | Laboratory | LEA |
| | Lab. Number | 97-2043-548 | 97-2044-549 | 97-2045-550 | 97-2046-551 | 97-2047-552 | 97-2048-553 | 97-2049-554 |
| Constituent | Units | | | | | | | |
| 3,3'-Dichlorobenzidine | µg/kg | | | | | | | |
| o-Tolidine | µg/kg | | | | | | | |
| Benzo[a]pyrene | µg/kg | | | | | | | |
| Benzo[ghi]perylene | µg/kg | | | | | | | |
| Benzo[k]fluoranthene | µg/kg | | | | | | | |
| Benzoic Acid | µg/kg | | | | | | | |
| Benzyl Alcohol | µg/kg | | | | | | | |
| p-Aminobiphenyl | µg/kg | | | | | | | |
| Hexachlorobutadiene | µg/kg | | | | | | | |
| n-Nitrosodi-n-butylamine | µg/kg | | | | | | | |
| trans-1,4-Dichloro-2-butylene | µg/kg | | | | | | | |
| Carbazole | µg/kg | | | | | | | |
| 3-Methylchloanthrene | µg/kg | | | | | | | |
| Chrysene | µg/kg | | | | | | | |
| o-Cresol | µg/kg | | | | | | | |
| m-Cresol | µg/kg | | | | | | | |
| Dinitro-o-cresol | µg/kg | | | | | | | |
| p-Cresol | µg/kg | | | | | | | |
| p-Chloro-m-cresol | µg/kg | | | | | | | |
| Dibenz(a,h)anthracene | µg/kg | | | | | | | |
| Dibenzofuran | µg/kg | | | | | | | |
| n-Nitrosodiethylamine | µg/kg | | | | | | | |
| n-Nitrosodimethylamine | µg/kg | | | | | | | |
| Diphenylamine | µg/kg | | | | | | | |
| n-Nitrosodiphenylamine | µg/kg | | | | | | | |
| n-Nitrosodipropylamine | µg/kg | | | | | | | |
| Hexachloroethane | µg/kg | | | | | | | |
| 4-Bromophenyl Phenyl Ether | µg/kg | | | | | | | |

Notes: 1. Printed on 03/03/00

Table 3
SUMMARY OF ANALYTICAL RESULTS - SOIL
P&W East Hartford: NK Undeveloped Land Area - Outside Storage Area

Page 100 of 536

| | Location ID | NK-SB-277 | NK-SB-277 | NK-SB-277 | NK-SB-277 | NK-SB-278 | NK-SB-278 | NK-SB-278 |
|--|-------------|-------------|-------------|-------------|-------------|-------------|-------------|------------|
| Sample ID | 1028210 | 1028211 | 1028212 | 1028213 | 1028214 | 1028215 | 1028216 | 1028216 |
| Sample Date | 03/13/1997 | 03/13/1997 | 03/13/1997 | 03/13/1997 | 03/13/1997 | 03/13/1997 | 03/13/1997 | 03/13/1997 |
| Sample Time | 13:25 | 13:30 | 13:35 | 13:40 | 14:00 | 14:05 | 14:15 | |
| Sample Depth | 4' - 6' | 6' - 8' | 8' - 10' | 10' - 12' | 0' - 2' | 2' - 4' | 4' - 6' | |
| Laboratory | LEA | |
| Lab. Number | 97-2043-548 | 97-2044-549 | 97-2045-550 | 97-2046-551 | 97-2047-552 | 97-2048-553 | 97-2049-554 | |
| Constituent | Units | | | | | | | |
| 4-Chlorophenyl phenyl ether | µg/kg | | | | | | | |
| Dichlorodisopropyl ether | µg/kg | | | | | | | |
| Dichloroethyl Ether | µg/kg | | | | | | | |
| n-Methyl-n-nitrosoethylamine | µg/kg | | | | | | | |
| Fluoranthene | µg/kg | | | | | | | |
| Fluorene | µg/kg | | | | | | | |
| 1,2-Diphenylhydrazine | µg/kg | | | | | | | |
| Indeno(1,2,3-cd)pyrene | µg/kg | | | | | | | |
| Isophorone | µg/kg | | | | | | | |
| bis(2-Chloroethoxy)methane | µg/kg | | | | | | | |
| Ethylmethanesulfonate | µg/kg | | | | | | | |
| Methylmethanesulfonate | µg/kg | | | | | | | |
| Methapyrilene | µg/kg | | | | | | | |
| n-Nitrosomorpholine | µg/kg | | | | | | | |
| Naphthalene | µg/kg | | | | | | | |
| 2-Chloronaphthalene | µg/kg | | | | | | | |
| 2-Methylnaphthalene | µg/kg | | | | | | | |
| 1,4-Naphthoquinone | µg/kg | | | | | | | |
| alpha-Naphthylamine | µg/kg | | | | | | | |
| beta-Naphthylamine | µg/kg | | | | | | | |
| Phenanthrene | µg/kg | | | | | | | |
| alpha,alpha-Dimethylphenethylamine | µg/kg | | | | | | | |
| Phenol | µg/kg | | | | | | | |
| 2,2'-Methylenebis(3,4,6-trichlorophenol) | µg/kg | | | | | | | |
| 2,3,4,6-Tetrachlorophenol | µg/kg | | | | | | | |
| 2,4,5-Trichlorophenol | µg/kg | | | | | | | |
| 2,4,6-Trichlorophenol | µg/kg | | | | | | | |
| 2,4-Dichlorophenol | µg/kg | | | | | | | |

Notes: 1. Printed on 05/03/00

LEA

Table 3
SUMMARY OF ANALYTICAL RESULTS - SOIL
P&W East Hartford: NK Undeveloped Land Area - Outside Storage Area

Page 101 of 536

| | Location ID | NK-SB-277 | NK-SB-277 | NK-SB-277 | NK-SB-277 | NK-SB-278 | NK-SB-278 | NK-SB-278 |
|---------------------------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|------------|
| Sample ID | 1028210 | 1028211 | 1028212 | 1028213 | 1028214 | 1028215 | 1028216 | 1028216 |
| Sample Date | 03/13/1997 | 03/13/1997 | 03/13/1997 | 03/13/1997 | 03/13/1997 | 03/13/1997 | 03/13/1997 | 03/13/1997 |
| Sample Time | 13:25 | 13:30 | 13:35 | 13:40 | 14:00 | 14:05 | 14:15 | |
| Sample Depth | 4' - 6' | 6' - 8' | 8' - 10' | 10' - 12' | 0' - 2' | 2' - 4' | 4' - 6' | |
| Laboratory | LEA | |
| Lab. Number | 97-2043-548 | 97-2044-549 | 97-2045-550 | 97-2046-551 | 97-2047-552 | 97-2048-553 | 97-2049-554 | |
| Constituent | Units | | | | | | | |
| 2,4-Dinitrophenol | µg/kg | | | | | | | |
| o-Chlorophenol | µg/kg | | | | | | | |
| o-Nitrophenol | µg/kg | | | | | | | |
| p-Nitrophenol | µg/kg | | | | | | | |
| Pentachlorophenol | µg/kg | | | | | | | |
| p-Phenylenediamine | µg/kg | | | | | | | |
| Butyl Benzyl Phthalate | µg/kg | | | | | | | |
| bis(2-Ethylhexyl)phthalate | µg/kg | | | | | | | |
| Di-n-butyl Phthalate | µg/kg | | | | | | | |
| Di-n-octyl Phthalate | µg/kg | | | | | | | |
| Diethyl Phthalate | µg/kg | | | | | | | |
| Dimethyl Phthalate | µg/kg | | | | | | | |
| 2-Picoline | µg/kg | | | | | | | |
| n-Nitrosopiperidine | µg/kg | | | | | | | |
| Pronamide | µg/kg | | | | | | | |
| Hexachloropropylene | µg/kg | | | | | | | |
| Pyrene | µg/kg | | | | | | | |
| Pyridine | µg/kg | | | | | | | |
| n-Nitrosopyrrolidine | µg/kg | | | | | | | |
| 4-Nitroquinoline, 1-oxide | µg/kg | | | | | | | |
| 2,4-Dinitrotoluene | µg/kg | | | | | | | |
| 2,6-Dinitrotoluene | µg/kg | | | | | | | |
| 5-Nitro-o-Toluidine | µg/kg | | | | | | | |
| o-Toluidine | µg/kg | | | | | | | |
| o,o,o-Triethyl phosphorothioate | µg/kg | | | | | | | |
| 2,4-Xylenol | µg/kg | | | | | | | |
| Acetone | µg/kg | | | | | | | |
| Acetonitrile | µg/kg | | | | | | | |

Notes: 1. Printed on 05/03/00

Table 3
SUMMARY OF ANALYTICAL RESULTS - SOIL
P&W East Hartford: NK Undeveloped Land Area - Outside Storage Area

Page 102 of 536

| | Location ID | NK-SB-277 | NK-SB-277 | NK-SB-277 | NK-SB-277 | NK-SB-278 | NK-SB-278 | NK-SB-278 |
|-----------------------------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|------------|
| Sample ID | 1028210 | 1028211 | 1028212 | 1028213 | 1028214 | 1028215 | 1028216 | |
| Sample Date | 03/13/1997 | 03/13/1997 | 03/13/1997 | 03/13/1997 | 03/13/1997 | 03/13/1997 | 03/13/1997 | 03/13/1997 |
| Sample Time | 13:25 | 13:30 | 13:35 | 13:40 | 14:00 | 14:05 | 14:15 | |
| Sample Depth | 4' - 6' | 6' - 8' | 8' - 10' | 10' - 12' | 0' - 2' | 2' - 4' | 4' - 6' | |
| Laboratory | LEA | |
| Lab. Number | 97-2043-548 | 97-2044-549 | 97-2045-550 | 97-2046-551 | 97-2047-552 | 97-2048-553 | 97-2049-554 | |
| Constituent | Units | | | | | | | |
| Acrolein | µg/kg | | | | | | | |
| Acrylonitrile | µg/kg | | | | | | | |
| Benzene | µg/kg | | | | | | | |
| Benzene (screening) | µg/xx | <6.52 | <6.97 | <8.28 NC | <7.36 | <8.46 NC | <6.31 | <6.12 |
| 1,2,4-Trichlorobenzene | µg/kg | | | | | | | |
| o-Dichlorobenzene | µg/kg | | | | | | | |
| m-Dichlorobenzene | µg/kg | | | | | | | |
| p-Dichlorobenzene | µg/kg | | | | | | | |
| Bromobenzene | µg/kg | | | | | | | |
| Chlorobenzene | µg/kg | | | | | | | |
| Ethyl Benzene | µg/kg | | | | | | | |
| Ethyl Benzene (screening) | µg/xx | <14.0 | <15.0 | <17.8 NC | <15.8 | <18.2 NC | <13.6 | <13.2 |
| Pentachlorobenzene | µg/kg | | | | | | | |
| Pentachloronitrobenzene | µg/kg | | | | | | | |
| beta-Chloroprene | µg/kg | | | | | | | |
| 2-Butanone | µg/kg | | | | | | | |
| Carbon Disulfide | µg/kg | | | | | | | |
| Carbon Tetrachloride | µg/kg | | | | | | | |
| Chloroform | µg/kg | | | | | | | |
| Dioxane | µg/kg | | | | | | | |
| 1,1,1,2-Tetrachloroethane | µg/kg | | | | | | | |
| 1,1,1-Trichloroethane | µg/kg | | | | | | | |
| 1,1,1-Trichloroethane (screening) | µg/xx | <176 | <188 | <224 NC | <199 | <229 NC | <170 | <165 |
| 1,1,2,2-Tetrachloroethane | µg/kg | | | | | | | |
| 1,1,2-Trichloroethane | µg/kg | | | | | | | |
| 1,1-Dichloroethane | µg/kg | | | | | | | |
| Ethylene Dibromide | µg/kg | | | | | | | |
| 1,2-Dichloroethane | µg/kg | | | | | | | |

Notes: 1. Printed on 03/03/00

LEA

Table 3
SUMMARY OF ANALYTICAL RESULTS - SOIL
P&W East Hartford: NK Undeveloped Land Area - Outside Storage Area

Page 103 of 536

| | Location ID | NK-SB-277 | NK-SB-277 | NK-SB-277 | NK-SB-277 | NK-SB-278 | NK-SB-278 | NK-SB-278 |
|---------------------------------|--------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| | Sample ID | 1028210 | 1028211 | 1028212 | 1028213 | 1028214 | 1028215 | 1028216 |
| | Sample Date | 03/13/1997 | 03/13/1997 | 03/13/1997 | 03/13/1997 | 03/13/1997 | 03/13/1997 | 03/13/1997 |
| | Sample Time | 13:25 | 13:30 | 13:35 | 13:40 | 14:00 | 14:05 | 14:15 |
| | Sample Depth | 4' - 6' | 6' - 8' | 8' - 10' | 10' - 12' | 0' - 2' | 2' - 4' | 4' - 6' |
| | Laboratory | LEA |
| | Lab. Number | 97-2043-548 | 97-2044-549 | 97-2045-550 | 97-2046-551 | 97-2047-552 | 97-2048-553 | 97-2049-554 |
| Constituent | Units | | | | | | | |
| Chloroethane | µg/kg | | | | | | | |
| Pentachloroethane | µg/kg | | | | | | | |
| 2-Chloroethyl Vinyl ether | µg/kg | | | | | | | |
| Methyl-tert-butyl Ether | µg/kg | | | | | | | |
| 1,1-Dichloroethylene | µg/kg | | | | | | | |
| Vinyl Chloride | µg/kg | | | | | | | |
| cis-1,2-Dichloroethylene | µg/kg | | | | | | | |
| Tetrachloroethylene | µg/kg | | | | | | | |
| Tetrachloroethylene (screening) | µg/xx | <17.6 | <18.8 | <22.3 NC | <19.9 | <22.8 NC | <17.0 | <16.5 |
| trans-1,2-Dichloroethylene | µg/kg | | | | | | | |
| Trichloroethylene | µg/kg | | | | | | | |
| Trichloroethylene (screening) | µg/xx | <17.3 | <18.6 | <22.0 NC | <19.6 | <22.5 NC | <16.8 | <16.3 |
| Ethylmethacrylate | µg/kg | | | | | | | |
| 2-Hexanone | µg/kg | | | | | | | |
| Isobutyl Alcohol | µg/kg | | | | | | | |
| Bromomethane | µg/kg | | | | | | | |
| Bromodichloromethane | µg/kg | | | | | | | |
| Chloromethane | µg/kg | | | | | | | |
| Dibromomethane | µg/kg | | | | | | | |
| Dibromochloromethane | µg/kg | | | | | | | |
| Methylene Chloride | µg/kg | | | | | | | |
| Dichlorodifluoromethane | µg/kg | | | | | | | |
| Iodomethane | µg/kg | | | | | | | |
| Bromoform | µg/kg | | | | | | | |
| Fluorotrichloromethane | µg/kg | | | | | | | |
| Methyl Methacrylate | µg/kg | | | | | | | |
| Methyl Isobutyl Ketone | µg/kg | | | | | | | |
| 1,2,3-Trichloropropane | µg/kg | | | | | | | |

Notes: 1. Printed on 05/03/00

Table 3
SUMMARY OF ANALYTICAL RESULTS - SOIL
P&W East Hartford: NK Undeveloped Land Area - Outside Storage Area

Page 104 of 536

Notes: 1. Printed on 05/03/00



Table 3
SUMMARY OF ANALYTICAL RESULTS - SOIL
P&W East Hartford: NK Undeveloped Land Area - Outside Storage Area

Page 105 of 536

| | Location ID | NK-SB-278 | NK-SB-278 | NK-SB-278 | NK-SB-279 | NK-SB-279 | NK-SB-279 | NK-SB-279 |
|--------------------------------------|--------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| | Sample ID | 1028217 | 1028218 | 1028219 | 1028220 | 1028221 | 1028222 | 1028223 |
| | Sample Date | 03/13/1997 | 03/13/1997 | 03/13/1997 | 03/13/1997 | 03/13/1997 | 03/13/1997 | 03/13/1997 |
| | Sample Time | 14:20 | 14:30 | 14:35 | 14:50 | 14:55 | 15:05 | 15:10 |
| | Sample Depth | 6' - 8' | 8' - 10' | 10' - 12' | 0' - 2' | 2' - 4' | 4' - 6' | 6' - 8' |
| | Laboratory | LEA |
| | Lab. Number | 97-2050-535 | 97-2051-556 | 97-2057-562 | 97-2058-563 | 97-2059-564 | 97-2060-565 | 97-2061-566 |
| Constituent | Units | | | | | | | |
| Date PCBs Analyzed | - | | | | | | | |
| Date Metals Analyzed | - | | | | | | | |
| Date Organics Analyzed | - | 03/14/1997 | 03/14/1997 | 03/15/1997 | 03/15/1997 | 03/15/1997 | 03/15/1997 | 03/15/1997 |
| Date Pesticides/Herbicides Analyzed | - | | | | | | | |
| Date Physical Analyzed | - | | | | | | | |
| Date Semi-volatile Organics Analyzed | - | | | | | | | |
| Dinoseb | µg/kg | | | | | | | |
| Arsenic | mg/kg | | | | | | | |
| Barium | mg/kg | | | | | | | |
| Cadmium | mg/kg | | | | | | | |
| Chromium | mg/kg | | | | | | | |
| Lead | mg/kg | | | | | | | |
| Mercury | mg/kg | | | | | | | |
| Nickel | mg/kg | | | | | | | |
| Selenium | mg/kg | | | | | | | |
| Silver | mg/kg | | | | | | | |
| Zinc | mg/kg | | | | | | | |
| PCB 1016 | µg/kg | | | | | | | |
| PCB 1221 | µg/kg | | | | | | | |
| PCB 1232 | µg/kg | | | | | | | |
| PCB 1242 | µg/kg | | | | | | | |
| PCB 1248 | µg/kg | | | | | | | |
| PCB 1254 | µg/kg | | | | | | | |
| PCB 1260 | µg/kg | | | | | | | |
| 2-Acetylaminofluorene | µg/kg | | | | | | | |
| Aramite | µg/kg | | | | | | | |
| Hexachlorobenzene | µg/kg | | | | | | | |
| Hexachlorocyclopentadiene | µg/kg | | | | | | | |

Notes: 1. Printed on 05/03/00

Table 3
SUMMARY OF ANALYTICAL RESULTS - SOIL
P&W East Hartford: NK Undeveloped Land Area - Outside Storage Area

Page 106 of 536

| | Location ID | NK-SB-278 | NK-SB-278 | NK-SB-278 | NK-SB-279 | NK-SB-279 | NK-SB-279 | NK-SB-279 |
|--------------------------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|------------|
| Sample ID | 1028217 | 1028218 | 1028219 | 1028220 | 1028221 | 1028222 | 1028223 | 1028223 |
| Sample Date | 03/13/1997 | 03/13/1997 | 03/13/1997 | 03/13/1997 | 03/13/1997 | 03/13/1997 | 03/13/1997 | 03/13/1997 |
| Sample Time | 14:20 | 14:30 | 14:35 | 14:50 | 14:55 | 15:05 | 15:10 | |
| Sample Depth | 6' - 8' | 8' - 10' | 10' - 12' | 0' - 2' | 2' - 4' | 4' - 6' | 6' - 8' | |
| Laboratory | LEA | LEA |
| Lab. Number | 97-2050-555 | 97-2051-556 | 97-2057-562 | 97-2058-563 | 97-2059-564 | 97-2060-565 | 97-2061-566 | |
| Constituent | Units | | | | | | | |
| Dimethoate | µg/kg | | | | | | | |
| Disulfoton | µg/kg | | | | | | | |
| Famphur | µg/kg | | | | | | | |
| Phorate | µg/kg | | | | | | | |
| 1,2-Dibromo-3-chloropropane | µg/kg | | | | | | | |
| TPH | mg/kg | | | | | | | |
| Total Solids | % | | | | | | | |
| Acenaphthylene | µg/kg | | | | | | | |
| Acenaphthalene | µg/kg | | | | | | | |
| Phenacetin | µg/kg | | | | | | | |
| Acetophenone | µg/kg | | | | | | | |
| Aniline | µg/kg | | | | | | | |
| o-Nitroaniline | µg/kg | | | | | | | |
| m-Nitroaniline | µg/kg | | | | | | | |
| p-Chloroaniline | µg/kg | | | | | | | |
| p-Nitroaniline | µg/kg | | | | | | | |
| p-Dimethylaminoazobenzene | µg/kg | | | | | | | |
| Anthracene | µg/kg | | | | | | | |
| Benzo(a)anthracene | µg/kg | | | | | | | |
| 7,12-Dimethylbenz[a]anthracene | µg/kg | | | | | | | |
| Benzo(b)fluoranthene | µg/kg | | | | | | | |
| 1,2,4,5-Tetrachlorobenzene | µg/kg | | | | | | | |
| Isosafrole | µg/kg | | | | | | | |
| 1,3,5-Trinitrobenzene | µg/kg | | | | | | | |
| m-Dinitrobenzene | µg/kg | | | | | | | |
| Safrole | µg/kg | | | | | | | |
| Nitrobenzene | µg/kg | | | | | | | |
| Benzidine | µg/kg | | | | | | | |

Notes: 1. Printed on 05/03/00

Table 3
SUMMARY OF ANALYTICAL RESULTS - SOIL
P&W East Hartford: NK Undeveloped Land Area - Outside Storage Area

Page 107 of 536

| | Location ID | NK-SB-278 | NK-SB-278 | NK-SB-278 | NK-SB-279 | NK-SB-279 | NK-SB-279 | NK-SB-279 |
|-------------------------------|--------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| | Sample ID | 1028217 | 1028218 | 1028219 | 1028220 | 1028221 | 1028222 | 1028223 |
| | Sample Date | 03/13/1997 | 03/13/1997 | 03/13/1997 | 03/13/1997 | 03/13/1997 | 03/13/1997 | 03/13/1997 |
| | Sample Time | 14:20 | 14:30 | 14:35 | 14:50 | 14:55 | 15:05 | 15:10 |
| | Sample Depth | 6' - 8' | 8' - 10' | 10' - 12' | 0' - 2' | 2' - 4' | 4' - 6' | 6' - 8' |
| | Laboratory | LEA |
| | Lab. Number | 97-2050-555 | 97-2051-556 | 97-2057-562 | 97-2058-563 | 97-2059-564 | 97-2060-565 | 97-2061-566 |
| Constituent | Units | | | | | | | |
| 3,3'-Dichlorobenzidine | µg/kg | | | | | | | |
| o-Tolidine | µg/kg | | | | | | | |
| Benzo[a]pyrene | µg/kg | | | | | | | |
| Benzo[ghi]perylene | µg/kg | | | | | | | |
| Benzo[k]fluoranthene | µg/kg | | | | | | | |
| Benzoic Acid | µg/kg | | | | | | | |
| Benzyl Alcohol | µg/kg | | | | | | | |
| p-Aminobiphenyl | µg/kg | | | | | | | |
| Hexachlorobutadiene | µg/kg | | | | | | | |
| n-Nitrosodi-n-butylamine | µg/kg | | | | | | | |
| trans-1,4-Dichloro-2-butylene | µg/kg | | | | | | | |
| Carbazole | µg/kg | | | | | | | |
| 3-Methylchloanthrene | µg/kg | | | | | | | |
| Chrysene | µg/kg | | | | | | | |
| o-Cresol | µg/kg | | | | | | | |
| m-Cresol | µg/kg | | | | | | | |
| Dinitro-o-cresol | µg/kg | | | | | | | |
| p-Cresol | µg/kg | | | | | | | |
| p-Chloro-m-cresol | µg/kg | | | | | | | |
| Dibenz(a,h)anthracene | µg/kg | | | | | | | |
| Dibenzofuran | µg/kg | | | | | | | |
| n-Nitrosodiethylamine | µg/kg | | | | | | | |
| n-Nitrosodimethylamine | µg/kg | | | | | | | |
| Diphenylamine | µg/kg | | | | | | | |
| n-Nitrosodiphenylamine | µg/kg | | | | | | | |
| n-Nitrosodipropylamine | µg/kg | | | | | | | |
| Hexachloroethane | µg/kg | | | | | | | |
| 4-Bromophenyl Phenyl Ether | µg/kg | | | | | | | |

Notes: 1. Printed on 05/03/00

Table 3
SUMMARY OF ANALYTICAL RESULTS - SOIL
P&W East Hartford: NK Undeveloped Land Area - Outside Storage Area

Page 108 of 536

| | Location ID | NK-SB-278 | NK-SB-278 | NK-SB-278 | NK-SB-279 | NK-SB-279 | NK-SB-279 | NK-SB-279 |
|--|-------------|-------------|-------------|-------------|-------------|-------------|-------------|------------|
| Sample ID | 1028217 | 1028218 | 1028219 | 1028220 | 1028221 | 1028222 | 1028223 | 1028223 |
| Sample Date | 03/13/1997 | 03/13/1997 | 03/13/1997 | 03/13/1997 | 03/13/1997 | 03/13/1997 | 03/13/1997 | 03/13/1997 |
| Sample Time | 14:20 | 14:30 | 14:35 | 14:50 | 14:55 | 15:05 | 15:10 | |
| Sample Depth | 6' - 8' | 8' - 10' | 10' - 12' | 0' - 2' | 2' - 4' | 4' - 6' | 6' - 8' | |
| Laboratory | LEA | LEA |
| Lab. Number | 97-2050-555 | 97-2051-556 | 97-2057-562 | 97-2058-563 | 97-2059-564 | 97-2060-565 | 97-2061-566 | |
| Constituent | Units | | | | | | | |
| 4-Chlorophenyl phenyl ether | µg/kg | | | | | | | |
| Dichlorodisopropyl ether | µg/kg | | | | | | | |
| Dichloroethyl Ether | µg/kg | | | | | | | |
| n-Methyl-n-nitrosoethylamine | µg/kg | | | | | | | |
| Fluoranthene | µg/kg | | | | | | | |
| Fluorene | µg/kg | | | | | | | |
| 1,2-Diphenylhydrazine | µg/kg | | | | | | | |
| Indeno(1,2,3-cd)pyrene | µg/kg | | | | | | | |
| Isophorone | µg/kg | | | | | | | |
| bis(2-Chloroethoxy)methane | µg/kg | | | | | | | |
| Ethylmethanesulfonate | µg/kg | | | | | | | |
| Methylmethanesulfonate | µg/kg | | | | | | | |
| Methapyrilene | µg/kg | | | | | | | |
| n-Nitrosomorpholine | µg/kg | | | | | | | |
| Naphthalene | µg/kg | | | | | | | |
| 2-Chloronaphthalene | µg/kg | | | | | | | |
| 2-Methylnaphthalene | µg/kg | | | | | | | |
| 1,4-Naphthoquinone | µg/kg | | | | | | | |
| alpha-Naphthylamine | µg/kg | | | | | | | |
| beta-Naphthylamine | µg/kg | | | | | | | |
| Phenanthrene | µg/kg | | | | | | | |
| alpha,alpha-Dimethylphenethylamine | µg/kg | | | | | | | |
| Phenol | µg/kg | | | | | | | |
| 2,2'-Methylenebis(3,4,6-trichlorophenol) | µg/kg | | | | | | | |
| 2,3,4,6-Tetrachlorophenol | µg/kg | | | | | | | |
| 2,4,5-Trichlorophenol | µg/kg | | | | | | | |
| 2,4,6-Trichlorophenol | µg/kg | | | | | | | |
| 2,4-Dichlorophenol | µg/kg | | | | | | | |

Notes: 1. Printed on 03/03/00

Table 3
SUMMARY OF ANALYTICAL RESULTS - SOIL
P&W East Hartford: NK Undeveloped Land Area - Outside Storage Area

Page 109 of 536

| | Location ID | NK-SB-278 | NK-SB-278 | NK-SB-278 | NK-SB-279 | NK-SB-279 | NK-SB-279 | NK-SB-279 |
|---------------------------------|--------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| | Sample ID | 1028217 | 1028218 | 1028219 | 1028220 | 1028221 | 1028222 | 1028223 |
| | Sample Date | 03/13/1997 | 03/13/1997 | 03/13/1997 | 03/13/1997 | 03/13/1997 | 03/13/1997 | 03/13/1997 |
| | Sample Time | 14:20 | 14:30 | 14:35 | 14:50 | 14:55 | 15:05 | 15:10 |
| | Sample Depth | 6' - 8' | 8' - 10' | 10' - 12' | 0' - 2' | 2' - 4' | 4' - 6' | 6' - 8' |
| | Laboratory | LEA |
| | Lab. Number | 97-2050-555 | 97-2051-556 | 97-2057-562 | 97-2058-563 | 97-2059-564 | 97-2060-565 | 97-2061-566 |
| Constituent | Units | | | | | | | |
| 2,4-Dinitrophenol | µg/kg | | | | | | | |
| o-Chlorophenol | µg/kg | | | | | | | |
| o-Nitrophenol | µg/kg | | | | | | | |
| p-Nitrophenol | µg/kg | | | | | | | |
| Pentachlorophenol | µg/kg | | | | | | | |
| p-Phenylenediamine | µg/kg | | | | | | | |
| Butyl Benzyl Phthalate | µg/kg | | | | | | | |
| bis(2-Ethylhexyl)phthalate | µg/kg | | | | | | | |
| Di-n-butyl Phthalate | µg/kg | | | | | | | |
| Di-n-octyl Phthalate | µg/kg | | | | | | | |
| Diethyl Phthalate | µg/kg | | | | | | | |
| Dimethyl Phthalate | µg/kg | | | | | | | |
| 2-Picoline | µg/kg | | | | | | | |
| n-Nitrosopiperidine | µg/kg | | | | | | | |
| Pronamide | µg/kg | | | | | | | |
| Hexachloropropylene | µg/kg | | | | | | | |
| Pyrene | µg/kg | | | | | | | |
| Pyridine | µg/kg | | | | | | | |
| n-Nitrosopyrrolidine | µg/kg | | | | | | | |
| 4-Nitroquinoline, 1-oxide | µg/kg | | | | | | | |
| 2,4-Dinitrotoluene | µg/kg | | | | | | | |
| 2,6-Dinitrotoluene | µg/kg | | | | | | | |
| 5-Nitro-o-Toluidine | µg/kg | | | | | | | |
| o-Toluidine | µg/kg | | | | | | | |
| o,o,o-Triethyl phosphorothioate | µg/kg | | | | | | | |
| 2,4-Xylenol | µg/kg | | | | | | | |
| Acetone | µg/kg | | | | | | | |
| Acetonitrile | µg/kg | | | | | | | |

Notes: 1. Printed on 05/03/00

Table 3
SUMMARY OF ANALYTICAL RESULTS - SOIL
P&W East Hartford: NK Undeveloped Land Area - Outside Storage Area

Page 110 of 536

| | Location ID | NK-SB-278 | NK-SB-278 | NK-SB-278 | NK-SB-279 | NK-SB-279 | NK-SB-279 | NK-SB-279 |
|-----------------------------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|------------|
| Sample ID | 1028217 | 1028218 | 1028219 | 1028220 | 1028221 | 1028222 | 1028223 | 1028223 |
| Sample Date | 03/13/1997 | 03/13/1997 | 03/13/1997 | 03/13/1997 | 03/13/1997 | 03/13/1997 | 03/13/1997 | 03/13/1997 |
| Sample Time | 14:20 | 14:30 | 14:35 | 14:50 | 14:55 | 15:05 | 15:10 | |
| Sample Depth | 6' - 8' | 8' - 10' | 10' - 12' | 0' - 2' | 2' - 4' | 4' - 6' | 6' - 8' | |
| Laboratory | LEA | LEA |
| Lab. Number | 97-2050-555 | 97-2051-556 | 97-2057-562 | 97-2058-563 | 97-2059-564 | 97-2060-565 | 97-2061-566 | |
| Constituent | Units | | | | | | | |
| Acrolein | µg/kg | | | | | | | |
| Acrylonitrile | µg/kg | | | | | | | |
| Benzene | µg/kg | | | | | | | |
| Benzene (screening) | µg/xx | <5.93 | <5.85 | <7.95 | <6.85 | <8.11 NC | <7.10 | <7.23 |
| 1,2,4-Trichlorobenzene | µg/kg | | | | | | | |
| o-Dichlorobenzene | µg/kg | | | | | | | |
| m-Dichlorobenzene | µg/kg | | | | | | | |
| p-Dichlorobenzene | µg/kg | | | | | | | |
| Bromobenzene | µg/kg | | | | | | | |
| Chlorobenzene | µg/kg | | | | | | | |
| Ethyl Benzene | µg/kg | | | | | | | |
| Ethyl Benzene (screening) | µg/xx | <12.8 | <12.6 | <17.1 | <14.7 | <17.4 NC | <15.3 | <15.5 |
| Pentachlorobenzene | µg/kg | | | | | | | |
| Pentachloronitrobenzene | µg/kg | | | | | | | |
| beta-Chloroprene | µg/kg | | | | | | | |
| 2-Butanone | µg/kg | | | | | | | |
| Carbon Disulfide | µg/kg | | | | | | | |
| Carbon Tetrachloride | µg/kg | | | | | | | |
| Chloroform | µg/kg | | | | | | | |
| Dioxane | µg/kg | | | | | | | |
| 1,1,1,2-Tetrachloroethane | µg/kg | | | | | | | |
| 1,1,1-Trichloroethane | µg/kg | | | | | | | |
| 1,1,1-Trichloroethane (screening) | µg/xx | <160 | <158 | <215 | <185 | <219 NC | <192 | <195 |
| 1,1,2,2-Tetrachloroethane | µg/kg | | | | | | | |
| 1,1,2-Trichloroethane | µg/kg | | | | | | | |
| 1,1-Dichloroethane | µg/kg | | | | | | | |
| Ethylene Dibromide | µg/kg | | | | | | | |
| 1,2-Dichloroethane | µg/kg | | | | | | | |

Notes: 1. Printed on 05/03/00

LEA

Table 3
SUMMARY OF ANALYTICAL RESULTS - SOIL
P&W East Hartford: NK Undeveloped Land Area - Outside Storage Area

Page 111 of 536

| | Location ID | NK-SB-278 | NK-SB-278 | NK-SB-278 | NK-SB-279 | NK-SB-279 | NK-SB-279 | NK-SB-279 |
|---------------------------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|------------|
| Sample ID | 1028217 | 1028218 | 1028219 | 1028220 | 1028221 | 1028222 | 1028223 | 1028223 |
| Sample Date | 03/13/1997 | 03/13/1997 | 03/13/1997 | 03/13/1997 | 03/13/1997 | 03/13/1997 | 03/13/1997 | 03/13/1997 |
| Sample Time | 14:20 | 14:30 | 14:35 | 14:50 | 14:55 | 15:05 | 15:10 | |
| Sample Depth | 6' - 8' | 8' - 10' | 10' - 12' | 0' - 2' | 2' - 4' | 4' - 6' | 6' - 8' | |
| Laboratory | LEA | LEA |
| Lab. Number | 97-2050-555 | 97-2051-556 | 97-2057-562 | 97-2058-563 | 97-2059-564 | 97-2060-565 | 97-2061-566 | |
| Constituent | Units | | | | | | | |
| Chloroethane | µg/kg | | | | | | | |
| Pentachloroethane | µg/kg | | | | | | | |
| 2-Chloroethyl Vinyl ether | µg/kg | | | | | | | |
| Methyl-tert-butyl Ether | µg/kg | | | | | | | |
| 1,1-Dichloroethylene | µg/kg | | | | | | | |
| Vinyl Chloride | µg/kg | | | | | | | |
| cis-1,2-Dichloroethylene | µg/kg | | | | | | | |
| Tetrachloroethylene | µg/kg | | | | | | | |
| Tetrachloroethylene (screening) | µg/xx | <16.0 | <15.8 | <21.5 | <18.5 | <21.9 NC | <19.2 | <19.5 |
| trans-1,2-Dichloroethylene | µg/kg | | | | | | | |
| Trichloroethylene | µg/kg | | | | | | | |
| Trichloroethylene (screening) | µg/xx | <15.8 | <15.6 | <21.2 | <18.2 | <21.6 NC | <18.9 | <19.2 |
| Ethylmethacrylate | µg/kg | | | | | | | |
| 2-Hexanone | µg/kg | | | | | | | |
| Isobutyl Alcohol | µg/kg | | | | | | | |
| Bromomethane | µg/kg | | | | | | | |
| Bromodichloromethane | µg/kg | | | | | | | |
| Chloromethane | µg/kg | | | | | | | |
| Dibromomethane | µg/kg | | | | | | | |
| Dibromochloromethane | µg/kg | | | | | | | |
| Methylene Chloride | µg/kg | | | | | | | |
| Dichlorodifluoromethane | µg/kg | | | | | | | |
| Iodomethane | µg/kg | | | | | | | |
| Bromoform | µg/kg | | | | | | | |
| Fluorotrichloromethane | µg/kg | | | | | | | |
| Methyl Methacrylate | µg/kg | | | | | | | |
| Methyl Isobutyl Ketone | µg/kg | | | | | | | |
| 1,2,3-Trichloropropane | µg/kg | | | | | | | |

Notes: 1. Printed on 03/03/00

Table 3
SUMMARY OF ANALYTICAL RESULTS - SOIL
P&W East Hartford: NK Undeveloped Land Area - Outside Storage Area

Page 112 of 536

Notes: 1. Printed on 05/03/00

Table 3
SUMMARY OF ANALYTICAL RESULTS - SOIL
P&W East Hartford: NK Undeveloped Land Area - Outside Storage Area

Page 113 of 536

| | Location ID | NK-SB-279 | NK-SB-279 | NK-SB-279 | NK-SB-279 | NK-SB-280 | NK-SB-280 | NK-SB-280 |
|--------------------------------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|------------|
| Sample ID | 1028224 | 1028225 | 1028226 | 1028227 | 1028230 | 1028231 | 1028231 | 1028231 |
| Sample Date | 03/13/1997 | 03/13/1997 | 03/13/1997 | 03/13/1997 | 03/14/1997 | 03/14/1997 | 03/14/1997 | 03/14/1997 |
| Sample Time | 15:20 | 15:25 | 15:35 | 15:40 | 09:15 | 09:20 | 09:20 | 09:20 |
| Sample Depth | 8' - 10' | 10' - 12' | 12' - 14' | 14' - 16' | 0' - 2' | 2' - 4' | 2' - 4' | 2' - 4' |
| Laboratory | LEA | LEA |
| Lab. Number | 97-2062-567 | 97-2063-568 | 97-2064-569 | 97-2065-570 | 97-2071-575 | 97-2074-578 | 97-2075-579 | |
| Constituent | Units | | | | | | | |
| Date PCBs Analyzed | - | | | | | | | |
| Date Metals Analyzed | - | | | | | | | |
| Date Organics Analyzed | - | 03/15/1997 | 03/15/1997 | 03/15/1997 | 03/15/1997 | 03/15/1997 | 03/15/1997 | 03/15/1997 |
| Date Pesticides/Herbicides Analyzed | - | | | | | | | |
| Date Physical Analyzed | - | | | | | | | |
| Date Semi-volatile Organics Analyzed | - | | | | | | | |
| Dinoseb | µg/kg | | | | | | | |
| Arsenic | mg/kg | | | | | | | |
| Barium | mg/kg | | | | | | | |
| Cadmium | mg/kg | | | | | | | |
| Chromium | mg/kg | | | | | | | |
| Lead | mg/kg | | | | | | | |
| Mercury | mg/kg | | | | | | | |
| Nickel | mg/kg | | | | | | | |
| Selenium | mg/kg | | | | | | | |
| Silver | mg/kg | | | | | | | |
| Zinc | mg/kg | | | | | | | |
| PCB 1016 | µg/kg | | | | | | | |
| PCB 1221 | µg/kg | | | | | | | |
| PCB 1232 | µg/kg | | | | | | | |
| PCB 1242 | µg/kg | | | | | | | |
| PCB 1248 | µg/kg | | | | | | | |
| PCB 1254 | µg/kg | | | | | | | |
| PCB 1260 | µg/kg | | | | | | | |
| 2-Acetylaminofluorene | µg/kg | | | | | | | |
| Aramite | µg/kg | | | | | | | |
| Hexachlorobenzene | µg/kg | | | | | | | |
| Hexachlorocyclopentadiene | µg/kg | | | | | | | |

Notes: 1. Printed on 05/03/00

Table 3
SUMMARY OF ANALYTICAL RESULTS - SOIL
P&W East Hartford: NK Undeveloped Land Area - Outside Storage Area

Page 114 of 536

| | Location ID | NK-SB-279 | NK-SB-279 | NK-SB-279 | NK-SB-279 | NK-SB-280 | NK-SB-280 | NK-SB-280 |
|--------------------------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|------------|
| Sample ID | 1028224 | 1028225 | 1028226 | 1028227 | 1028230 | 1028231 | 1028231 | 1028231 |
| Sample Date | 03/13/1997 | 03/13/1997 | 03/13/1997 | 03/13/1997 | 03/14/1997 | 03/14/1997 | 03/14/1997 | 03/14/1997 |
| Sample Time | 15:20 | 15:25 | 15:35 | 15:40 | 09:15 | 09:20 | 09:20 | 09:20 |
| Sample Depth | 8' - 10' | 10' - 12' | 12' - 14' | 14' - 16' | 0' - 2' | 2' - 4' | 2' - 4' | 2' - 4' |
| Laboratory | LEA | LEA |
| Lab. Number | 97-2062-567 | 97-2063-568 | 97-2064-569 | 97-2065-570 | 97-2071-575 | 97-2074-578 | 97-2075-579 | |
| Constituent | Units | | | | | | | |
| Dimethoate | µg/kg | | | | | | | |
| Disulfoton | µg/kg | | | | | | | |
| Famphur | µg/kg | | | | | | | |
| Phorate | µg/kg | | | | | | | |
| 1,2-Dibromo-3-chloropropane | µg/kg | | | | | | | |
| TPH | mg/kg | | | | | | | |
| Total Solids | % | | | | | | | |
| Acenaphthylene | µg/kg | | | | | | | |
| Acenaphthalene | µg/kg | | | | | | | |
| Phenacetin | µg/kg | | | | | | | |
| Acetophenone | µg/kg | | | | | | | |
| Aniline | µg/kg | | | | | | | |
| o-Nitroaniline | µg/kg | | | | | | | |
| m-Nitroaniline | µg/kg | | | | | | | |
| p-Chloroaniline | µg/kg | | | | | | | |
| p-Nitroaniline | µg/kg | | | | | | | |
| p-Dimethylaminoazobenzene | µg/kg | | | | | | | |
| Anthracene | µg/kg | | | | | | | |
| Benzo(a)anthracene | µg/kg | | | | | | | |
| 7,12-Dimethylbenz[a]anthracene | µg/kg | | | | | | | |
| Benzo(b)fluoranthene | µg/kg | | | | | | | |
| 1,2,4,5-Tetrachlorobenzene | µg/kg | | | | | | | |
| Isosafrole | µg/kg | | | | | | | |
| 1,3,5-Trinitrobenzene | µg/kg | | | | | | | |
| m-Dinitrobenzene | µg/kg | | | | | | | |
| Safrole | µg/kg | | | | | | | |
| Nitrobenzene | µg/kg | | | | | | | |
| Benzidine | µg/kg | | | | | | | |

Notes: 1. Printed on 03/03/00

Table 3
SUMMARY OF ANALYTICAL RESULTS - SOIL
P&W East Hartford: NK Undeveloped Land Area - Outside Storage Area

Page 115 of 536

| | Location ID | NK-SB-279 | NK-SB-279 | NK-SB-279 | NK-SB-279 | NK-SB-280 | NK-SB-280 | NK-SB-280 |
|-------------------------------|--------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| | Sample ID | 1028224 | 1028225 | 1028226 | 1028227 | 1028230 | 1028231 | 1028231 |
| | Sample Date | 03/13/1997 | 03/13/1997 | 03/13/1997 | 03/13/1997 | 03/14/1997 | 03/14/1997 | 03/14/1997 |
| | Sample Time | 15:20 | 15:25 | 15:35 | 15:40 | 09:15 | 09:20 | 09:20 |
| | Sample Depth | 8' - 10' | 10' - 12' | 12' - 14' | 14' - 16' | 0' - 2' | 2' - 4' | 2' - 4' |
| | Laboratory | LEA |
| | Lab. Number | 97-2062-567 | 97-2063-568 | 97-2064-569 | 97-2065-570 | 97-2071-575 | 97-2074-578 | 97-2075-579 |
| Constituent | Units | | | | | | | |
| 3,3'-Dichlorobenzidine | µg/kg | | | | | | | |
| o-Tolidine | µg/kg | | | | | | | |
| Benzo[a]pyrene | µg/kg | | | | | | | |
| Benzo[ghi]perylene | µg/kg | | | | | | | |
| Benzo[k]fluoranthene | µg/kg | | | | | | | |
| Benzoic Acid | µg/kg | | | | | | | |
| Benzyl Alcohol | µg/kg | | | | | | | |
| p-Aminobiphenyl | µg/kg | | | | | | | |
| Hexachlorobutadiene | µg/kg | | | | | | | |
| n-Nitrosodi-n-butylamine | µg/kg | | | | | | | |
| trans-1,4-Dichloro-2-butylene | µg/kg | | | | | | | |
| Carbazole | µg/kg | | | | | | | |
| 3-Methylchloanthrene | µg/kg | | | | | | | |
| Chrysene | µg/kg | | | | | | | |
| o-Cresol | µg/kg | | | | | | | |
| m-Cresol | µg/kg | | | | | | | |
| Dinitro-o-cresol | µg/kg | | | | | | | |
| p-Cresol | µg/kg | | | | | | | |
| p-Chloro-m-cresol | µg/kg | | | | | | | |
| Dibenz(a,h)anthracene | µg/kg | | | | | | | |
| Dibenzofuran | µg/kg | | | | | | | |
| n-Nitrosodiethylamine | µg/kg | | | | | | | |
| n-Nitrosodimethylamine | µg/kg | | | | | | | |
| Diphenylamine | µg/kg | | | | | | | |
| n-Nitrosodiphenylamine | µg/kg | | | | | | | |
| n-Nitrosodipropylamine | µg/kg | | | | | | | |
| Hexachloroethane | µg/kg | | | | | | | |
| 4-Bromophenyl Phenyl Ether | µg/kg | | | | | | | |

Notes: 1. Printed on 05/03/00

Table 3
SUMMARY OF ANALYTICAL RESULTS - SOIL
P&W East Hartford: NK Undeveloped Land Area - Outside Storage Area

Page 116 of 536

| | Location ID | NK-SB-279 | NK-SB-279 | NK-SB-279 | NK-SB-279 | NK-SB-280 | NK-SB-280 | NK-SB-280 |
|---|-------------|-------------|-------------|-------------|-------------|-------------|-------------|------------|
| Sample ID | 1028224 | 1028225 | 1028226 | 1028227 | 1028230 | 1028231 | 1028231 | 1028231 |
| Sample Date | 03/13/1997 | 03/13/1997 | 03/13/1997 | 03/13/1997 | 03/14/1997 | 03/14/1997 | 03/14/1997 | 03/14/1997 |
| Sample Time | 15:20 | 15:25 | 15:35 | 15:40 | 09:15 | 09:20 | 09:20 | 09:20 |
| Sample Depth | 8' - 10' | 10' - 12' | 12' - 14' | 14' - 16' | 0' - 2' | 2' - 4' | 2' - 4' | 2' - 4' |
| Laboratory | LEA | LEA |
| Lab. Number | 97-2062-567 | 97-2063-568 | 97-2064-569 | 97-2065-570 | 97-2071-575 | 97-2074-578 | 97-2075-579 | |
| Constituent | Units | | | | | | | |
| 4-Chlorophenyl phenyl ether | µg/kg | | | | | | | |
| Dichlorodiisopropyl ether | µg/kg | | | | | | | |
| Dichloroethyl Ether | µg/kg | | | | | | | |
| n-Methyl-n-nitrosoethylamine | µg/kg | | | | | | | |
| Fluoranthene | µg/kg | | | | | | | |
| Fluorene | µg/kg | | | | | | | |
| 1,2-Diphenylhydrazine | µg/kg | | | | | | | |
| Indeno(1,2,3-cd)pyrene | µg/kg | | | | | | | |
| Isophorone | µg/kg | | | | | | | |
| bis(2-Chloroethoxy)methane | µg/kg | | | | | | | |
| Ethylmethanesulfonate | µg/kg | | | | | | | |
| Methylmethanesulfonate | µg/kg | | | | | | | |
| Methapyrilene | µg/kg | | | | | | | |
| n-Nitrosomorpholine | µg/kg | | | | | | | |
| Naphthalene | µg/kg | | | | | | | |
| 2-Chloronaphthalene | µg/kg | | | | | | | |
| 2-Methylnaphthalene | µg/kg | | | | | | | |
| 1,4-Naphthoquinone | µg/kg | | | | | | | |
| alpha-Naphthylamine | µg/kg | | | | | | | |
| beta-Naphthylamine | µg/kg | | | | | | | |
| Phenanthrene | µg/kg | | | | | | | |
| alpha,alpha-Dimethylphenethylamine | µg/kg | | | | | | | |
| Phenol | µg/kg | | | | | | | |
| 2,2'-Methylenebis(3,4,6-trichloropheno) | µg/kg | | | | | | | |
| 2,3,4,6-Tetrachlorophenol | µg/kg | | | | | | | |
| 2,4,5-Trichlorophenol | µg/kg | | | | | | | |
| 2,4,6-Trichlorophenol | µg/kg | | | | | | | |
| 2,4-Dichlorophenol | µg/kg | | | | | | | |

Notes: 1. Printed on 05/03/00

Table 3
SUMMARY OF ANALYTICAL RESULTS - SOIL
P&W East Hartford: NK Undeveloped Land Area - Outside Storage Area

Page 117 of 536

| | Location ID | NK-SB-279 | NK-SB-279 | NK-SB-279 | NK-SB-279 | NK-SB-280 | NK-SB-280 | NK-SB-280 |
|---------------------------------|--------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| | Sample ID | 1028224 | 1028225 | 1028226 | 1028227 | 1028230 | 1028231 | 1028231 |
| | Sample Date | 03/13/1997 | 03/13/1997 | 03/13/1997 | 03/13/1997 | 03/14/1997 | 03/14/1997 | 03/14/1997 |
| | Sample Time | 15:20 | 15:25 | 15:35 | 15:40 | 09:15 | 09:20 | 09:20 |
| | Sample Depth | 8' - 10' | 10' - 12' | 12' - 14' | 14' - 16' | 0' - 2' | 2' - 4' | 2' - 4' |
| | Laboratory | LEA |
| | Lab. Number | 97-2062-567 | 97-2063-568 | 97-2064-569 | 97-2065-570 | 97-2071-575 | 97-2074-578 | 97-2075-579 |
| Constituent | Units | | | | | | | |
| 2,4-Dinitrophenol | µg/kg | | | | | | | |
| o-Chlorophenol | µg/kg | | | | | | | |
| o-Nitrophenol | µg/kg | | | | | | | |
| p-Nitrophenol | µg/kg | | | | | | | |
| Pentachlorophenol | µg/kg | | | | | | | |
| p-Phenylenediamine | µg/kg | | | | | | | |
| Butyl Benzyl Phthalate | µg/kg | | | | | | | |
| bis(2-Ethylhexyl)phthalate | µg/kg | | | | | | | |
| Di-n-butyl Phthalate | µg/kg | | | | | | | |
| Di-n-octyl Phthalate | µg/kg | | | | | | | |
| Diethyl Phthalate | µg/kg | | | | | | | |
| Dimethyl Phthalate | µg/kg | | | | | | | |
| 2-Picoline | µg/kg | | | | | | | |
| n-Nitrosopiperidine | µg/kg | | | | | | | |
| Pronamide | µg/kg | | | | | | | |
| Hexachloropropylene | µg/kg | | | | | | | |
| Pyrene | µg/kg | | | | | | | |
| Pyridine | µg/kg | | | | | | | |
| n-Nitrosopyrrolidine | µg/kg | | | | | | | |
| 4-Nitroquinoline, 1-oxide | µg/kg | | | | | | | |
| 2,4-Dinitrotoluene | µg/kg | | | | | | | |
| 2,6-Dinitrotoluene | µg/kg | | | | | | | |
| 5-Nitro-o-Toluidine | µg/kg | | | | | | | |
| o-Toluidine | µg/kg | | | | | | | |
| o,o,o-Triethyl phosphorothioate | µg/kg | | | | | | | |
| 2,4-Xylenol | µg/kg | | | | | | | |
| Acetone | µg/kg | | | | | | | |
| Acetonitrile | µg/kg | | | | | | | |

Notes: 1. Printed on 05/03/00

Table 3
SUMMARY OF ANALYTICAL RESULTS - SOIL
P&W East Hartford: NK Undeveloped Land Area - Outside Storage Area

Page 118 of 536

| | Location ID | NK-SB-279 | NK-SB-279 | NK-SB-279 | NK-SB-279 | NK-SB-280 | NK-SB-280 | NK-SB-280 |
|-----------------------------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|------------|
| Sample ID | 1028224 | 1028225 | 1028226 | 1028227 | 1028230 | 1028231 | 1028231 | 1028231 |
| Sample Date | 03/13/1997 | 03/13/1997 | 03/13/1997 | 03/13/1997 | 03/14/1997 | 03/14/1997 | 03/14/1997 | 03/14/1997 |
| Sample Time | 15:20 | 15:25 | 15:35 | 15:40 | 09:15 | 09:20 | 09:20 | 09:20 |
| Sample Depth | 8' - 10' | 10' - 12' | 12' - 14' | 14' - 16' | 0' - 2' | 2' - 4' | 2' - 4' | 2' - 4' |
| Laboratory | LEA | LEA |
| Lab. Number | 97-2062-567 | 97-2063-568 | 97-2064-569 | 97-2065-570 | 97-2071-575 | 97-2074-578 | 97-2075-579 | |
| Constituent | Units | | | | | | | |
| Acrolein | µg/kg | | | | | | | |
| Acrylonitrile | µg/kg | | | | | | | |
| Benzene | µg/kg | | | | | | | |
| Benzene (screening) | µg/xx | <7.79 | <6.41 | <6.21 | <6.97 | <7.79 | <8.11 NC | <8.11 NC |
| 1,2,4-Trichlorobenzene | µg/kg | | | | | | | |
| o-Dichlorobenzene | µg/kg | | | | | | | |
| m-Dichlorobenzene | µg/kg | | | | | | | |
| p-Dichlorobenzene | µg/kg | | | | | | | |
| Bromobenzene | µg/kg | | | | | | | |
| Chlorobenzene | µg/kg | | | | | | | |
| Ethyl Benzene | µg/kg | | | | | | | |
| Ethyl Benzene (screening) | µg/xx | <16.8 | <13.8 | <13.4 | <15.0 | <16.8 | <17.4 NC | 37 NC |
| Pentachlorobenzene | µg/kg | | | | | | | |
| Pentachloronitrobenzene | µg/kg | | | | | | | |
| beta-Chloroprene | µg/kg | | | | | | | |
| 2-Butanone | µg/kg | | | | | | | |
| Carbon Disulfide | µg/kg | | | | | | | |
| Carbon Tetrachloride | µg/kg | | | | | | | |
| Chloroform | µg/kg | | | | | | | |
| Dioxane | µg/kg | | | | | | | |
| 1,1,1,2-Tetrachloroethane | µg/kg | | | | | | | |
| 1,1,1-Trichloroethane | µg/kg | | | | | | | |
| 1,1,1-Trichloroethane (screening) | µg/xx | <211 | <173 | <168 | <188 | <211 | <219 NC | <219 NC |
| 1,1,2,2-Tetrachloroethane | µg/kg | | | | | | | |
| 1,1,2-Trichloroethane | µg/kg | | | | | | | |
| 1,1-Dichloroethane | µg/kg | | | | | | | |
| Ethylene Dibromide | µg/kg | | | | | | | |
| 1,2-Dichloroethane | µg/kg | | | | | | | |

Notes: 1. Printed on 05/03/00



Table 3
SUMMARY OF ANALYTICAL RESULTS - SOIL
P&W East Hartford: NK Undeveloped Land Area - Outside Storage Area

Page 119 of 536

| | Location ID | NK-SB-279 | NK-SB-279 | NK-SB-279 | NK-SB-279 | NK-SB-280 | NK-SB-280 | NK-SB-280 |
|---------------------------------|--------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| | Sample ID | 1028224 | 1028225 | 1028226 | 1028227 | 1028230 | 1028231 | 1028231 |
| | Sample Date | 03/13/1997 | 03/13/1997 | 03/13/1997 | 03/13/1997 | 03/14/1997 | 03/14/1997 | 03/14/1997 |
| | Sample Time | 15:20 | 15:25 | 15:35 | 15:40 | 09:15 | 09:20 | 09:20 |
| | Sample Depth | 8' - 10' | 10' - 12' | 12' - 14' | 14' - 16' | 0' - 2' | 2' - 4' | 2' - 4' |
| | Laboratory | LEA |
| | Lab. Number | 97-2062-567 | 97-2063-568 | 97-2064-569 | 97-2065-570 | 97-2071-575 | 97-2074-578 | 97-2075-579 |
| Constituent | Units | | | | | | | |
| Chloroethane | µg/kg | | | | | | | |
| Pentachloroethane | µg/kg | | | | | | | |
| 2-Chloroethyl Vinyl ether | µg/kg | | | | | | | |
| Methyl-tert-butyl Ether | µg/kg | | | | | | | |
| 1,1-Dichloroethylene | µg/kg | | | | | | | |
| Vinyl Chloride | µg/kg | | | | | | | |
| cis-1,2-Dichloroethylene | µg/kg | | | | | | | |
| Tetrachloroethylene | µg/kg | | | | | | | |
| Tetrachloroethylene (screening) | µg/xx | <21.0 | <17.3 | <16.8 | <18.8 | <21.0 | <21.9 NC | <21.9 NC |
| trans-1,2-Dichloroethylene | µg/kg | | | | | | | |
| Trichloroethylene | µg/kg | | | | | | | |
| Trichloroethylene (screening) | µg/xx | <20.7 | <17.1 | <16.5 | <18.6 | <20.7 | <21.6 NC | <21.6 NC |
| Ethylmethacrylate | µg/kg | | | | | | | |
| 2-Hexanone | µg/kg | | | | | | | |
| Isobutyl Alcohol | µg/kg | | | | | | | |
| Bromomethane | µg/kg | | | | | | | |
| Bromodichloromethane | µg/kg | | | | | | | |
| Chloromethane | µg/kg | | | | | | | |
| Dibromomethane | µg/kg | | | | | | | |
| Dibromo-chloromethane | µg/kg | | | | | | | |
| Methylene Chloride | µg/kg | | | | | | | |
| Dichlorodifluoromethane | µg/kg | | | | | | | |
| Iodomethane | µg/kg | | | | | | | |
| Bromoform | µg/kg | | | | | | | |
| Fluorotrichloromethane | µg/kg | | | | | | | |
| Methyl Methacrylate | µg/kg | | | | | | | |
| Methyl Isobutyl Ketone | µg/kg | | | | | | | |
| 1,2,3-Trichloropropane | µg/kg | | | | | | | |

Notes: 1. Printed on 05/03/00

LEA

Table 3
SUMMARY OF ANALYTICAL RESULTS - SOIL
P&W East Hartford: NK Undeveloped Land Area - Outside Storage Area

Page 120 of 536

Notes: 1. Printed on 05/03/00

Table 3
SUMMARY OF ANALYTICAL RESULTS - SOIL
P&W East Hartford: NK Undeveloped Land Area - Outside Storage Area

Page 121 of 536

| | Location ID | NK-SB-280 | NK-SB-280 | NK-SB-280 | NK-SB-280 | NK-SB-280 | NK-SB-280 | NK-SB-281 |
|--------------------------------------|-------------|-------------|-------------|-------------|-------------|-------------|------------|-------------|
| Sample ID | 1028232 | 1028233 | 1028234 | 1028235 | 1028236 | 1028237 | 1028238 | |
| Sample Date | 03/14/1997 | 03/14/1997 | 03/14/1997 | 03/14/1997 | 03/14/1997 | 03/14/1997 | 03/14/1997 | 03/14/1997 |
| Sample Time | 09:30 | 09:35 | 09:45 | 09:50 | 10:10 | 10:15 | | 10:20 |
| Sample Depth | 4' - 6' | 6' - 8' | 8' - 10' | 10' - 12' | 12' - 14' | 14' - 16' | | 0' - 2' |
| Laboratory | LEA | LEA | LEA | LEA | LEA | LEA | | LEA |
| Lab. Number | 97-2076-580 | 97-2077-581 | 97-2078-582 | 97-2079-583 | 97-2080-584 | 97-2081-585 | | 97-2082-586 |
| Constituent | Units | | | | | | | |
| Date PCBs Analyzed | - | | | | | | | |
| Date Metals Analyzed | - | | | | | | | |
| Date Organics Analyzed | - | 03/15/1997 | 03/15/1997 | 03/15/1997 | 03/15/1997 | 03/15/1997 | 03/15/1997 | 03/15/1997 |
| Date Pesticides/Herbicides Analyzed | - | | | | | | | |
| Date Physical Analyzed | - | | | | | | | |
| Date Semi-volatile Organics Analyzed | - | | | | | | | |
| Dinoseb | µg/kg | | | | | | | |
| Arsenic | mg/kg | | | | | | | |
| Barium | mg/kg | | | | | | | |
| Cadmium | mg/kg | | | | | | | |
| Chromium | mg/kg | | | | | | | |
| Lead | mg/kg | | | | | | | |
| Mercury | mg/kg | | | | | | | |
| Nickel | mg/kg | | | | | | | |
| Selenium | mg/kg | | | | | | | |
| Silver | mg/kg | | | | | | | |
| Zinc | mg/kg | | | | | | | |
| PCB 1016 | µg/kg | | | | | | | |
| PCB 1221 | µg/kg | | | | | | | |
| PCB 1232 | µg/kg | | | | | | | |
| PCB 1242 | µg/kg | | | | | | | |
| PCB 1248 | µg/kg | | | | | | | |
| PCB 1254 | µg/kg | | | | | | | |
| PCB 1260 | µg/kg | | | | | | | |
| 2-Acetylaminofluorene | µg/kg | | | | | | | |
| Aramite | µg/kg | | | | | | | |
| Hexachlorobenzene | µg/kg | | | | | | | |
| Hexachlorocyclopentadiene | µg/kg | | | | | | | |

Notes: 1. Printed on 05/03/00

Table 3
SUMMARY OF ANALYTICAL RESULTS - SOIL
P&W East Hartford: NK Undeveloped Land Area - Outside Storage Area

Page 122 of 536

| | Location ID | NK-SB-280 | NK-SB-280 | NK-SB-280 | NK-SB-280 | NK-SB-280 | NK-SB-280 | NK-SB-281 |
|--------------------------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-----------|
| Sample ID | 1028232 | 1028233 | 1028234 | 1028235 | 1028236 | 1028237 | 1028238 | |
| Sample Date | 03/14/1997 | 03/14/1997 | 03/14/1997 | 03/14/1997 | 03/14/1997 | 03/14/1997 | 03/14/1997 | |
| Sample Time | 09:30 | 09:35 | 09:45 | 09:50 | 10:10 | 10:15 | 10:20 | |
| Sample Depth | 4' - 6' | 6' - 8' | 8' - 10' | 10' - 12' | 12' - 14' | 14' - 16' | 0' - 2' | |
| Laboratory | LEA | |
| Lab. Number | 97-2076-580 | 97-2077-581 | 97-2078-582 | 97-2079-583 | 97-2080-584 | 97-2081-585 | 97-2082-586 | |
| Constituent | Units | | | | | | | |
| Dimethoate | µg/kg | | | | | | | |
| Disulfoton | µg/kg | | | | | | | |
| Famphur | µg/kg | | | | | | | |
| Phorate | µg/kg | | | | | | | |
| 1,2-Dibromo-3-chloropropane | µg/kg | | | | | | | |
| TPH | mg/kg | | | | | | | |
| Total Solids | % | | | | | | | |
| Acenaphthylene | µg/kg | | | | | | | |
| Acenaphthalene | µg/kg | | | | | | | |
| Phenacetin | µg/kg | | | | | | | |
| Acetophenone | µg/kg | | | | | | | |
| Aniline | µg/kg | | | | | | | |
| o-Nitroaniline | µg/kg | | | | | | | |
| m-Nitroaniline | µg/kg | | | | | | | |
| p-Chloroaniline | µg/kg | | | | | | | |
| p-Nitroaniline | µg/kg | | | | | | | |
| p-Dimethylaminoazobenzene | µg/kg | | | | | | | |
| Anthracene | µg/kg | | | | | | | |
| Benzo(a)anthracene | µg/kg | | | | | | | |
| 7,12-Dimethylbenz[a]anthracene | µg/kg | | | | | | | |
| Benzo(b)fluoranthene | µg/kg | | | | | | | |
| 1,2,4,5-Tetrachlorobenzene | µg/kg | | | | | | | |
| Isosafrole | µg/kg | | | | | | | |
| 1,3,5-Trinitrobenzene | µg/kg | | | | | | | |
| m-Dinitrobenzene | µg/kg | | | | | | | |
| Safrole | µg/kg | | | | | | | |
| Nitrobenzene | µg/kg | | | | | | | |
| Benzidine | µg/kg | | | | | | | |

Notes: 1. Printed on 05/03/00

Table 3
SUMMARY OF ANALYTICAL RESULTS - SOIL
P&W East Hartford: NK Undeveloped Land Area - Outside Storage Area

Page 123 of 536

| | Location ID | NK-SB-280 | NK-SB-280 | NK-SB-280 | NK-SB-280 | NK-SB-280 | NK-SB-280 | NK-SB-281 |
|-------------------------------|--------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| | Sample ID | 1028232 | 1028233 | 1028234 | 1028235 | 1028236 | 1028237 | 1028238 |
| | Sample Date | 03/14/1997 | 03/14/1997 | 03/14/1997 | 03/14/1997 | 03/14/1997 | 03/14/1997 | 03/14/1997 |
| | Sample Time | 09:30 | 09:35 | 09:45 | 09:50 | 10:10 | 10:15 | 10:20 |
| | Sample Depth | 4' - 6' | 6' - 8' | 8' - 10' | 10' - 12' | 12' - 14' | 14' - 16' | 0' - 2' |
| | Laboratory | LEA |
| | Lab. Number | 97-2076-580 | 97-2077-581 | 97-2078-582 | 97-2079-583 | 97-2080-584 | 97-2081-585 | 97-2082-586 |
| Constituent | Units | | | | | | | |
| 3,3'-Dichlorobenzidine | µg/kg | | | | | | | |
| o-Tolidine | µg/kg | | | | | | | |
| Benzo[a]pyrene | µg/kg | | | | | | | |
| Benzo[ghi]perylene | µg/kg | | | | | | | |
| Benzo[k]fluoranthene | µg/kg | | | | | | | |
| Benzoic Acid | µg/kg | | | | | | | |
| Benzyl Alcohol | µg/kg | | | | | | | |
| p-Aminobiphenyl | µg/kg | | | | | | | |
| Hexachlorobutadiene | µg/kg | | | | | | | |
| n-Nitrosodi-n-butylamine | µg/kg | | | | | | | |
| trans-1,4-Dichloro-2-butylene | µg/kg | | | | | | | |
| Carbazole | µg/kg | | | | | | | |
| 3-Methylchloanthrene | µg/kg | | | | | | | |
| Chrysene | µg/kg | | | | | | | |
| o-Cresol | µg/kg | | | | | | | |
| m-Cresol | µg/kg | | | | | | | |
| Dinitro-o-cresol | µg/kg | | | | | | | |
| p-Cresol | µg/kg | | | | | | | |
| p-Chloro-m-cresol | µg/kg | | | | | | | |
| Dibenz(a,h)anthracene | µg/kg | | | | | | | |
| Dibenzofuran | µg/kg | | | | | | | |
| n-Nitrosodiethylamine | µg/kg | | | | | | | |
| n-Nitrosodimethylamine | µg/kg | | | | | | | |
| Diphenylamine | µg/kg | | | | | | | |
| n-Nitrosodiphenylamine | µg/kg | | | | | | | |
| n-Nitrosodipropylamine | µg/kg | | | | | | | |
| Hexachloroethane | µg/kg | | | | | | | |
| 4-Bromophenyl Phenyl Ether | µg/kg | | | | | | | |

Notes: 1. Printed on 03/03/00



Table 3
SUMMARY OF ANALYTICAL RESULTS - SOIL
P&W East Hartford: NK Undeveloped Land Area - Outside Storage Area

Page 124 of 536

| | Location ID | NK-SB-280 | NK-SB-280 | NK-SB-280 | NK-SB-280 | NK-SB-280 | NK-SB-280 | NK-SB-281 |
|--|--------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| | Sample ID | 1028232 | 1028233 | 1028234 | 1028235 | 1028236 | 1028237 | 1028238 |
| | Sample Date | 03/14/1997 | 03/14/1997 | 03/14/1997 | 03/14/1997 | 03/14/1997 | 03/14/1997 | 03/14/1997 |
| | Sample Time | 09:30 | 09:35 | 09:45 | 09:50 | 10:10 | 10:15 | 10:20 |
| | Sample Depth | 4' - 6' | 6' - 8' | 8' - 10' | 10' - 12' | 12' - 14' | 14' - 16' | 0' - 2' |
| | Laboratory | LEA |
| | Lab. Number | 97-2076-580 | 97-2077-581 | 97-2078-582 | 97-2079-583 | 97-2080-584 | 97-2081-585 | 97-2082-586 |
| Constituent | Units | | | | | | | |
| 4-Chlorophenyl phenyl ether | µg/kg | | | | | | | |
| Dichlorodisopropyl ether | µg/kg | | | | | | | |
| Dichloroethyl Ether | µg/kg | | | | | | | |
| n-Methyl-n-nitrosoethylamine | µg/kg | | | | | | | |
| Fluoranthene | µg/kg | | | | | | | |
| Fluorene | µg/kg | | | | | | | |
| 1,2-Diphenylhydrazine | µg/kg | | | | | | | |
| Indeno(1,2,3-cd)pyrene | µg/kg | | | | | | | |
| Isophorone | µg/kg | | | | | | | |
| bis(2-Chloroethoxy)methane | µg/kg | | | | | | | |
| Ethylmethanesulfonate | µg/kg | | | | | | | |
| Methylmethanesulfonate | µg/kg | | | | | | | |
| Methapyrilene | µg/kg | | | | | | | |
| n-Nitrosomorpholine | µg/kg | | | | | | | |
| Naphthalene | µg/kg | | | | | | | |
| 2-Chloronaphthalene | µg/kg | | | | | | | |
| 2-Methylnaphthalene | µg/kg | | | | | | | |
| 1,4-Naphthoquinone | µg/kg | | | | | | | |
| alpha-Naphthylamine | µg/kg | | | | | | | |
| beta-Naphthylamine | µg/kg | | | | | | | |
| Phenanthrene | µg/kg | | | | | | | |
| alpha,alpha-Dimethylphenethylamine | µg/kg | | | | | | | |
| Phenol | µg/kg | | | | | | | |
| 2,2'-Methylenebis(3,4,6-trichlorophenol) | µg/kg | | | | | | | |
| 2,3,4,6-Tetrachlorophenol | µg/kg | | | | | | | |
| 2,4,5-Trichlorophenol | µg/kg | | | | | | | |
| 2,4,6-Trichlorophenol | µg/kg | | | | | | | |
| 2,4-Dichlorophenol | µg/kg | | | | | | | |

Notes: 1. Printed on 05/03/00

Table 3
SUMMARY OF ANALYTICAL RESULTS - SOIL
P&W East Hartford: NK Undeveloped Land Area - Outside Storage Area

Page 125 of 536

| | Location ID | NK-SB-280 | NK-SB-280 | NK-SB-280 | NK-SB-280 | NK-SB-280 | NK-SB-280 | NK-SB-281 |
|---------------------------------|--------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| | Sample ID | 1028232 | 1028233 | 1028234 | 1028235 | 1028236 | 1028237 | 1028238 |
| | Sample Date | 03/14/1997 | 03/14/1997 | 03/14/1997 | 03/14/1997 | 03/14/1997 | 03/14/1997 | 03/14/1997 |
| | Sample Time | 09:30 | 09:35 | 09:45 | 09:50 | 10:10 | 10:15 | 10:20 |
| | Sample Depth | 4' - 6' | 6' - 8' | 8' - 10' | 10' - 12' | 12' - 14' | 14' - 16' | 0' - 2' |
| | Laboratory | LEA |
| | Lab. Number | 97-2076-580 | 97-2077-581 | 97-2078-582 | 97-2079-583 | 97-2080-584 | 97-2081-585 | 97-2082-586 |
| Constituent | Units | | | | | | | |
| 2,4-Dinitrophenol | µg/kg | | | | | | | |
| o-Chlorophenol | µg/kg | | | | | | | |
| o-Nitrophenol | µg/kg | | | | | | | |
| p-Nitrophenol | µg/kg | | | | | | | |
| Pentachlorophenol | µg/kg | | | | | | | |
| p-Phenylenediamine | µg/kg | | | | | | | |
| Butyl Benzyl Phthalate | µg/kg | | | | | | | |
| bis(2-Ethylhexyl)phthalate | µg/kg | | | | | | | |
| Di-n-butyl Phthalate | µg/kg | | | | | | | |
| Di-n-octyl Phthalate | µg/kg | | | | | | | |
| Diethyl Phthalate | µg/kg | | | | | | | |
| Dimethyl Phthalate | µg/kg | | | | | | | |
| 2-Picoline | µg/kg | | | | | | | |
| n-Nitrosopiperidine | µg/kg | | | | | | | |
| Pronamide | µg/kg | | | | | | | |
| Hexachloropropylene | µg/kg | | | | | | | |
| Pyrene | µg/kg | | | | | | | |
| Pyridine | µg/kg | | | | | | | |
| n-Nitrosopyrrolidine | µg/kg | | | | | | | |
| 4-Nitroquinoline, 1-oxide | µg/kg | | | | | | | |
| 2,4-Dinitrotoluene | µg/kg | | | | | | | |
| 2,6-Dinitrotoluene | µg/kg | | | | | | | |
| 5-Nitro-o-Toluidine | µg/kg | | | | | | | |
| o-Toluidine | µg/kg | | | | | | | |
| o,o,o-Triethyl phosphorothioate | µg/kg | | | | | | | |
| 2,4-Xylenol | µg/kg | | | | | | | |
| Acetone | µg/kg | | | | | | | |
| Acetonitrile | µg/kg | | | | | | | |

Notes: 1. Printed on 03/03/00

Table 3
SUMMARY OF ANALYTICAL RESULTS - SOIL
P&W East Hartford: NK Undeveloped Land Area - Outside Storage Area

Page 126 of 536

| | Location ID | NK-SB-280 | NK-SB-280 | NK-SB-280 | NK-SB-280 | NK-SB-280 | NK-SB-280 | NK-SB-281 |
|-----------------------------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|------------|
| Sample ID | 1028232 | 1028233 | 1028234 | 1028235 | 1028236 | 1028237 | 1028238 | |
| Sample Date | 03/14/1997 | 03/14/1997 | 03/14/1997 | 03/14/1997 | 03/14/1997 | 03/14/1997 | 03/14/1997 | 03/14/1997 |
| Sample Time | 09:30 | 09:35 | 09:45 | 09:50 | 10:10 | 10:15 | 10:20 | |
| Sample Depth | 4' - 6' | 6' - 8' | 8' - 10' | 10' - 12' | 12' - 14' | 14' - 16' | 0' - 2' | |
| Laboratory | LEA | LEA |
| Lab. Number | 97-2076-580 | 97-2077-581 | 97-2078-582 | 97-2079-583 | 97-2080-584 | 97-2081-585 | 97-2082-586 | |
| Constituent | Units | | | | | | | |
| Acrolein | µg/kg | | | | | | | |
| Acrylonitrile | µg/kg | | | | | | | |
| Benzene | µg/kg | | | | | | | |
| Benzene (screening) | µg/xx | <9.03 NC | <7.10 | <6.02 | <8.28 NC | <7.36 | <7.23 | <8.11 NC |
| 1,2,4-Trichlorobenzene | µg/kg | | | | | | | |
| o-Dichlorobenzene | µg/kg | | | | | | | |
| m-Dichlorobenzene | µg/kg | | | | | | | |
| p-Dichlorobenzene | µg/kg | | | | | | | |
| Bromobenzene | µg/kg | | | | | | | |
| Chlorobenzene | µg/kg | | | | | | | |
| Ethyl Benzene | µg/kg | | | | | | | |
| Ethyl Benzene (screening) | µg/xx | <19.4 NC | <15.3 | <13.0 | <17.8 NC | <15.8 | <15.5 | <17.4 NC |
| Pentachlorobenzene | µg/kg | | | | | | | |
| Pentachloronitrobenzene | µg/kg | | | | | | | |
| beta-Chloroprene | µg/kg | | | | | | | |
| 2-Butanone | µg/kg | | | | | | | |
| Carbon Disulfide | µg/kg | | | | | | | |
| Carbon Tetrachloride | µg/kg | | | | | | | |
| Chloroform | µg/kg | | | | | | | |
| Dioxane | µg/kg | | | | | | | |
| 1,1,1,2-Tetrachloroethane | µg/kg | | | | | | | |
| 1,1,1-Trichloroethane | µg/kg | | | | | | | |
| 1,1,1-Trichloroethane (screening) | µg/xx | <244 NC | <192 | <163 | <224 NC | <199 | <195 | <219 NC |
| 1,1,2,2-Tetrachloroethane | µg/kg | | | | | | | |
| 1,1,2-Trichloroethane | µg/kg | | | | | | | |
| 1,1-Dichloroethane | µg/kg | | | | | | | |
| Ethylene Dibromide | µg/kg | | | | | | | |
| 1,2-Dichloroethane | µg/kg | | | | | | | |

Notes: 1. Printed on 05/03/00

LEA

Table 3
SUMMARY OF ANALYTICAL RESULTS - SOIL
P&W East Hartford: NK Undeveloped Land Area - Outside Storage Area

Page 127 of 536

| | Location ID | NK-SB-280 | NK-SB-280 | NK-SB-280 | NK-SB-280 | NK-SB-280 | NK-SB-280 | NK-SB-281 |
|---------------------------------|--------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| | Sample ID | 1028232 | 1028233 | 1028234 | 1028235 | 1028236 | 1028237 | 1028238 |
| | Sample Date | 03/14/1997 | 03/14/1997 | 03/14/1997 | 03/14/1997 | 03/14/1997 | 03/14/1997 | 03/14/1997 |
| | Sample Time | 09:30 | 09:35 | 09:45 | 09:50 | 10:10 | 10:15 | 10:20 |
| | Sample Depth | 4' - 6' | 6' - 8' | 8' - 10' | 10' - 12' | 12' - 14' | 14' - 16' | 0' - 2' |
| | Laboratory | LEA |
| | Lab. Number | 97-2076-580 | 97-2077-581 | 97-2078-582 | 97-2079-583 | 97-2080-584 | 97-2081-585 | 97-2082-586 |
| Constituent | Units | | | | | | | |
| Chloroethane | µg/kg | | | | | | | |
| Pentachloroethane | µg/kg | | | | | | | |
| 2-Chloroethyl Vinyl ether | µg/kg | | | | | | | |
| Methyl-tert-butyl Ether | µg/kg | | | | | | | |
| 1,1-Dichloroethylene | µg/kg | | | | | | | |
| Vinyl Chloride | µg/kg | | | | | | | |
| cis-1,2-Dichloroethylene | µg/kg | | | | | | | |
| Tetrachloroethylene | µg/kg | | | | | | | |
| Tetrachloroethylene (screening) | µg/xx | <24.4 NC | <19.2 | <16.3 | <22.3 NC | <19.9 | <19.5 | <21.9 NC |
| trans-1,2-Dichloroethylene | µg/kg | | | | | | | |
| Trichloroethylene | µg/kg | | | | | | | |
| Trichloroethylene (screening) | µg/xx | <24.0 NC | <18.9 | <16.0 | <22.0 NC | <19.6 | <19.2 | <21.6 NC |
| Ethylmethacrylate | µg/kg | | | | | | | |
| 2-Hexanone | µg/kg | | | | | | | |
| Isobutyl Alcohol | µg/kg | | | | | | | |
| Bromomethane | µg/kg | | | | | | | |
| Bromodichloromethane | µg/kg | | | | | | | |
| Chloromethane | µg/kg | | | | | | | |
| Dibromomethane | µg/kg | | | | | | | |
| Dibromo-chloromethane | µg/kg | | | | | | | |
| Methylene Chloride | µg/kg | | | | | | | |
| Dichlorodifluoromethane | µg/kg | | | | | | | |
| Iodomethane | µg/kg | | | | | | | |
| Bromoform | µg/kg | | | | | | | |
| Fluorotrichloromethane | µg/kg | | | | | | | |
| Methyl Methacrylate | µg/kg | | | | | | | |
| Methyl Isobutyl Ketone | µg/kg | | | | | | | |
| 1,2,3-Trichloropropane | µg/kg | | | | | | | |

Notes: 1. Printed on 05/03/00

Table 3
SUMMARY OF ANALYTICAL RESULTS - SOIL
P&W East Hartford: NK Undeveloped Land Area - Outside Storage Area

Page 128 of 536

Notes: 1. Printed on 05/03/00

142

Table 3
SUMMARY OF ANALYTICAL RESULTS - SOIL
P&W East Hartford: NK Undeveloped Land Area - Outside Storage Area

Page 129 of 536

| | Location ID | NK-SB-281 | NK-SB-281 | NK-SB-281 | NK-SB-281 | NK-SB-281 | NK-SB-281 | NK-SB-282 |
|--------------------------------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|------------|
| Sample ID | 1028239 | 1028240 | 1028242 | 1028241 | 1028243 | 1028244 | 1028245 | |
| Sample Date | 03/14/1997 | 03/14/1997 | 03/14/1997 | 03/14/1997 | 03/14/1997 | 03/14/1997 | 03/14/1997 | 03/14/1997 |
| Sample Time | 10:25 | 10:35 | 10:35 | 10:40 | 11:00 | 11:05 | 11:45 | |
| Sample Depth | 2' - 4' | 4' - 6' | 4' - 6' | 6' - 8' | 8' - 10' | 10' - 12' | 0' - 2' | |
| Laboratory | LEA | |
| Lab. Number | 97-2083-587 | 97-2084-588 | 97-2086-590 | 97-2085-589 | 97-2087-591 | 97-2088-592 | 97-2089-593 | |
| Constituent | Units | | | | | | | |
| Date PCBs Analyzed | - | | | | | | | |
| Date Metals Analyzed | - | | | | | | | |
| Date Organics Analyzed | - | 03/15/1997 | 03/15/1997 | 03/15/1997 | 03/15/1997 | 03/15/1997 | 03/15/1997 | 03/15/1997 |
| Date Pesticides/Herbicides Analyzed | - | | | | | | | |
| Date Physical Analyzed | - | | | | | | | |
| Date Semi-volatile Organics Analyzed | - | | | | | | | |
| Dinoseb | µg/kg | | | | | | | |
| Arsenic | mg/kg | | | | | | | |
| Barium | mg/kg | | | | | | | |
| Cadmium | mg/kg | | | | | | | |
| Chromium | mg/kg | | | | | | | |
| Lead | mg/kg | | | | | | | |
| Mercury | mg/kg | | | | | | | |
| Nickel | mg/kg | | | | | | | |
| Selenium | mg/kg | | | | | | | |
| Silver | mg/kg | | | | | | | |
| Zinc | mg/kg | | | | | | | |
| PCB 1016 | µg/kg | | | | | | | |
| PCB 1221 | µg/kg | | | | | | | |
| PCB 1232 | µg/kg | | | | | | | |
| PCB 1242 | µg/kg | | | | | | | |
| PCB 1248 | µg/kg | | | | | | | |
| PCB 1254 | µg/kg | | | | | | | |
| PCB 1260 | µg/kg | | | | | | | |
| 2-Acetylaminofluorene | µg/kg | | | | | | | |
| Aramite | µg/kg | | | | | | | |
| Hexachlorobenzene | µg/kg | | | | | | | |
| Hexachlorocyclopentadiene | µg/kg | | | | | | | |

Notes: 1. Printed on 05/03/00

Table 3
SUMMARY OF ANALYTICAL RESULTS - SOIL
P&W East Hartford: NK Undeveloped Land Area - Outside Storage Area

Page 130 of 536

| | Location ID | NK-SB-281 | NK-SB-281 | NK-SB-281 | NK-SB-281 | NK-SB-281 | NK-SB-281 | NK-SB-282 |
|--------------------------------|--------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| | Sample ID | 1028239 | 1028240 | 1028242 | 1028241 | 1028243 | 1028244 | 1028245 |
| | Sample Date | 03/14/1997 | 03/14/1997 | 03/14/1997 | 03/14/1997 | 03/14/1997 | 03/14/1997 | 03/14/1997 |
| | Sample Time | 10:25 | 10:35 | 10:35 | 10:40 | 11:00 | 11:05 | 11:45 |
| | Sample Depth | 2' - 4' | 4' - 6' | 4' - 6' | 6' - 8' | 8' - 10' | 10' - 12' | 0' - 2' |
| | Laboratory | LEA |
| | Lab. Number | 97-2083-587 | 97-2084-588 | 97-2086-590 | 97-2085-589 | 97-2087-591 | 97-2088-592 | 97-2089-593 |
| Constituent | Units | | | | | | | |
| Dimethoate | µg/kg | | | | | | | |
| Disulfoton | µg/kg | | | | | | | |
| Famphur | µg/kg | | | | | | | |
| Phorate | µg/kg | | | | | | | |
| 1,2-Dibromo-3-chloropropane | µg/kg | | | | | | | |
| TPH | mg/kg | | | | | | | |
| Total Solids | % | | | | | | | |
| Acenaphthylene | µg/kg | | | | | | | |
| Acenaphthalene | µg/kg | | | | | | | |
| Phenacetin | µg/kg | | | | | | | |
| Acetophenone | µg/kg | | | | | | | |
| Aniline | µg/kg | | | | | | | |
| o-Nitroaniline | µg/kg | | | | | | | |
| m-Nitroaniline | µg/kg | | | | | | | |
| p-Chloroaniline | µg/kg | | | | | | | |
| p-Nitroaniline | µg/kg | | | | | | | |
| p-Dimethylaminoazobenzene | µg/kg | | | | | | | |
| Anthracene | µg/kg | | | | | | | |
| Benzo(a)anthracene | µg/kg | | | | | | | |
| 7,12-Dimethylbenz[a]anthracene | µg/kg | | | | | | | |
| Benzo(b)fluoranthene | µg/kg | | | | | | | |
| 1,2,4,5-Tetrachlorobenzene | µg/kg | | | | | | | |
| Isosafrole | µg/kg | | | | | | | |
| 1,3,5-Trinitrobenzene | µg/kg | | | | | | | |
| m-Dinitrobenzene | µg/kg | | | | | | | |
| Safrole | µg/kg | | | | | | | |
| Nitrobenzene | µg/kg | | | | | | | |
| Benzidine | µg/kg | | | | | | | |

Notes: 1. Printed on 03/03/00

Table 3
SUMMARY OF ANALYTICAL RESULTS - SOIL
P&W East Hartford: NK Undeveloped Land Area - Outside Storage Area

Page 131 of 536

| | Location ID | NK-SB-281 | NK-SB-281 | NK-SB-281 | NK-SB-281 | NK-SB-281 | NK-SB-281 | NK-SB-282 |
|-------------------------------|--------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| | Sample ID | 1028239 | 1028240 | 1028242 | 1028241 | 1028243 | 1028244 | 1028245 |
| | Sample Date | 03/14/1997 | 03/14/1997 | 03/14/1997 | 03/14/1997 | 03/14/1997 | 03/14/1997 | 03/14/1997 |
| | Sample Time | 10:25 | 10:35 | 10:35 | 10:40 | 11:00 | 11:05 | 11:45 |
| | Sample Depth | 2' - 4' | 4' - 6' | 4' - 6' | 6' - 8' | 8' - 10' | 10' - 12' | 0' - 2' |
| | Laboratory | LEA |
| | Lab. Number | 97-2083-587 | 97-2084-588 | 97-2086-590 | 97-2085-589 | 97-2087-591 | 97-2088-592 | 97-2089-593 |
| Constituent | Units | | | | | | | |
| 3,3'-Dichlorobenzidine | µg/kg | | | | | | | |
| o-Tolidine | µg/kg | | | | | | | |
| Benzo[a]pyrene | µg/kg | | | | | | | |
| Benzo[ghi]perylene | µg/kg | | | | | | | |
| Benzo[k]fluoranthene | µg/kg | | | | | | | |
| Benzoic Acid | µg/kg | | | | | | | |
| Benzyl Alcohol | µg/kg | | | | | | | |
| p-Aminobiphenyl | µg/kg | | | | | | | |
| Hexachlorobutadiene | µg/kg | | | | | | | |
| n-Nitrosodi-n-butylamine | µg/kg | | | | | | | |
| trans-1,4-Dichloro-2-butylene | µg/kg | | | | | | | |
| Carbazole | µg/kg | | | | | | | |
| 3-Methylchloanthrene | µg/kg | | | | | | | |
| Chrysene | µg/kg | | | | | | | |
| o-Cresol | µg/kg | | | | | | | |
| m-Cresol | µg/kg | | | | | | | |
| Dinitro-o-cresol | µg/kg | | | | | | | |
| p-Cresol | µg/kg | | | | | | | |
| p-Chloro-m-cresol | µg/kg | | | | | | | |
| Dibenz(a,h)anthracene | µg/kg | | | | | | | |
| Dibenzofuran | µg/kg | | | | | | | |
| n-Nitrosodiethylamine | µg/kg | | | | | | | |
| n-Nitrosodimethylamine | µg/kg | | | | | | | |
| Diphenylamine | µg/kg | | | | | | | |
| n-Nitrosodiphenylamine | µg/kg | | | | | | | |
| n-Nitrosodipropylamine | µg/kg | | | | | | | |
| Hexachloroethane | µg/kg | | | | | | | |
| 4-Bromophenyl Phenyl Ether | µg/kg | | | | | | | |

Notes: 1. Printed on 05/03/00

Table 3
SUMMARY OF ANALYTICAL RESULTS - SOIL
P&W East Hartford: NK Undeveloped Land Area - Outside Storage Area

Page 132 of 536

| | Location ID | NK-SB-281 | NK-SB-281 | NK-SB-281 | NK-SB-281 | NK-SB-281 | NK-SB-281 | NK-SB-281 |
|--|-------------|-------------|-------------|-------------|-------------|-------------|-------------|------------|
| Sample ID | 1028239 | 1028240 | 1028242 | 1028241 | 1028243 | 1028244 | 1028245 | |
| Sample Date | 03/14/1997 | 03/14/1997 | 03/14/1997 | 03/14/1997 | 03/14/1997 | 03/14/1997 | 03/14/1997 | 03/14/1997 |
| Sample Time | 10:25 | 10:35 | 10:35 | 10:40 | 11:00 | 11:05 | 11:45 | |
| Sample Depth | 2' - 4' | 4' - 6' | 4' - 6' | 6' - 8' | 8' - 10' | 10' - 12' | 0' - 2' | |
| Laboratory | LEA | |
| Lab. Number | 97-2083-587 | 97-2084-588 | 97-2086-590 | 97-2085-589 | 97-2087-591 | 97-2088-592 | 97-2089-593 | |
| Constituent | Units | | | | | | | |
| 4-Chlorophenyl phenyl ether | µg/kg | | | | | | | |
| Dichlorodisopropyl ether | µg/kg | | | | | | | |
| Dichloroethyl Ether | µg/kg | | | | | | | |
| n-Methyl-n-nitrosoethylamine | µg/kg | | | | | | | |
| Fluoranthene | µg/kg | | | | | | | |
| Fluorene | µg/kg | | | | | | | |
| 1,2-Diphenylhydrazine | µg/kg | | | | | | | |
| Indeno(1,2,3-cd)pyrene | µg/kg | | | | | | | |
| Isophorone | µg/kg | | | | | | | |
| bis(2-Chloroethoxy)methane | µg/kg | | | | | | | |
| Ethylmethanesulfonate | µg/kg | | | | | | | |
| Methylmethanesulfonate | µg/kg | | | | | | | |
| Methapyrilene | µg/kg | | | | | | | |
| n-Nitrosomorpholine | µg/kg | | | | | | | |
| Naphthalene | µg/kg | | | | | | | |
| 2-Chloronaphthalene | µg/kg | | | | | | | |
| 2-Methylnaphthalene | µg/kg | | | | | | | |
| 1,4-Naphthoquinone | µg/kg | | | | | | | |
| alpha-Naphthylamine | µg/kg | | | | | | | |
| beta-Naphthylamine | µg/kg | | | | | | | |
| Phenanthrene | µg/kg | | | | | | | |
| alpha,alpha-Dimethylphenethylamine | µg/kg | | | | | | | |
| Phenol | µg/kg | | | | | | | |
| 2,2'-Methylenebis(3,4,6-trichlorophenol) | µg/kg | | | | | | | |
| 2,3,4,6-Tetrachlorophenol | µg/kg | | | | | | | |
| 2,4,5-Trichlorophenol | µg/kg | | | | | | | |
| 2,4,6-Trichlorophenol | µg/kg | | | | | | | |
| 2,4-Dichlorophenol | µg/kg | | | | | | | |

Notes: 1. Printed on 03/03/00

Table 3
SUMMARY OF ANALYTICAL RESULTS - SOIL
P&W East Hartford: NK Undeveloped Land Area - Outside Storage Area

Page 133 of 536

| | Location ID | NK-SB-281 | NK-SB-281 | NK-SB-281 | NK-SB-281 | NK-SB-281 | NK-SB-281 | NK-SB-282 |
|---------------------------------|--------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| | Sample ID | 1028239 | 1028240 | 1028242 | 1028241 | 1028243 | 1028244 | 1028245 |
| | Sample Date | 03/14/1997 | 03/14/1997 | 03/14/1997 | 03/14/1997 | 03/14/1997 | 03/14/1997 | 03/14/1997 |
| | Sample Time | 10:25 | 10:35 | 10:35 | 10:40 | 11:00 | 11:05 | 11:45 |
| | Sample Depth | 2' - 4' | 4' - 6' | 4' - 6' | 6' - 8' | 8' - 10' | 10' - 12' | 0' - 2' |
| | Laboratory | LEA |
| | Lab. Number | 97-2083-587 | 97-2084-588 | 97-2086-590 | 97-2085-589 | 97-2087-591 | 97-2088-592 | 97-2089-593 |
| Constituent | Units | | | | | | | |
| 2,4-Dinitrophenol | µg/kg | | | | | | | |
| o-Chlorophenol | µg/kg | | | | | | | |
| o-Nitrophenol | µg/kg | | | | | | | |
| p-Nitrophenol | µg/kg | | | | | | | |
| Pentachlorophenol | µg/kg | | | | | | | |
| p-Phenylenediamine | µg/kg | | | | | | | |
| Butyl Benzyl Phthalate | µg/kg | | | | | | | |
| bis(2-Ethylhexyl)phthalate | µg/kg | | | | | | | |
| Di-n-butyl Phthalate | µg/kg | | | | | | | |
| Di-n-octyl Phthalate | µg/kg | | | | | | | |
| Diethyl Phthalate | µg/kg | | | | | | | |
| Dimethyl Phthalate | µg/kg | | | | | | | |
| 2-Picoline | µg/kg | | | | | | | |
| n-Nitrosopiperidine | µg/kg | | | | | | | |
| Pronamide | µg/kg | | | | | | | |
| Hexachloropropylene | µg/kg | | | | | | | |
| Pyrene | µg/kg | | | | | | | |
| Pyridine | µg/kg | | | | | | | |
| n-Nitrosopyrrolidine | µg/kg | | | | | | | |
| 4-Nitroquinoline, 1-oxide | µg/kg | | | | | | | |
| 2,4-Dinitrotoluene | µg/kg | | | | | | | |
| 2,6-Dinitrotoluene | µg/kg | | | | | | | |
| 5-Nitro-o-Toluidine | µg/kg | | | | | | | |
| o-Toluidine | µg/kg | | | | | | | |
| o,o,o-Triethyl phosphorothioate | µg/kg | | | | | | | |
| 2,4-Xylenol | µg/kg | | | | | | | |
| Acetone | µg/kg | | | | | | | |
| Acetonitrile | µg/kg | | | | | | | |

Notes: 1. Printed on 05/03/00

Table 3
SUMMARY OF ANALYTICAL RESULTS - SOIL
P&W East Hartford: NK Undeveloped Land Area - Outside Storage Area

Page 134 of 536

| | Location ID | NK-SB-281 | NK-SB-281 | NK-SB-281 | NK-SB-281 | NK-SB-281 | NK-SB-281 | NK-SB-281 |
|-----------------------------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|------------|
| Sample ID | 1028239 | 1028240 | 1028242 | 1028241 | 1028243 | 1028244 | 1028245 | |
| Sample Date | 03/14/1997 | 03/14/1997 | 03/14/1997 | 03/14/1997 | 03/14/1997 | 03/14/1997 | 03/14/1997 | 03/14/1997 |
| Sample Time | 10:25 | 10:35 | 10:35 | 10:40 | 11:00 | 11:05 | 11:45 | |
| Sample Depth | 2' - 4' | 4' - 6' | 4' - 6' | 6' - 8' | 8' - 10' | 10' - 12' | 0' - 2' | |
| Laboratory | LEA | |
| Lab. Number | 97-2083-587 | 97-2084-588 | 97-2086-590 | 97-2085-589 | 97-2087-591 | 97-2088-592 | 97-2089-593 | |
| Constituent | Units | | | | | | | |
| Acrolein | µg/kg | | | | | | | |
| Acrylonitrile | µg/kg | | | | | | | |
| Benzene | µg/kg | | | | | | | |
| Benzene (screening) | µg/xx | <7.50 | <7.36 | <7.10 | <8.46 NC | <6.85 | <7.50 | <7.36 |
| 1,2,4-Trichlorobenzene | µg/kg | | | | | | | |
| o-Dichlorobenzene | µg/kg | | | | | | | |
| m-Dichlorobenzene | µg/kg | | | | | | | |
| p-Dichlorobenzene | µg/kg | | | | | | | |
| Bromobenzene | µg/kg | | | | | | | |
| Chlorobenzene | µg/kg | | | | | | | |
| Ethyl Benzene | µg/kg | | | | | | | |
| Ethyl Benzene (screening) | µg/xx | <16.1 | <15.8 | <15.3 | <18.2 NC | <14.7 | <16.1 | <15.8 |
| Pentachlorobenzene | µg/kg | | | | | | | |
| Pentachloronitrobenzene | µg/kg | | | | | | | |
| beta-Chloroprene | µg/kg | | | | | | | |
| 2-Butanone | µg/kg | | | | | | | |
| Carbon Disulfide | µg/kg | | | | | | | |
| Carbon Tetrachloride | µg/kg | | | | | | | |
| Chloroform | µg/kg | | | | | | | |
| Dioxane | µg/kg | | | | | | | |
| 1,1,1,2-Tetrachloroethane | µg/kg | | | | | | | |
| 1,1,1-Trichloroethane | µg/kg | | | | | | | |
| 1,1,1-Trichloroethane (screening) | µg/xx | <203 | <199 | <192 | <229 NC | <185 | <203 | <199 |
| 1,1,2,2-Tetrachloroethane | µg/kg | | | | | | | |
| 1,1,2-Trichloroethane | µg/kg | | | | | | | |
| 1,1-Dichloroethane | µg/kg | | | | | | | |
| Ethylene Dibromide | µg/kg | | | | | | | |
| 1,2-Dichloroethane | µg/kg | | | | | | | |

Notes: 1. Printed on 05/03/00

Table 3
SUMMARY OF ANALYTICAL RESULTS - SOIL
P&W East Hartford: NK Undeveloped Land Area - Outside Storage Area

Page 135 of 536

| | Location ID | NK-SB-281 | NK-SB-281 | NK-SB-281 | NK-SB-281 | NK-SB-281 | NK-SB-281 | NK-SB-282 |
|---------------------------------|--------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| | Sample ID | 1028239 | 1028240 | 1028242 | 1028241 | 1028243 | 1028244 | 1028245 |
| | Sample Date | 03/14/1997 | 03/14/1997 | 03/14/1997 | 03/14/1997 | 03/14/1997 | 03/14/1997 | 03/14/1997 |
| | Sample Time | 10:25 | 10:35 | 10:35 | 10:40 | 11:00 | 11:05 | 11:45 |
| | Sample Depth | 2' - 4' | 4' - 6' | 4' - 6' | 6' - 8' | 8' - 10' | 10' - 12' | 0' - 2' |
| | Laboratory | LEA |
| | Lab. Number | 97-2083-587 | 97-2084-588 | 97-2086-590 | 97-2085-589 | 97-2087-591 | 97-2088-592 | 97-2089-593 |
| Constituent | Units | | | | | | | |
| Chloroethane | µg/kg | | | | | | | |
| Pentachloroethane | µg/kg | | | | | | | |
| 2-Chloroethyl Vinyl ether | µg/kg | | | | | | | |
| Methyl-tert-butyl Ether | µg/kg | | | | | | | |
| 1,1-Dichloroethylene | µg/kg | | | | | | | |
| Vinyl Chloride | µg/kg | | | | | | | |
| cis-1,2-Dichloroethylene | µg/kg | | | | | | | |
| Tetrachloroethylene | µg/kg | | | | | | | |
| Tetrachloroethylene (screening) | µg/xx | <20.2 | <19.9 | <19.2 | <22.8 NC | <18.5 | <20.2 | <19.9 |
| trans-1,2-Dichloroethylene | µg/kg | | | | | | | |
| Trichloroethylene | µg/kg | | | | | | | |
| Trichloroethylene (screening) | µg/xx | <20.0 | <19.6 | <18.9 | <22.5 NC | <18.2 | <20.0 | <19.6 |
| Ethylmethacrylate | µg/kg | | | | | | | |
| 2-Hexanone | µg/kg | | | | | | | |
| Isobutyl Alcohol | µg/kg | | | | | | | |
| Bromomethane | µg/kg | | | | | | | |
| Bromodichloromethane | µg/kg | | | | | | | |
| Chloromethane | µg/kg | | | | | | | |
| Dibromomethane | µg/kg | | | | | | | |
| Dibromo-chloromethane | µg/kg | | | | | | | |
| Methylene Chloride | µg/kg | | | | | | | |
| Dichlorodifluoromethane | µg/kg | | | | | | | |
| Iodomethane | µg/kg | | | | | | | |
| Bromoform | µg/kg | | | | | | | |
| Fluorotrichloromethane | µg/kg | | | | | | | |
| Methyl Methacrylate | µg/kg | | | | | | | |
| Methyl Isobutyl Ketone | µg/kg | | | | | | | |
| 1,2,3-Trichloropropane | µg/kg | | | | | | | |

Notes: 1. Printed on 03/03/00

Table 3
SUMMARY OF ANALYTICAL RESULTS - SOIL
P&W East Hartford: NK Undeveloped Land Area - Outside Storage Area

Page 136 of 536

Notes: I. Printed on 05/03/00

152

Table 3
SUMMARY OF ANALYTICAL RESULTS - SOIL
P&W East Hartford: NK Undeveloped Land Area - Outside Storage Area

Page 137 of 536

| | Location ID | NK-SB-282 | NK-SB-282 | NK-SB-282 | NK-SB-282 | NK-SB-282 | NK-SB-283 | NK-SB-283 |
|--------------------------------------|--------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| | Sample ID | 1028246 | 1028247 | 1028248 | 1028249 | 1028250 | 1028253 | 1028254 |
| | Sample Date | 03/14/1997 | 03/14/1997 | 03/14/1997 | 03/14/1997 | 03/14/1997 | 03/17/1997 | 03/17/1997 |
| | Sample Time | 11:50 | 12:00 | 12:05 | 12:15 | 12:20 | 10:50 | 10:55 |
| | Sample Depth | 2' - 4' | 4' - 6' | 6' - 8' | 8' - 10' | 10' - 12' | 0' - 2' | 2' - 4' |
| | Laboratory | LEA |
| | Lab. Number | 97-2090-594 | 97-2091-595 | 97-2092-596 | 97-2094-598 | 97-2095-599 | 97-2099-029 | 97-2100-030 |
| Constituent | Units | | | | | | | |
| Date PCBs Analyzed | - | | | | | | | |
| Date Metals Analyzed | - | | | | | | | |
| Date Organics Analyzed | - | 03/15/1997 | 03/15/1997 | 03/15/1997 | 03/15/1997 | 03/15/1997 | 03/24/1997 | 03/24/1997 |
| Date Pesticides/Herbicides Analyzed | - | | | | | | | |
| Date Physical Analyzed | - | | | | | | | |
| Date Semi-volatile Organics Analyzed | - | | | | | | | |
| Dinoseb | µg/kg | | | | | | | |
| Arsenic | mg/kg | | | | | | | |
| Barium | mg/kg | | | | | | | |
| Cadmium | mg/kg | | | | | | | |
| Chromium | mg/kg | | | | | | | |
| Lead | mg/kg | | | | | | | |
| Mercury | mg/kg | | | | | | | |
| Nickel | mg/kg | | | | | | | |
| Selenium | mg/kg | | | | | | | |
| Silver | mg/kg | | | | | | | |
| Zinc | mg/kg | | | | | | | |
| PCB 1016 | µg/kg | | | | | | | |
| PCB 1221 | µg/kg | | | | | | | |
| PCB 1232 | µg/kg | | | | | | | |
| PCB 1242 | µg/kg | | | | | | | |
| PCB 1248 | µg/kg | | | | | | | |
| PCB 1254 | µg/kg | | | | | | | |
| PCB 1260 | µg/kg | | | | | | | |
| 2-Acetylaminofluorene | µg/kg | | | | | | | |
| Aramite | µg/kg | | | | | | | |
| Hexachlorobenzene | µg/kg | | | | | | | |
| Hexachlorocyclopentadiene | µg/kg | | | | | | | |

Notes: 1. Printed on 05/03/00

Table 3
SUMMARY OF ANALYTICAL RESULTS - SOIL
P&W East Hartford: NK Undeveloped Land Area - Outside Storage Area

Page 138 of 536

| | Location ID | NK-SB-282 | NK-SB-282 | NK-SB-282 | NK-SB-282 | NK-SB-282 | NK-SB-283 | NK-SB-283 |
|--------------------------------|--------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| | Sample ID | 1028246 | 1028247 | 1028248 | 1028249 | 1028250 | 1028253 | 1028254 |
| | Sample Date | 03/14/1997 | 03/14/1997 | 03/14/1997 | 03/14/1997 | 03/14/1997 | 03/17/1997 | 03/17/1997 |
| | Sample Time | 11:50 | 12:00 | 12:05 | 12:15 | 12:20 | 10:50 | 10:55 |
| | Sample Depth | 2' - 4' | 4' - 6' | 6' - 8' | 8' - 10' | 10' - 12' | 0' - 2' | 2' - 4' |
| | Laboratory | LEA |
| | Lab. Number | 97-2090-594 | 97-2091-595 | 97-2092-596 | 97-2094-598 | 97-2095-599 | 97-2099-029 | 97-2100-030 |
| Constituent | Units | | | | | | | |
| Dimethoate | µg/kg | | | | | | | |
| Disulfoton | µg/kg | | | | | | | |
| Famphur | µg/kg | | | | | | | |
| Phorate | µg/kg | | | | | | | |
| 1,2-Dibromo-3-chloropropane | µg/kg | | | | | | | |
| TPH | mg/kg | | | | | | | |
| Total Solids | % | | | | | | | |
| Acenaphthylene | µg/kg | | | | | | | |
| Acenaphthalene | µg/kg | | | | | | | |
| Phenacetin | µg/kg | | | | | | | |
| Acetophenone | µg/kg | | | | | | | |
| Aniline | µg/kg | | | | | | | |
| o-Nitroaniline | µg/kg | | | | | | | |
| m-Nitroaniline | µg/kg | | | | | | | |
| p-Chloroaniline | µg/kg | | | | | | | |
| p-Nitroaniline | µg/kg | | | | | | | |
| p-Dimethylaminoazobenzene | µg/kg | | | | | | | |
| Anthracene | µg/kg | | | | | | | |
| Benzo(a)anthracene | µg/kg | | | | | | | |
| 7,12-Dimethylbenz[a]anthracene | µg/kg | | | | | | | |
| Benzo(b)fluoranthene | µg/kg | | | | | | | |
| 1,2,4,5-Tetrachlorobenzene | µg/kg | | | | | | | |
| Isosafrole | µg/kg | | | | | | | |
| 1,3,5-Trinitrobenzene | µg/kg | | | | | | | |
| m-Dinitrobenzene | µg/kg | | | | | | | |
| Safrole | µg/kg | | | | | | | |
| Nitrobenzene | µg/kg | | | | | | | |
| Benzidine | µg/kg | | | | | | | |

Notes: 1. Printed on 05/03/00

Table 3
SUMMARY OF ANALYTICAL RESULTS - SOIL
P&W East Hartford: NK Undeveloped Land Area - Outside Storage Area

Page 139 of 536

| | Location ID | NK-SB-282 | NK-SB-282 | NK-SB-282 | NK-SB-282 | NK-SB-282 | NK-SB-283 | NK-SB-283 |
|-------------------------------|--------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| | Sample ID | 1028246 | 1028247 | 1028248 | 1028249 | 1028250 | 1028253 | 1028254 |
| | Sample Date | 03/14/1997 | 03/14/1997 | 03/14/1997 | 03/14/1997 | 03/14/1997 | 03/17/1997 | 03/17/1997 |
| | Sample Time | 11:50 | 12:00 | 12:05 | 12:15 | 12:20 | 10:50 | 10:55 |
| | Sample Depth | 2' - 4' | 4' - 6' | 6' - 8' | 8' - 10' | 10' - 12' | 0' - 2' | 2' - 4' |
| | Laboratory | LEA |
| | Lab. Number | 97-2090-594 | 97-2091-595 | 97-2092-596 | 97-2094-598 | 97-2095-599 | 97-2099-029 | 97-2100-030 |
| Constituent | Units | | | | | | | |
| 3,3'-Dichlorobenzidine | µg/kg | | | | | | | |
| o-Tolidine | µg/kg | | | | | | | |
| Benzo[a]pyrene | µg/kg | | | | | | | |
| Benzo[ghi]perylene | µg/kg | | | | | | | |
| Benzo[k]fluoranthene | µg/kg | | | | | | | |
| Benzoic Acid | µg/kg | | | | | | | |
| Benzyl Alcohol | µg/kg | | | | | | | |
| p-Aminobiphenyl | µg/kg | | | | | | | |
| Hexachlorobutadiene | µg/kg | | | | | | | |
| n-Nitrosodi-n-butylamine | µg/kg | | | | | | | |
| trans-1,4-Dichloro-2-butylene | µg/kg | | | | | | | |
| Carbazole | µg/kg | | | | | | | |
| 3-Methylchloanthrene | µg/kg | | | | | | | |
| Chrysene | µg/kg | | | | | | | |
| o-Cresol | µg/kg | | | | | | | |
| m-Cresol | µg/kg | | | | | | | |
| Dinitro-o-cresol | µg/kg | | | | | | | |
| p-Cresol | µg/kg | | | | | | | |
| p-Chloro-m-cresol | µg/kg | | | | | | | |
| Dibenz(a,h)anthracene | µg/kg | | | | | | | |
| Dibenzofuran | µg/kg | | | | | | | |
| n-Nitrosodiethylamine | µg/kg | | | | | | | |
| n-Nitrosodimethylamine | µg/kg | | | | | | | |
| Diphenylamine | µg/kg | | | | | | | |
| n-Nitrosodiphenylamine | µg/kg | | | | | | | |
| n-Nitrosodipropylamine | µg/kg | | | | | | | |
| Hexachloroethane | µg/kg | | | | | | | |
| 4-Bromophenyl Phenyl Ether | µg/kg | | | | | | | |

Notes: 1. Printed on 05/03/00

Table 3
SUMMARY OF ANALYTICAL RESULTS - SOIL
P&W East Hartford: NK Undeveloped Land Area - Outside Storage Area

Page 140 of 536

| | Location ID | NK-SB-282 | NK-SB-282 | NK-SB-282 | NK-SB-282 | NK-SB-282 | NK-SB-283 | NK-SB-283 |
|--|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-----------|
| Sample ID | 1028246 | 1028247 | 1028248 | 1028249 | 1028250 | 1028253 | 1028254 | |
| Sample Date | 03/14/1997 | 03/14/1997 | 03/14/1997 | 03/14/1997 | 03/14/1997 | 03/17/1997 | 03/17/1997 | |
| Sample Time | 11:50 | 12:00 | 12:05 | 12:15 | 12:20 | 10:50 | 10:55 | |
| Sample Depth | 2' - 4' | 4' - 6' | 6' - 8' | 8' - 10' | 10' - 12' | 0' - 2' | 2' - 4' | |
| Laboratory | LEA | |
| Lab. Number | 97-2090-594 | 97-2091-595 | 97-2092-596 | 97-2094-598 | 97-2095-599 | 97-2099-029 | 97-2100-030 | |
| Constituent | Units | | | | | | | |
| 4-Chlorophenyl phenyl ether | µg/kg | | | | | | | |
| Dichlorodiisopropyl ether | µg/kg | | | | | | | |
| Dichloroethyl Ether | µg/kg | | | | | | | |
| n-Methyl-n-nitrosoethylaniline | µg/kg | | | | | | | |
| Fluoranthene | µg/kg | | | | | | | |
| Fluorene | µg/kg | | | | | | | |
| 1,2-Diphenylhydrazine | µg/kg | | | | | | | |
| Indeno(1,2,3-cd)pyrene | µg/kg | | | | | | | |
| Isophorone | µg/kg | | | | | | | |
| bis(2-Chlorooethoxy)methane | µg/kg | | | | | | | |
| Ethylmethanesulfonate | µg/kg | | | | | | | |
| Methylmethanesulfonate | µg/kg | | | | | | | |
| Methapyrilene | µg/kg | | | | | | | |
| n-Nitrosomorpholine | µg/kg | | | | | | | |
| Naphthalene | µg/kg | | | | | | | |
| 2-Chloronaphthalene | µg/kg | | | | | | | |
| 2-Methylnaphthalene | µg/kg | | | | | | | |
| 1,4-Naphthoquinone | µg/kg | | | | | | | |
| alpha-Naphthylamine | µg/kg | | | | | | | |
| beta-Naphthylamine | µg/kg | | | | | | | |
| Phenanthrene | µg/kg | | | | | | | |
| alpha,alpha-Dimethylphenethylamine | µg/kg | | | | | | | |
| Phenol | µg/kg | | | | | | | |
| 2,2'-Methylenebis(3,4,6-trichlorophenol) | µg/kg | | | | | | | |
| 2,3,4,6-Tetrachlorophenol | µg/kg | | | | | | | |
| 2,4,5-Trichlorophenol | µg/kg | | | | | | | |
| 2,4,6-Trichlorophenol | µg/kg | | | | | | | |
| 2,4-Dichlorophenol | µg/kg | | | | | | | |

Notes: 1. Printed on 05/03/00

Table 3
SUMMARY OF ANALYTICAL RESULTS - SOIL
P&W East Hartford: NK Undeveloped Land Area - Outside Storage Area

Page 141 of 536

| | Location ID | NK-SB-282 | NK-SB-282 | NK-SB-282 | NK-SB-282 | NK-SB-282 | NK-SB-283 | NK-SB-283 |
|---------------------------------|--------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| | Sample ID | 1028246 | 1028247 | 1028248 | 1028249 | 1028250 | 1028253 | 1028254 |
| | Sample Date | 03/14/1997 | 03/14/1997 | 03/14/1997 | 03/14/1997 | 03/14/1997 | 03/17/1997 | 03/17/1997 |
| | Sample Time | 11:50 | 12:00 | 12:05 | 12:15 | 12:20 | 10:50 | 10:55 |
| | Sample Depth | 2' - 4' | 4' - 6' | 6' - 8' | 8' - 10' | 10' - 12' | 0' - 2' | 2' - 4' |
| | Laboratory | LEA |
| | Lab. Number | 97-2090-594 | 97-2091-595 | 97-2092-596 | 97-2094-598 | 97-2095-599 | 97-2099-029 | 97-2100-030 |
| Constituent | Units | | | | | | | |
| 2,4-Dinitrophenol | µg/kg | | | | | | | |
| o-Chlorophenol | µg/kg | | | | | | | |
| o-Nitrophenol | µg/kg | | | | | | | |
| p-Nitrophenol | µg/kg | | | | | | | |
| Pentachlorophenol | µg/kg | | | | | | | |
| p-Phenylenediamine | µg/kg | | | | | | | |
| Butyl Benzyl Phthalate | µg/kg | | | | | | | |
| bis(2-Ethylhexyl)phthalate | µg/kg | | | | | | | |
| Di-n-butyl Phthalate | µg/kg | | | | | | | |
| Di-n-octyl Phthalate | µg/kg | | | | | | | |
| Diethyl Phthalate | µg/kg | | | | | | | |
| Dimethyl Phthalate | µg/kg | | | | | | | |
| 2-Picoline | µg/kg | | | | | | | |
| n-Nitrosopiperidine | µg/kg | | | | | | | |
| Pronamide | µg/kg | | | | | | | |
| Hexachloropropylene | µg/kg | | | | | | | |
| Pyrene | µg/kg | | | | | | | |
| Pyridine | µg/kg | | | | | | | |
| n-Nitrosopyrrolidine | µg/kg | | | | | | | |
| 4-Nitroquinoline, 1-oxide | µg/kg | | | | | | | |
| 2,4-Dinitrotoluene | µg/kg | | | | | | | |
| 2,6-Dinitrotoluene | µg/kg | | | | | | | |
| 5-Nitro-o-Toluidine | µg/kg | | | | | | | |
| o-Toluidine | µg/kg | | | | | | | |
| o,o,o-Triethyl phosphorothioate | µg/kg | | | | | | | |
| 2,4-Xylenol | µg/kg | | | | | | | |
| Acetone | µg/kg | | | | | | | |
| Acetonitrile | µg/kg | | | | | | | |

Notes: 1. Printed on 05/03/00

Table 3
SUMMARY OF ANALYTICAL RESULTS - SOIL
P&W East Hartford: NK Undeveloped Land Area - Outside Storage Area

Page 142 of 536

| | Location ID | NK-SB-282 | NK-SB-282 | NK-SB-282 | NK-SB-282 | NK-SB-282 | NK-SB-283 | NK-SB-283 |
|-----------------------------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|------------|
| Sample ID | 1028246 | 1028247 | 1028248 | 1028249 | 1028250 | 1028253 | 1028254 | 1028254 |
| Sample Date | 03/14/1997 | 03/14/1997 | 03/14/1997 | 03/14/1997 | 03/14/1997 | 03/17/1997 | 03/17/1997 | 03/17/1997 |
| Sample Time | 11:50 | 12:00 | 12:05 | 12:15 | 12:20 | 10:50 | 10:55 | |
| Sample Depth | 2' - 4' | 4' - 6' | 6' - 8' | 8' - 10' | 10' - 12' | 0' - 2' | 2' - 4' | |
| Laboratory | LEA | |
| Lab. Number | 97-2090-594 | 97-2091-595 | 97-2092-596 | 97-2094-598 | 97-2095-599 | 97-2099-029 | 97-2100-030 | |
| Constituent | Units | | | | | | | |
| Acrolein | µg/kg | | | | | | | |
| Acrylonitrile | µg/kg | | | | | | | |
| Benzene | µg/kg | | | | | | | |
| Benzene (screening) | µg/xx | <6.12 | <7.79 | <7.10 | <7.36 | <6.74 | <15.0 | <15.3 |
| 1,2,4-Trichlorobenzene | µg/kg | | | | | | | |
| o-Dichlorobenzene | µg/kg | | | | | | | |
| m-Dichlorobenzene | µg/kg | | | | | | | |
| p-Dichlorobenzene | µg/kg | | | | | | | |
| Bromobenzene | µg/kg | | | | | | | |
| Chlorobenzene | µg/kg | | | | | | | |
| Ethyl Benzene | µg/kg | | | | | | | |
| Ethyl Benzene (screening) | µg/xx | <13.2 | <16.8 | <15.3 | <15.8 | <14.5 | <21.8 | <22.2 |
| Pentachlorobenzene | µg/kg | | | | | | | |
| Pentachloronitrobenzene | µg/kg | | | | | | | |
| beta-Chloroprene | µg/kg | | | | | | | |
| 2-Butanone | µg/kg | | | | | | | |
| Carbon Disulfide | µg/kg | | | | | | | |
| Carbon Tetrachloride | µg/kg | | | | | | | |
| Chloroform | µg/kg | | | | | | | |
| Dioxane | µg/kg | | | | | | | |
| 1,1,1,2-Tetrachloroethane | µg/kg | | | | | | | |
| 1,1,1-Trichloroethane | µg/kg | | | | | | | |
| 1,1,1-Trichloroethane (screening) | µg/xx | <165 | <211 | <192 | <199 | <182 | <368 | <375 |
| 1,1,2,2-Tetrachloroethane | µg/kg | | | | | | | |
| 1,1,2-Trichloroethane | µg/kg | | | | | | | |
| 1,1-Dichloroethane | µg/kg | | | | | | | |
| Ethylene Dibromide | µg/kg | | | | | | | |
| 1,2-Dichloroethane | µg/kg | | | | | | | |

Notes: 1. Printed on 05/03/00

Table 3
SUMMARY OF ANALYTICAL RESULTS - SOIL
P&W East Hartford: NK Undeveloped Land Area - Outside Storage Area

Page 143 of 536

| | Location ID | NK-SB-282 | NK-SB-282 | NK-SB-282 | NK-SB-282 | NK-SB-282 | NK-SB-283 | NK-SB-283 |
|---------------------------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|------------|
| Sample ID | 1028246 | 1028247 | 1028248 | 1028249 | 1028250 | 1028253 | 1028254 | 1028254 |
| Sample Date | 03/14/1997 | 03/14/1997 | 03/14/1997 | 03/14/1997 | 03/14/1997 | 03/17/1997 | 03/17/1997 | 03/17/1997 |
| Sample Time | 11:50 | 12:00 | 12:05 | 12:15 | 12:20 | 10:50 | 10:55 | |
| Sample Depth | 2' - 4' | 4' - 6' | 6' - 8' | 8' - 10' | 10' - 12' | 0' - 2' | 2' - 4' | |
| Laboratory | LEA | LEA |
| Lab. Number | 97-2090-594 | 97-2091-595 | 97-2092-596 | 97-2094-598 | 97-2095-599 | 97-2099-029 | 97-2100-030 | |
| Constituent | Units | | | | | | | |
| Chloroethane | µg/kg | | | | | | | |
| Pentachloroethane | µg/kg | | | | | | | |
| 2-Chloroethyl Vinyl ether | µg/kg | | | | | | | |
| Methyl-tert-butyl Ether | µg/kg | | | | | | | |
| 1,1-Dichloroethylene | µg/kg | | | | | | | |
| Vinyl Chloride | µg/kg | | | | | | | |
| cis-1,2-Dichloroethylene | µg/kg | | | | | | | |
| Tetrachloroethylene | µg/kg | | | | | | | |
| Tetrachloroethylene (screening) | µg/xx | <16.5 | <21.0 | <19.2 | <19.9 | <18.2 | <22.9 | <23.4 |
| trans-1,2-Dichloroethylene | µg/kg | | | | | | | |
| Trichloroethylene | µg/kg | | | | | | | |
| Trichloroethylene (screening) | µg/xx | <16.3 | <20.7 | <18.9 | <19.6 | <17.9 | <35.7 | <36.3 |
| Ethylmethacrylate | µg/kg | | | | | | | |
| 2-Hexanone | µg/kg | | | | | | | |
| Isobutyl Alcohol | µg/kg | | | | | | | |
| Bromomethane | µg/kg | | | | | | | |
| Bromodichloromethane | µg/kg | | | | | | | |
| Chloromethane | µg/kg | | | | | | | |
| Dibromomethane | µg/kg | | | | | | | |
| Dibromochloromethane | µg/kg | | | | | | | |
| Methylene Chloride | µg/kg | | | | | | | |
| Dichlorodifluoromethane | µg/kg | | | | | | | |
| Iodomethane | µg/kg | | | | | | | |
| Bromoform | µg/kg | | | | | | | |
| Fluorotrichloromethane | µg/kg | | | | | | | |
| Methyl Methacrylate | µg/kg | | | | | | | |
| Methyl Isobutyl Ketone | µg/kg | | | | | | | |
| 1,2,3-Trichloropropane | µg/kg | | | | | | | |

Notes: 1. Printed on 05/03/00

Table 3
SUMMARY OF ANALYTICAL RESULTS - SOIL
P&W East Hartford: NK Undeveloped Land Area - Outside Storage Area

Page 144 of 536

Notes: 1. Printed on 05/03/00

Table 3
SUMMARY OF ANALYTICAL RESULTS - SOIL
P&W East Hartford: NK Undeveloped Land Area - Outside Storage Area

Page 145 of 536

| | Location ID | NK-SB-283 | NK-SB-283 | NK-SB-283 | NK-SB-283 | NK-SB-283 | NK-SB-284 | NK-SB-284 |
|--------------------------------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|------------|
| Sample ID | 1028256 | 1028255 | 1028257 | 1028258 | 1028259 | 1028260 | 1028261 | |
| Sample Date | 03/17/1997 | 03/17/1997 | 03/17/1997 | 03/17/1997 | 03/17/1997 | 03/17/1997 | 03/17/1997 | 03/17/1997 |
| Sample Time | 11:05 | 11:10 | 11:10 | 11:20 | 11:25 | 13:10 | 13:15 | |
| Sample Depth | 4' - 6' | 6' - 8' | 6' - 8' | 8' - 10' | 10' - 12' | 0' - 2' | 2' - 4' | |
| Laboratory | LEA | |
| Lab. Number | 97-2102-032 | 97-2101-031 | 97-2106-036 | 97-2109-039 | 97-2110-040 | 97-2112-042 | 97-2111-041 | |
| Constituent | Units | | | | | | | |
| Date PCBs Analyzed | - | | | | | | | |
| Date Metals Analyzed | - | | | | | | | |
| Date Organics Analyzed | - | 03/24/1997 | 03/24/1997 | 03/24/1997 | 03/24/1997 | 03/24/1997 | 03/24/1997 | 03/24/1997 |
| Date Pesticides/Herbicides Analyzed | - | | | | | | | |
| Date Physical Analyzed | - | | | | | | | |
| Date Semi-volatile Organics Analyzed | - | | | | | | | |
| Dinoseb | µg/kg | | | | | | | |
| Arsenic | mg/kg | | | | | | | |
| Barium | mg/kg | | | | | | | |
| Cadmium | mg/kg | | | | | | | |
| Chromium | mg/kg | | | | | | | |
| Lead | mg/kg | | | | | | | |
| Mercury | mg/kg | | | | | | | |
| Nickel | mg/kg | | | | | | | |
| Selenium | mg/kg | | | | | | | |
| Silver | mg/kg | | | | | | | |
| Zinc | mg/kg | | | | | | | |
| PCB 1016 | µg/kg | | | | | | | |
| PCB 1221 | µg/kg | | | | | | | |
| PCB 1232 | µg/kg | | | | | | | |
| PCB 1242 | µg/kg | | | | | | | |
| PCB 1248 | µg/kg | | | | | | | |
| PCB 1254 | µg/kg | | | | | | | |
| PCB 1260 | µg/kg | | | | | | | |
| 2-Acetylaminofluorene | µg/kg | | | | | | | |
| Aramite | µg/kg | | | | | | | |
| Hexachlorobenzene | µg/kg | | | | | | | |
| Hexachlorocyclopentadiene | µg/kg | | | | | | | |

Notes: 1. Printed on 05/03/00

Table 3
SUMMARY OF ANALYTICAL RESULTS - SOIL
P&W East Hartford: NK Undeveloped Land Area - Outside Storage Area

Page 146 of 536

| | Location ID | NK-SB-283 | NK-SB-283 | NK-SB-283 | NK-SB-283 | NK-SB-283 | NK-SB-284 | NK-SB-284 |
|--------------------------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|------------|
| Sample ID | 1028256 | 1028255 | 1028257 | 1028258 | 1028259 | 1028260 | 1028261 | |
| Sample Date | 03/17/1997 | 03/17/1997 | 03/17/1997 | 03/17/1997 | 03/17/1997 | 03/17/1997 | 03/17/1997 | 03/17/1997 |
| Sample Time | 11:05 | 11:10 | 11:10 | 11:20 | 11:25 | 13:10 | 13:15 | |
| Sample Depth | 4' - 6' | 6' - 8' | 6' - 8' | 8' - 10' | 10' - 12' | 0' - 2' | 2' - 4' | |
| Laboratory | LEA | |
| Lab. Number | 97-2102-032 | 97-2101-031 | 97-2106-036 | 97-2109-039 | 97-2110-040 | 97-2112-042 | 97-2111-041 | |
| Constituent | Units | | | | | | | |
| Dimethoate | µg/kg | | | | | | | |
| Disulfoton | µg/kg | | | | | | | |
| Famphur | µg/kg | | | | | | | |
| Phorate | µg/kg | | | | | | | |
| 1,2-Dibromo-3-chloropropane | µg/kg | | | | | | | |
| TPH | mg/kg | | | | | | | |
| Total Solids | % | | | | | | | |
| Acenaphthylene | µg/kg | | | | | | | |
| Acenaphthalene | µg/kg | | | | | | | |
| Phenacetin | µg/kg | | | | | | | |
| Acetophenone | µg/kg | | | | | | | |
| Aniline | µg/kg | | | | | | | |
| o-Nitroaniline | µg/kg | | | | | | | |
| m-Nitroaniline | µg/kg | | | | | | | |
| p-Chloroaniline | µg/kg | | | | | | | |
| p-Nitroaniline | µg/kg | | | | | | | |
| p-Dimethylaminoazobenzene | µg/kg | | | | | | | |
| Anthracene | µg/kg | | | | | | | |
| Benzo(a)anthracene | µg/kg | | | | | | | |
| 7,12-Dimethylbenz[a]anthracene | µg/kg | | | | | | | |
| Benzo(b)fluoranthene | µg/kg | | | | | | | |
| 1,2,4,5-Tetrachlorobenzene | µg/kg | | | | | | | |
| Isosafrole | µg/kg | | | | | | | |
| 1,3,5-Trinitrobenzene | µg/kg | | | | | | | |
| m-Dinitrobenzene | µg/kg | | | | | | | |
| Safrole | µg/kg | | | | | | | |
| Nitrobenzene | µg/kg | | | | | | | |
| Benzidine | µg/kg | | | | | | | |

Notes: 1. Printed on 05/03/00

Table 3
SUMMARY OF ANALYTICAL RESULTS - SOIL
P&W East Hartford: NK Undeveloped Land Area - Outside Storage Area

Page 147 of 536

| | Location ID | NK-SB-283 | NK-SB-283 | NK-SB-283 | NK-SB-283 | NK-SB-283 | NK-SB-284 | NK-SB-284 |
|-------------------------------|--------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| | Sample ID | 1028256 | 1028255 | 1028257 | 1028258 | 1028259 | 1028260 | 1028261 |
| | Sample Date | 03/17/1997 | 03/17/1997 | 03/17/1997 | 03/17/1997 | 03/17/1997 | 03/17/1997 | 03/17/1997 |
| | Sample Time | 11:05 | 11:10 | 11:10 | 11:20 | 11:25 | 13:10 | 13:15 |
| | Sample Depth | 4' - 6' | 6' - 8' | 6' - 8' | 8' - 10' | 10' - 12' | 0' - 2' | 2' - 4' |
| | Laboratory | LEA |
| | Lab. Number | 97-2102-032 | 97-2101-031 | 97-2106-036 | 97-2109-039 | 97-2110-040 | 97-2112-042 | 97-2111-041 |
| Constituent | Units | | | | | | | |
| 3,3'-Dichlorobenzidine | µg/kg | | | | | | | |
| o-Tolidine | µg/kg | | | | | | | |
| Benzo[a]pyrene | µg/kg | | | | | | | |
| Benzo[ghi]perylene | µg/kg | | | | | | | |
| Benzo[k]fluoranthene | µg/kg | | | | | | | |
| Benzoic Acid | µg/kg | | | | | | | |
| Benzyl Alcohol | µg/kg | | | | | | | |
| p-Aminobiphenyl | µg/kg | | | | | | | |
| Hexachlorobutadiene | µg/kg | | | | | | | |
| n-Nitrosodi-n-butylamine | µg/kg | | | | | | | |
| trans-1,4-Dichloro-2-butylene | µg/kg | | | | | | | |
| Carbazole | µg/kg | | | | | | | |
| 3-Methylchloanthrene | µg/kg | | | | | | | |
| Chrysene | µg/kg | | | | | | | |
| o-Cresol | µg/kg | | | | | | | |
| m-Cresol | µg/kg | | | | | | | |
| Dinitro-o-cresol | µg/kg | | | | | | | |
| p-Cresol | µg/kg | | | | | | | |
| p-Chloro-m-cresol | µg/kg | | | | | | | |
| Dibenz(a,h)anthracene | µg/kg | | | | | | | |
| Dibenzo-furan | µg/kg | | | | | | | |
| n-Nitrosodiethylamine | µg/kg | | | | | | | |
| n-Nitrosodimethylamine | µg/kg | | | | | | | |
| Diphenylamine | µg/kg | | | | | | | |
| n-Nitrosodiphenylamine | µg/kg | | | | | | | |
| n-Nitrosodipropylamine | µg/kg | | | | | | | |
| Hexachloroethane | µg/kg | | | | | | | |
| 4-Bromophenyl Phenyl Ether | µg/kg | | | | | | | |

Notes: 1. Printed on 05/03/00

Table 3
SUMMARY OF ANALYTICAL RESULTS - SOIL
P&W East Hartford: NK Undeveloped Land Area - Outside Storage Area

Page 148 of 536

| | Location ID | NK-SB-283 | NK-SB-283 | NK-SB-283 | NK-SB-283 | NK-SB-283 | NK-SB-284 | NK-SB-284 |
|--|-------------|-------------|-------------|-------------|-------------|-------------|-------------|------------|
| Sample ID | 1028256 | 1028255 | 1028257 | 1028258 | 1028259 | 1028260 | 1028261 | |
| Sample Date | 03/17/1997 | 03/17/1997 | 03/17/1997 | 03/17/1997 | 03/17/1997 | 03/17/1997 | 03/17/1997 | 03/17/1997 |
| Sample Time | 11:05 | 11:10 | 11:10 | 11:20 | 11:25 | 13:10 | 13:15 | |
| Sample Depth | 4' - 6' | 6' - 8' | 6' - 8' | 8' - 10' | 10' - 12' | 0' - 2' | 2' - 4' | |
| Laboratory | LEA | |
| Lab. Number | 97-2102-032 | 97-2101-031 | 97-2106-036 | 97-2109-039 | 97-2110-040 | 97-2112-042 | 97-2111-041 | |
| Constituent | Units | | | | | | | |
| 4-Chlorophenyl phenyl ether | µg/kg | | | | | | | |
| Dichlorodisopropyl ether | µg/kg | | | | | | | |
| Dichloroethyl Ether | µg/kg | | | | | | | |
| n-Methyl-n-nitrosoethylamine | µg/kg | | | | | | | |
| Fluoranthene | µg/kg | | | | | | | |
| Fluorene | µg/kg | | | | | | | |
| 1,2-Diphenylhydrazine | µg/kg | | | | | | | |
| Indeno(1,2,3-cd)pyrene | µg/kg | | | | | | | |
| Isophorone | µg/kg | | | | | | | |
| bis(2-Chloroethoxy)methane | µg/kg | | | | | | | |
| Ethylmethanesulfonate | µg/kg | | | | | | | |
| Methylmethanesulfonate | µg/kg | | | | | | | |
| Methapyrilene | µg/kg | | | | | | | |
| n-Nitrosomorpholine | µg/kg | | | | | | | |
| Naphthalene | µg/kg | | | | | | | |
| 2-Chloronaphthalene | µg/kg | | | | | | | |
| 2-Methylnaphthalene | µg/kg | | | | | | | |
| 1,4-Naphthoquinone | µg/kg | | | | | | | |
| alpha-Naphthylamine | µg/kg | | | | | | | |
| beta-Naphthylamine | µg/kg | | | | | | | |
| Phenanthrene | µg/kg | | | | | | | |
| alpha,alpha-Dimethylphenethylamine | µg/kg | | | | | | | |
| Phenol | µg/kg | | | | | | | |
| 2,2'-Methylenebis(3,4,6-trichlorophenol) | µg/kg | | | | | | | |
| 2,3,4,6-Tetrachlorophenol | µg/kg | | | | | | | |
| 2,4,5-Trichlorophenol | µg/kg | | | | | | | |
| 2,4,6-Trichlorophenol | µg/kg | | | | | | | |
| 2,4-Dichlorophenol | µg/kg | | | | | | | |

Notes: 1. Printed on 05/03/00

Table 3
SUMMARY OF ANALYTICAL RESULTS - SOIL
P&W East Hartford: NK Undeveloped Land Area - Outside Storage Area

Page 149 of 536

| | Location ID | NK-SB-283 | NK-SB-283 | NK-SB-283 | NK-SB-283 | NK-SB-283 | NK-SB-284 | NK-SB-284 |
|---------------------------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|------------|
| Sample ID | 1028256 | 1028255 | 1028257 | 1028258 | 1028259 | 1028260 | 1028261 | 1028261 |
| Sample Date | 03/17/1997 | 03/17/1997 | 03/17/1997 | 03/17/1997 | 03/17/1997 | 03/17/1997 | 03/17/1997 | 03/17/1997 |
| Sample Time | 11:05 | 11:10 | 11:10 | 11:20 | 11:25 | 13:10 | 13:15 | |
| Sample Depth | 4' - 6' | 6' - 8' | 6' - 8' | 8' - 10' | 10' - 12' | 0' - 2' | 2' - 4' | |
| Laboratory | LEA | |
| Lab. Number | 97-2102-032 | 97-2101-031 | 97-2106-036 | 97-2109-039 | 97-2110-040 | 97-2112-042 | 97-2111-041 | |
| Constituent | Units | | | | | | | |
| 2,4-Dinitrophenol | µg/kg | | | | | | | |
| o-Chlorophenol | µg/kg | | | | | | | |
| o-Nitrophenol | µg/kg | | | | | | | |
| p-Nitrophenol | µg/kg | | | | | | | |
| Pentachlorophenol | µg/kg | | | | | | | |
| p-Phenylenediamine | µg/kg | | | | | | | |
| Butyl Benzyl Phthalate | µg/kg | | | | | | | |
| bis(2-Ethylhexyl)phthalate | µg/kg | | | | | | | |
| Di-n-butyl Phthalate | µg/kg | | | | | | | |
| Di-n-octyl Phthalate | µg/kg | | | | | | | |
| Diethyl Phthalate | µg/kg | | | | | | | |
| Dimethyl Phthalate | µg/kg | | | | | | | |
| 2-Picoline | µg/kg | | | | | | | |
| n-Nitrosopiperidine | µg/kg | | | | | | | |
| Pronamide | µg/kg | | | | | | | |
| Hexachloropropylene | µg/kg | | | | | | | |
| Pyrene | µg/kg | | | | | | | |
| Pyridine | µg/kg | | | | | | | |
| n-Nitrosopyrrolidine | µg/kg | | | | | | | |
| 4-Nitroquinoline, 1-oxide | µg/kg | | | | | | | |
| 2,4-Dinitrotoluene | µg/kg | | | | | | | |
| 2,6-Dinitrotoluene | µg/kg | | | | | | | |
| 5-Nitro-o-Toluidine | µg/kg | | | | | | | |
| o-Toluidine | µg/kg | | | | | | | |
| o,o,o-Triethyl phosphorothioate | µg/kg | | | | | | | |
| 2,4-Xylenol | µg/kg | | | | | | | |
| Acetone | µg/kg | | | | | | | |
| Acetonitrile | µg/kg | | | | | | | |

Notes: 1. Printed on 05/03/00

Table 3
SUMMARY OF ANALYTICAL RESULTS - SOIL
P&W East Hartford: NK Undeveloped Land Area - Outside Storage Area

Page 150 of 536

| | Location ID | NK-SB-283 | NK-SB-283 | NK-SB-283 | NK-SB-283 | NK-SB-283 | NK-SB-284 | NK-SB-284 |
|-----------------------------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|------------|
| Sample ID | 1028256 | 1028255 | 1028257 | 1028258 | 1028259 | 1028260 | 1028261 | |
| Sample Date | 03/17/1997 | 03/17/1997 | 03/17/1997 | 03/17/1997 | 03/17/1997 | 03/17/1997 | 03/17/1997 | 03/17/1997 |
| Sample Time | 11:05 | 11:10 | 11:10 | 11:20 | 11:25 | 13:10 | 13:15 | |
| Sample Depth | 4' - 6' | 6' - 8' | 6' - 8' | 8' - 10' | 10' - 12' | 0' - 2' | 2' - 4' | |
| Laboratory | LEA | |
| Lab. Number | 97-2102-032 | 97-2101-031 | 97-2106-036 | 97-2109-039 | 97-2110-040 | 97-2112-042 | 97-2111-041 | |
| Constituent | Units | | | | | | | |
| Acrolein | µg/kg | | | | | | | |
| Acrylonitrile | µg/kg | | | | | | | |
| Benzene | µg/kg | | | | | | | |
| Benzene (screening) | µg/xx | <14.5 | <11.7 | <16.9 NC | <14.7 | <14.2 | <15.9 | <14.5 |
| 1,2,4-Trichlorobenzene | µg/kg | | | | | | | |
| o-Dichlorobenzene | µg/kg | | | | | | | |
| m-Dichlorobenzene | µg/kg | | | | | | | |
| p-Dichlorobenzene | µg/kg | | | | | | | |
| Bromobenzene | µg/kg | | | | | | | |
| Chlorobenzene | µg/kg | | | | | | | |
| Ethyl Benzene | µg/kg | | | | | | | |
| Ethyl Benzene (screening) | µg/xx | <21.0 | <17.0 | <24.6 NC | <21.4 | <20.6 | <23.1 | <21.0 |
| Pentachlorobenzene | µg/kg | | | | | | | |
| Pentachloronitrobenzene | µg/kg | | | | | | | |
| beta-Chloroprene | µg/kg | | | | | | | |
| 2-Butanone | µg/kg | | | | | | | |
| Carbon Disulfide | µg/kg | | | | | | | |
| Carbon Tetrachloride | µg/kg | | | | | | | |
| Chloroform | µg/kg | | | | | | | |
| Dioxane | µg/kg | | | | | | | |
| 1,1,1,2-Tetrachloroethane | µg/kg | | | | | | | |
| 1,1,1-Trichloroethane | µg/kg | | | | | | | |
| 1,1,1-Trichloroethane (screening) | µg/xx | <355 | <287 | <415 NC | <361 | <348 | <390 | <355 |
| 1,1,2,2-Tetrachloroethane | µg/kg | | | | | | | |
| 1,1,2-Trichloroethane | µg/kg | | | | | | | |
| 1,1-Dichloroethane | µg/kg | | | | | | | |
| Ethylene Dibromide | µg/kg | | | | | | | |
| 1,2-Dichloroethane | µg/kg | | | | | | | |

Notes: 1. Printed on 05/03/00

Table 3
SUMMARY OF ANALYTICAL RESULTS - SOIL
P&W East Hartford: NK Undeveloped Land Area - Outside Storage Area

Page 151 of 536

| | Location ID | NK-SB-283 | NK-SB-283 | NK-SB-283 | NK-SB-283 | NK-SB-283 | NK-SB-284 | NK-SB-284 |
|---------------------------------|--------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| | Sample ID | 1028256 | 1028255 | 1028257 | 1028258 | 1028259 | 1028260 | 1028261 |
| | Sample Date | 03/17/1997 | 03/17/1997 | 03/17/1997 | 03/17/1997 | 03/17/1997 | 03/17/1997 | 03/17/1997 |
| | Sample Time | 11:05 | 11:10 | 11:10 | 11:20 | 11:25 | 13:10 | 13:15 |
| | Sample Depth | 4' - 6' | 6' - 8' | 6' - 8' | 8' - 10' | 10' - 12' | 0' - 2' | 2' - 4' |
| | Laboratory | LEA |
| | Lab. Number | 97-2102-032 | 97-2101-031 | 97-2106-036 | 97-2109-039 | 97-2110-040 | 97-2112-042 | 97-2111-041 |
| Constituent | Units | | | | | | | |
| Chloroethane | µg/kg | | | | | | | |
| Pentachloroethane | µg/kg | | | | | | | |
| 2-Chloroethyl Vinyl ether | µg/kg | | | | | | | |
| Methyl-tert-butyl Ether | µg/kg | | | | | | | |
| 1,1-Dichloroethylene | µg/kg | | | | | | | |
| Vinyl Chloride | µg/kg | | | | | | | |
| cis-1,2-Dichloroethylene | µg/kg | | | | | | | |
| Tetrachloroethylene | µg/kg | | | | | | | |
| Tetrachloroethylene (screening) | µg/xx | <22.1 | <17.9 | <25.9 NC | <22.5 | <21.7 | <24.3 | <22.1 |
| trans-1,2-Dichloroethylene | µg/kg | | | | | | | |
| Trichloroethylene | µg/kg | | | | | | | |
| Trichloroethylene (screening) | µg/xx | <34.4 | <27.8 | <40.2 NC | <35.0 | <33.8 | <37.8 | <34.4 |
| Ethylmethacrylate | µg/kg | | | | | | | |
| 2-Hexanone | µg/kg | | | | | | | |
| Isobutyl Alcohol | µg/kg | | | | | | | |
| Bromomethane | µg/kg | | | | | | | |
| Bromodichloromethane | µg/kg | | | | | | | |
| Chloromethane | µg/kg | | | | | | | |
| Dibromomethane | µg/kg | | | | | | | |
| Dibromo-chloromethane | µg/kg | | | | | | | |
| Methylene Chloride | µg/kg | | | | | | | |
| Dichlorodifluoromethane | µg/kg | | | | | | | |
| Iodomethane | µg/kg | | | | | | | |
| Bromoform | µg/kg | | | | | | | |
| Fluorotrichloromethane | µg/kg | | | | | | | |
| Methyl Methacrylate | µg/kg | | | | | | | |
| Methyl Isobutyl Ketone | µg/kg | | | | | | | |
| 1,2,3-Trichloropropane | µg/kg | | | | | | | |

Notes: 1. Printed on 05/03/00

Table 3
SUMMARY OF ANALYTICAL RESULTS - SOIL
P&W East Hartford: NK Undeveloped Land Area - Outside Storage Area

Page 152 of 536

Notes: 1. Printed on 03/03/00

LEA

Table 3
SUMMARY OF ANALYTICAL RESULTS - SOIL
P&W East Hartford: NK Undeveloped Land Area - Outside Storage Area

Page 153 of 536

| | Location ID | NK-SB-284 | NK-SB-284 | NK-SB-284 | NK-SB-284 | NK-SB-284 | NK-SB-284 | NK-SB-285 |
|--------------------------------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|------------|
| Sample ID | 1028262 | 1028263 | 1028264 | 1028265 | 1028266 | 1028267 | 1028268 | |
| Sample Date | 03/17/1997 | 03/17/1997 | 03/17/1997 | 03/17/1997 | 03/17/1997 | 03/17/1997 | 03/17/1997 | 03/17/1997 |
| Sample Time | 13:25 | 13:30 | 13:40 | 13:45 | 13:55 | 14:00 | 14:15 | |
| Sample Depth | 4' - 6' | 6' - 8' | 8' - 10' | 10' - 12' | 12' - 14' | 14' - 16' | 0' - 2' | |
| Laboratory | LEA | |
| Lab. Number | 97-2115-045 | 97-2116-046 | 97-2117-047 | 97-2118-048 | 97-2119-049 | 97-2120-050 | 97-2121-051 | |
| Constituent | Units | | | | | | | |
| Date PCBs Analyzed | - | | | | | | | |
| Date Metals Analyzed | - | | | | | | | |
| Date Organics Analyzed | - | 03/24/1997 | 03/24/1997 | 03/24/1997 | 03/24/1997 | 03/24/1997 | 03/24/1997 | 03/24/1997 |
| Date Pesticides/Herbicides Analyzed | - | | | | | | | |
| Date Physical Analyzed | - | | | | | | | |
| Date Semi-volatile Organics Analyzed | - | | | | | | | |
| Dinoseb | µg/kg | | | | | | | |
| Arsenic | mg/kg | | | | | | | |
| Barium | mg/kg | | | | | | | |
| Cadmium | mg/kg | | | | | | | |
| Chromium | mg/kg | | | | | | | |
| Lead | mg/kg | | | | | | | |
| Mercury | mg/kg | | | | | | | |
| Nickel | mg/kg | | | | | | | |
| Selenium | mg/kg | | | | | | | |
| Silver | mg/kg | | | | | | | |
| Zinc | mg/kg | | | | | | | |
| PCB 1016 | µg/kg | | | | | | | |
| PCB 1221 | µg/kg | | | | | | | |
| PCB 1232 | µg/kg | | | | | | | |
| PCB 1242 | µg/kg | | | | | | | |
| PCB 1248 | µg/kg | | | | | | | |
| PCB 1254 | µg/kg | | | | | | | |
| PCB 1260 | µg/kg | | | | | | | |
| 2-Acetylaminofluorene | µg/kg | | | | | | | |
| Aramite | µg/kg | | | | | | | |
| Hexachlorobenzene | µg/kg | | | | | | | |
| Hexachlorocyclopentadiene | µg/kg | | | | | | | |

Notes: 1. Printed on 05/03/00

Table 3
SUMMARY OF ANALYTICAL RESULTS - SOIL
P&W East Hartford: NK Undeveloped Land Area - Outside Storage Area

Page 154 of 536

| | Location ID | NK-SB-284 | NK-SB-284 | NK-SB-284 | NK-SB-284 | NK-SB-284 | NK-SB-284 | NK-SB-285 |
|--------------------------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|------------|
| Sample ID | 1028262 | 1028263 | 1028264 | 1028265 | 1028266 | 1028267 | 1028268 | |
| Sample Date | 03/17/1997 | 03/17/1997 | 03/17/1997 | 03/17/1997 | 03/17/1997 | 03/17/1997 | 03/17/1997 | 03/17/1997 |
| Sample Time | 13:25 | 13:30 | 13:40 | 13:45 | 13:55 | 14:00 | 14:15 | |
| Sample Depth | 4' - 6' | 6' - 8' | 8' - 10' | 10' - 12' | 12' - 14' | 14' - 16' | 0' - 2' | |
| Laboratory | LEA | |
| Lab. Number | 97-2115-045 | 97-2116-046 | 97-2117-047 | 97-2118-048 | 97-2119-049 | 97-2120-050 | 97-2121-051 | |
| Constituent | Units | | | | | | | |
| Dimethoate | µg/kg | | | | | | | |
| Disulfoton | µg/kg | | | | | | | |
| Famphur | µg/kg | | | | | | | |
| Phorate | µg/kg | | | | | | | |
| 1,2-Dibromo-3-chloropropane | µg/kg | | | | | | | |
| TPH | mg/kg | | | | | | | |
| Total Solids | % | | | | | | | |
| Acenaphthylene | µg/kg | | | | | | | |
| Acenaphthalene | µg/kg | | | | | | | |
| Phenacetin | µg/kg | | | | | | | |
| Acetophenone | µg/kg | | | | | | | |
| Aniline | µg/kg | | | | | | | |
| o-Nitroaniline | µg/kg | | | | | | | |
| m-Nitroaniline | µg/kg | | | | | | | |
| p-Chloroaniline | µg/kg | | | | | | | |
| p-Nitroaniline | µg/kg | | | | | | | |
| p-Dimethylaminoazobenzene | µg/kg | | | | | | | |
| Anthracene | µg/kg | | | | | | | |
| Benzo(a)anthracene | µg/kg | | | | | | | |
| 7,12-Dimethylbenz[a]anthracene | µg/kg | | | | | | | |
| Benzo(b)fluoranthene | µg/kg | | | | | | | |
| 1,2,4,5-Tetrachlorobenzene | µg/kg | | | | | | | |
| Isosafrole | µg/kg | | | | | | | |
| 1,3,5-Trinitrobenzene | µg/kg | | | | | | | |
| m-Dinitrobenzene | µg/kg | | | | | | | |
| Safrole | µg/kg | | | | | | | |
| Nitrobenzene | µg/kg | | | | | | | |
| Benzidine | µg/kg | | | | | | | |

Notes: 1. Printed on 05/03/00

Table 3
SUMMARY OF ANALYTICAL RESULTS - SOIL
P&W East Hartford: NK Undeveloped Land Area - Outside Storage Area

Page 155 of 536

| | Location ID | NK-SB-284 | NK-SB-284 | NK-SB-284 | NK-SB-284 | NK-SB-284 | NK-SB-284 | NK-SB-285 |
|-------------------------------|--------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| | Sample ID | 1028262 | 1028263 | 1028264 | 1028265 | 1028266 | 1028267 | 1028268 |
| | Sample Date | 03/17/1997 | 03/17/1997 | 03/17/1997 | 03/17/1997 | 03/17/1997 | 03/17/1997 | 03/17/1997 |
| | Sample Time | 13:25 | 13:30 | 13:40 | 13:45 | 13:55 | 14:00 | 14:15 |
| | Sample Depth | 4' - 6' | 6' - 8' | 8' - 10' | 10' - 12' | 12' - 14' | 14' - 16' | 0' - 2' |
| | Laboratory | LEA |
| | Lab. Number | 97-2115-045 | 97-2116-046 | 97-2117-047 | 97-2118-048 | 97-2119-049 | 97-2120-050 | 97-2121-051 |
| Constituent | Units | | | | | | | |
| 3,3'-Dichlorobenzidine | µg/kg | | | | | | | |
| o-Tolidine | µg/kg | | | | | | | |
| Benzo[a]pyrene | µg/kg | | | | | | | |
| Benzo[ghi]perylene | µg/kg | | | | | | | |
| Benzo[k]fluoranthene | µg/kg | | | | | | | |
| Benzoic Acid | µg/kg | | | | | | | |
| Benzyl Alcohol | µg/kg | | | | | | | |
| p-Aminobiphenyl | µg/kg | | | | | | | |
| Hexachlorobutadiene | µg/kg | | | | | | | |
| n-Nitrosodi-n-butylamine | µg/kg | | | | | | | |
| trans-1,4-Dichloro-2-butylene | µg/kg | | | | | | | |
| Carbazole | µg/kg | | | | | | | |
| 3-Methylchloanthrene | µg/kg | | | | | | | |
| Chrysene | µg/kg | | | | | | | |
| o-Cresol | µg/kg | | | | | | | |
| m-Cresol | µg/kg | | | | | | | |
| Dinitro-o-cresol | µg/kg | | | | | | | |
| p-Cresol | µg/kg | | | | | | | |
| p-Chloro-m-cresol | µg/kg | | | | | | | |
| Dibenz(a,h)anthracene | µg/kg | | | | | | | |
| Dibenzofuran | µg/kg | | | | | | | |
| n-Nitrosodiethylamine | µg/kg | | | | | | | |
| n-Nitrosodimethylamine | µg/kg | | | | | | | |
| Diphenylamine | µg/kg | | | | | | | |
| n-Nitrosodiphenylamine | µg/kg | | | | | | | |
| n-Nitrosodipropylamine | µg/kg | | | | | | | |
| Hexachloroethane | µg/kg | | | | | | | |
| 4-Bromophenyl Phenyl Ether | µg/kg | | | | | | | |

Notes: 1. Printed on 05/03/00

Table 3
SUMMARY OF ANALYTICAL RESULTS - SOIL
P&W East Hartford: NK Undeveloped Land Area - Outside Storage Area

Page 156 of 536

| | Location ID | NK-SB-284 | NK-SB-284 | NK-SB-284 | NK-SB-284 | NK-SB-284 | NK-SB-284 | NK-SB-285 |
|---|--------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| | Sample ID | 1028262 | 1028263 | 1028264 | 1028265 | 1028266 | 1028267 | 1028268 |
| | Sample Date | 03/17/1997 | 03/17/1997 | 03/17/1997 | 03/17/1997 | 03/17/1997 | 03/17/1997 | 03/17/1997 |
| | Sample Time | 13:25 | 13:30 | 13:40 | 13:45 | 13:55 | 14:00 | 14:15 |
| | Sample Depth | 4' - 6' | 6' - 8' | 8' - 10' | 10' - 12' | 12' - 14' | 14' - 16' | 0' - 2' |
| | Laboratory | LEA |
| | Lab. Number | 97-2115-045 | 97-2116-046 | 97-2117-047 | 97-2118-048 | 97-2119-049 | 97-2120-050 | 97-2121-051 |
| Constituent | Units | | | | | | | |
| 4-Chlorophenyl phenyl ether | µg/kg | | | | | | | |
| Dichlorodiisopropyl ether | µg/kg | | | | | | | |
| Dichloroethyl Ether | µg/kg | | | | | | | |
| n-Methyl-n-nitrosoethylamine | µg/kg | | | | | | | |
| Fluoranthene | µg/kg | | | | | | | |
| Fluorene | µg/kg | | | | | | | |
| 1,2-Diphenylhydrazine | µg/kg | | | | | | | |
| Indeno(1,2,3-cd)pyrene | µg/kg | | | | | | | |
| Isophorone | µg/kg | | | | | | | |
| bis(2-Chloroethoxy)methane | µg/kg | | | | | | | |
| Ethylmethanesulfonate | µg/kg | | | | | | | |
| Methylmethanesulfonate | µg/kg | | | | | | | |
| Methapyrilene | µg/kg | | | | | | | |
| n-Nitrosomorpholine | µg/kg | | | | | | | |
| Naphthalene | µg/kg | | | | | | | |
| 2-Chloronaphthalene | µg/kg | | | | | | | |
| 2-Methylnaphthalene | µg/kg | | | | | | | |
| 1,4-Naphthoquinone | µg/kg | | | | | | | |
| alpha-Naphthylamine | µg/kg | | | | | | | |
| beta-Naphthylamine | µg/kg | | | | | | | |
| Phenanthrene | µg/kg | | | | | | | |
| alpha,alpha-Dimethylphenethylamine | µg/kg | | | | | | | |
| Phenol | µg/kg | | | | | | | |
| 2,2'-Methylenebis(3,4,6-trichloropheno) | µg/kg | | | | | | | |
| 2,3,4,6-Tetrachlorophenol | µg/kg | | | | | | | |
| 2,4,5-Trichlorophenol | µg/kg | | | | | | | |
| 2,4,6-Trichlorophenol | µg/kg | | | | | | | |
| 2,4-Dichlorophenol | µg/kg | | | | | | | |

Notes: 1. Printed on 05/03/00

Table 3
SUMMARY OF ANALYTICAL RESULTS - SOIL
P&W East Hartford: NK Undeveloped Land Area - Outside Storage Area

Page 157 of 536

| | Location ID | NK-SB-284 | NK-SB-284 | NK-SB-284 | NK-SB-284 | NK-SB-284 | NK-SB-284 | NK-SB-285 |
|---------------------------------|--------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| | Sample ID | 1028262 | 1028263 | 1028264 | 1028265 | 1028266 | 1028267 | 1028268 |
| | Sample Date | 03/17/1997 | 03/17/1997 | 03/17/1997 | 03/17/1997 | 03/17/1997 | 03/17/1997 | 03/17/1997 |
| | Sample Time | 13:25 | 13:30 | 13:40 | 13:45 | 13:55 | 14:00 | 14:15 |
| | Sample Depth | 4' - 6' | 6' - 8' | 8' - 10' | 10' - 12' | 12' - 14' | 14' - 16' | 0' - 2' |
| | Laboratory | LEA |
| | Lab. Number | 97-2115-045 | 97-2116-046 | 97-2117-047 | 97-2118-048 | 97-2119-049 | 97-2120-050 | 97-2121-051 |
| Constituent | Units | | | | | | | |
| 2,4-Dinitrophenol | µg/kg | | | | | | | |
| o-Chlorophenol | µg/kg | | | | | | | |
| o-Nitrophenol | µg/kg | | | | | | | |
| p-Nitrophenol | µg/kg | | | | | | | |
| Pentachlorophenol | µg/kg | | | | | | | |
| p-Phenylenediamine | µg/kg | | | | | | | |
| Butyl Benzyl Phthalate | µg/kg | | | | | | | |
| bis(2-Ethylhexyl)phthalate | µg/kg | | | | | | | |
| Di-n-butyl Phthalate | µg/kg | | | | | | | |
| Di-n-octyl Phthalate | µg/kg | | | | | | | |
| Diethyl Phthalate | µg/kg | | | | | | | |
| Dimethyl Phthalate | µg/kg | | | | | | | |
| 2-Picoline | µg/kg | | | | | | | |
| n-Nitrosopiperidine | µg/kg | | | | | | | |
| Pronamide | µg/kg | | | | | | | |
| Hexachloropropylene | µg/kg | | | | | | | |
| Pyrene | µg/kg | | | | | | | |
| Pyridine | µg/kg | | | | | | | |
| n-Nitrosopyrrolidine | µg/kg | | | | | | | |
| 4-Nitroquinoline, 1-oxide | µg/kg | | | | | | | |
| 2,4-Dinitrotoluene | µg/kg | | | | | | | |
| 2,6-Dinitrotoluene | µg/kg | | | | | | | |
| 5-Nitro-o-Toluidine | µg/kg | | | | | | | |
| o-Toluidine | µg/kg | | | | | | | |
| o,o,o-Triethyl phosphorothioate | µg/kg | | | | | | | |
| 2,4-Xylenol | µg/kg | | | | | | | |
| Acetone | µg/kg | | | | | | | |
| Acetonitrile | µg/kg | | | | | | | |

Notes: 1. Printed on 05/03/00

Table 3
SUMMARY OF ANALYTICAL RESULTS - SOIL
P&W East Hartford: NK Undeveloped Land Area - Outside Storage Area

Page 158 of 536

| | Location ID | NK-SB-284 | NK-SB-284 | NK-SB-284 | NK-SB-284 | NK-SB-284 | NK-SB-284 | NK-SB-285 |
|-----------------------------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|------------|
| Sample ID | 1028262 | 1028263 | 1028264 | 1028265 | 1028266 | 1028267 | 1028268 | 1028268 |
| Sample Date | 03/17/1997 | 03/17/1997 | 03/17/1997 | 03/17/1997 | 03/17/1997 | 03/17/1997 | 03/17/1997 | 03/17/1997 |
| Sample Time | 13:25 | 13:30 | 13:40 | 13:45 | 13:55 | 14:00 | 14:15 | |
| Sample Depth | 4' - 6' | 6' - 8' | 8' - 10' | 10' - 12' | 12' - 14' | 14' - 16' | 0' - 2' | |
| Laboratory | LEA | LEA |
| Lab. Number | 97-2115-045 | 97-2116-046 | 97-2117-047 | 97-2118-048 | 97-2119-049 | 97-2120-050 | 97-2121-051 | |
| Constituent | Units | | | | | | | |
| Acrolein | µg/kg | | | | | | | |
| Acrylonitrile | µg/kg | | | | | | | |
| Benzene | µg/kg | | | | | | | |
| Benzene (screening) | µg/xx | <13.0 | <15.3 | <14.2 | <13.7 | <17.3 NC | <15.3 | <12.0 |
| 1,2,4-Trichlorobenzene | µg/kg | | | | | | | |
| o-Dichlorobenzene | µg/kg | | | | | | | |
| m-Dichlorobenzene | µg/kg | | | | | | | |
| p-Dichlorobenzene | µg/kg | | | | | | | |
| Bromobenzene | µg/kg | | | | | | | |
| Chlorobenzene | µg/kg | | | | | | | |
| Ethyl Benzene | µg/kg | | | | | | | |
| Ethyl Benzene (screening) | µg/xx | <18.9 | <22.2 | <20.6 | <19.9 | <25.1 NC | <22.2 | <17.5 |
| Pentachlorobenzene | µg/kg | | | | | | | |
| Pentachloronitrobenzene | µg/kg | | | | | | | |
| beta-Chloroprene | µg/kg | | | | | | | |
| 2-Butanone | µg/kg | | | | | | | |
| Carbon Disulfide | µg/kg | | | | | | | |
| Carbon Tetrachloride | µg/kg | | | | | | | |
| Chloroform | µg/kg | | | | | | | |
| Dioxane | µg/kg | | | | | | | |
| 1,1,1,2-Tetrachloroethane | µg/kg | | | | | | | |
| 1,1,1-Trichloroethane | µg/kg | | | | | | | |
| 1,1,1-Trichloroethane (screening) | µg/xx | <320 | <375 | <348 | <336 | <424 NC | <375 | <295 |
| 1,1,2,2-Tetrachloroethane | µg/kg | | | | | | | |
| 1,1,2-Trichloroethane | µg/kg | | | | | | | |
| 1,1-Dichloroethane | µg/kg | | | | | | | |
| Ethylene Dibromide | µg/kg | | | | | | | |
| 1,2-Dichloroethane | µg/kg | | | | | | | |

Notes: 1. Printed on 03/03/00

Table 3
SUMMARY OF ANALYTICAL RESULTS - SOIL
P&W East Hartford: NK Undeveloped Land Area - Outside Storage Area

Page 159 of 536

| | Location ID | NK-SB-284 | NK-SB-284 | NK-SB-284 | NK-SB-284 | NK-SB-284 | NK-SB-284 | NK-SB-285 |
|---------------------------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|------------|
| Sample ID | 1028262 | 1028263 | 1028264 | 1028265 | 1028266 | 1028267 | 1028268 | |
| Sample Date | 03/17/1997 | 03/17/1997 | 03/17/1997 | 03/17/1997 | 03/17/1997 | 03/17/1997 | 03/17/1997 | 03/17/1997 |
| Sample Time | 13:25 | 13:30 | 13:40 | 13:45 | 13:55 | 14:00 | | 14:15 |
| Sample Depth | 4' - 6' | 6' - 8' | 8' - 10' | 10' - 12' | 12' - 14' | 14' - 16' | | 0' - 2' |
| Laboratory | LEA | |
| Lab. Number | 97-2115-045 | 97-2116-046 | 97-2117-047 | 97-2118-048 | 97-2119-049 | 97-2120-050 | 97-2121-051 | |
| Constituent | Units | | | | | | | |
| Chloroethane | µg/kg | | | | | | | |
| Pentachloroethane | µg/kg | | | | | | | |
| 2-Chloroethyl Vinyl ether | µg/kg | | | | | | | |
| Methyl-tert-butyl Ether | µg/kg | | | | | | | |
| 1,1-Dichloroethylene | µg/kg | | | | | | | |
| Vinyl Chloride | µg/kg | | | | | | | |
| cis-1,2-Dichloroethylene | µg/kg | | | | | | | |
| Tetrachloroethylene | µg/kg | | | | | | | |
| Tetrachloroethylene (screening) | µg/xx | <19.9 | <23.4 | <21.7 | <20.9 | <26.4 NC | <23.4 | <18.4 |
| trans-1,2-Dichloroethylene | µg/kg | | | | | | | |
| Trichloroethylene | µg/kg | | | | | | | |
| Trichloroethylene (screening) | µg/xx | <31.0 | <36.3 | <33.8 | <32.6 | <41.1 NC | <36.3 | <28.6 |
| Ethylmethacrylate | µg/kg | | | | | | | |
| 2-Hexanone | µg/kg | | | | | | | |
| Isobutyl Alcohol | µg/kg | | | | | | | |
| Bromomethane | µg/kg | | | | | | | |
| Bromodichloromethane | µg/kg | | | | | | | |
| Chloromethane | µg/kg | | | | | | | |
| Dibromomethane | µg/kg | | | | | | | |
| Dibromo-chloromethane | µg/kg | | | | | | | |
| Methylene Chloride | µg/kg | | | | | | | |
| Dichlorodifluoromethane | µg/kg | | | | | | | |
| Iodomethane | µg/kg | | | | | | | |
| Bromoform | µg/kg | | | | | | | |
| Fluorotrichloromethane | µg/kg | | | | | | | |
| Methyl Methacrylate | µg/kg | | | | | | | |
| Methyl Isobutyl Ketone | µg/kg | | | | | | | |
| 1,2,3-Trichloropropane | µg/kg | | | | | | | |

Notes: 1. Printed on 05/03/00

Table 3
SUMMARY OF ANALYTICAL RESULTS - SOIL
P&W East Hartford: NK Undeveloped Land Area - Outside Storage Area

Page 160 of 536

Notes: 1. Printed on 05/03/00



Table 3
SUMMARY OF ANALYTICAL RESULTS - SOIL
P&W East Hartford: NK Undeveloped Land Area - Outside Storage Area

Page 161 of 536

| | Location ID | NK-SB-285 | NK-SB-285 | NK-SB-285 | NK-SB-285 | NK-SB-285 | NK-SB-285 | NK-SB-285 |
|--------------------------------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|------------|
| Sample ID | 1028269 | 1028270 | 1028271 | 1028272 | 1028273 | 1028274 | 1028275 | 1028275 |
| Sample Date | 03/17/1997 | 03/17/1997 | 03/17/1997 | 03/17/1997 | 03/17/1997 | 03/17/1997 | 03/17/1997 | 03/17/1997 |
| Sample Time | 14:20 | 14:30 | 14:35 | 14:45 | 14:50 | 15:00 | 15:05 | |
| Sample Depth | 2' - 4' | 4' - 6' | 6' - 8' | 8' - 10' | 10' - 12' | 12' - 14' | 14' - 16' | |
| Laboratory | LEA | |
| Lab. Number | 97-2122-052 | 97-2123-053 | 97-2124-054 | 97-2125-055 | 97-2126-056 | 97-2127-057 | 97-2128-058 | |
| Constituent | Units | | | | | | | |
| Date PCBs Analyzed | - | | | | | | | |
| Date Metals Analyzed | - | | | | | | | |
| Date Organics Analyzed | - | 03/24/1997 | 03/24/1997 | 03/24/1997 | 03/24/1997 | 03/24/1997 | 03/24/1997 | 03/24/1997 |
| Date Pesticides/Herbicides Analyzed | - | | | | | | | |
| Date Physical Analyzed | - | | | | | | | |
| Date Semi-volatile Organics Analyzed | - | | | | | | | |
| Dinoseb | µg/kg | | | | | | | |
| Arsenic | mg/kg | | | | | | | |
| Barium | mg/kg | | | | | | | |
| Cadmium | mg/kg | | | | | | | |
| Chromium | mg/kg | | | | | | | |
| Lead | mg/kg | | | | | | | |
| Mercury | mg/kg | | | | | | | |
| Nickel | mg/kg | | | | | | | |
| Selenium | mg/kg | | | | | | | |
| Silver | mg/kg | | | | | | | |
| Zinc | mg/kg | | | | | | | |
| PCB 1016 | µg/kg | | | | | | | |
| PCB 1221 | µg/kg | | | | | | | |
| PCB 1232 | µg/kg | | | | | | | |
| PCB 1242 | µg/kg | | | | | | | |
| PCB 1248 | µg/kg | | | | | | | |
| PCB 1254 | µg/kg | | | | | | | |
| PCB 1260 | µg/kg | | | | | | | |
| 2-Acetylaminofluorene | µg/kg | | | | | | | |
| Aramite | µg/kg | | | | | | | |
| Hexachlorobenzene | µg/kg | | | | | | | |
| Hexachlorocyclopentadiene | µg/kg | | | | | | | |

Notes: 1. Printed on 05/03/00

Table 3
SUMMARY OF ANALYTICAL RESULTS - SOIL
P&W East Hartford: NK Undeveloped Land Area - Outside Storage Area

Page 162 of 536

| | Location ID | NK-SB-285 | NK-SB-285 | NK-SB-285 | NK-SB-285 | NK-SB-285 | NK-SB-285 | NK-SB-285 |
|--------------------------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|------------|
| Sample ID | 1028269 | 1028270 | 1028271 | 1028272 | 1028273 | 1028274 | 1028275 | 1028275 |
| Sample Date | 03/17/1997 | 03/17/1997 | 03/17/1997 | 03/17/1997 | 03/17/1997 | 03/17/1997 | 03/17/1997 | 03/17/1997 |
| Sample Time | 14:20 | 14:30 | 14:35 | 14:45 | 14:50 | 15:00 | 15:05 | 15:05 |
| Sample Depth | 2' - 4' | 4' - 6' | 6' - 8' | 8' - 10' | 10' - 12' | 12' - 14' | 14' - 16' | 14' - 16' |
| Laboratory | LEA | LEA |
| Lab. Number | 97-2122-052 | 97-2123-053 | 97-2124-054 | 97-2125-055 | 97-2126-056 | 97-2127-057 | 97-2128-058 | |
| Constituent | Units | | | | | | | |
| Dimethoate | µg/kg | | | | | | | |
| Disulfoton | µg/kg | | | | | | | |
| Famphur | µg/kg | | | | | | | |
| Phorate | µg/kg | | | | | | | |
| 1,2-Dibromo-3-chloropropane | µg/kg | | | | | | | |
| TPH | mg/kg | | | | | | | |
| Total Solids | % | | | | | | | |
| Acenaphthylene | µg/kg | | | | | | | |
| Acenaphthalene | µg/kg | | | | | | | |
| Phenacetin | µg/kg | | | | | | | |
| Acetophenone | µg/kg | | | | | | | |
| Aniline | µg/kg | | | | | | | |
| o-Nitroaniline | µg/kg | | | | | | | |
| m-Nitroaniline | µg/kg | | | | | | | |
| p-Chloroaniline | µg/kg | | | | | | | |
| p-Nitroaniline | µg/kg | | | | | | | |
| p-Dimethylaminoazobenzene | µg/kg | | | | | | | |
| Anthracene | µg/kg | | | | | | | |
| Benzo(a)anthracene | µg/kg | | | | | | | |
| 7,12-Dimethylbenz[a]anthracene | µg/kg | | | | | | | |
| Benzo(b)fluoranthene | µg/kg | | | | | | | |
| 1,2,4,5-Tetrachlorobenzene | µg/kg | | | | | | | |
| Iosafrole | µg/kg | | | | | | | |
| 1,3,5-Trinitrobenzene | µg/kg | | | | | | | |
| m-Dinitrobenzene | µg/kg | | | | | | | |
| Safrole | µg/kg | | | | | | | |
| Nitrobenzene | µg/kg | | | | | | | |
| Benzidine | µg/kg | | | | | | | |

Notes: 1. Printed on 05/03/00

Table 3
SUMMARY OF ANALYTICAL RESULTS - SOIL
P&W East Hartford: NK Undeveloped Land Area - Outside Storage Area

Page 163 of 536

| | Location ID | NK-SB-285 |
|-------------------------------|--------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| | Sample ID | 1028269 | 1028270 | 1028271 | 1028272 | 1028273 | 1028274 | 1028275 |
| | Sample Date | 03/17/1997 | 03/17/1997 | 03/17/1997 | 03/17/1997 | 03/17/1997 | 03/17/1997 | 03/17/1997 |
| | Sample Time | 14:20 | 14:30 | 14:35 | 14:45 | 14:50 | 15:00 | 15:05 |
| | Sample Depth | 2' - 4' | 4' - 6' | 6' - 8' | 8' - 10' | 10' - 12' | 12' - 14' | 14' - 16' |
| | Laboratory | LEA |
| | Lab. Number | 97-2122-052 | 97-2123-053 | 97-2124-054 | 97-2125-055 | 97-2126-056 | 97-2127-057 | 97-2128-058 |
| Constituent | Units | | | | | | | |
| 3,3'-Dichlorobenzidine | µg/kg | | | | | | | |
| o-Tolidine | µg/kg | | | | | | | |
| Benzo[a]pyrene | µg/kg | | | | | | | |
| Benzo[ghi]perylene | µg/kg | | | | | | | |
| Benzo[k]fluoranthene | µg/kg | | | | | | | |
| Benzoic Acid | µg/kg | | | | | | | |
| Benzyl Alcohol | µg/kg | | | | | | | |
| p-Aminobiphenyl | µg/kg | | | | | | | |
| Hexachlorobutadiene | µg/kg | | | | | | | |
| n-Nitrosodi-n-butylamine | µg/kg | | | | | | | |
| trans-1,4-Dichloro-2-butylene | µg/kg | | | | | | | |
| Carbazole | µg/kg | | | | | | | |
| 3-Methylchloanthrene | µg/kg | | | | | | | |
| Chrysene | µg/kg | | | | | | | |
| o-Cresol | µg/kg | | | | | | | |
| m-Cresol | µg/kg | | | | | | | |
| Dinitro-o-cresol | µg/kg | | | | | | | |
| p-Cresol | µg/kg | | | | | | | |
| p-Chloro-m-cresol | µg/kg | | | | | | | |
| Dibenzo(a,h)anthracene | µg/kg | | | | | | | |
| Dibenzofuran | µg/kg | | | | | | | |
| n-Nitrosodiethylamine | µg/kg | | | | | | | |
| n-Nitrosodimethylamine | µg/kg | | | | | | | |
| Diphenylamine | µg/kg | | | | | | | |
| n-Nitrosodiphenylamine | µg/kg | | | | | | | |
| n-Nitrosodipropylamine | µg/kg | | | | | | | |
| Hexachloroethane | µg/kg | | | | | | | |
| 4-Bromophenyl Phenyl Ether | µg/kg | | | | | | | |

Notes: 1. Printed on 05/03/00

Table 3
SUMMARY OF ANALYTICAL RESULTS - SOIL
P&W East Hartford: NK Undeveloped Land Area - Outside Storage Area

Page 164 of 536

| | Location ID | NK-SB-285 |
|--|--------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| | Sample ID | 1028269 | 1028270 | 1028271 | 1028272 | 1028273 | 1028274 | 1028275 |
| | Sample Date | 03/17/1997 | 03/17/1997 | 03/17/1997 | 03/17/1997 | 03/17/1997 | 03/17/1997 | 03/17/1997 |
| | Sample Time | 14:20 | 14:30 | 14:35 | 14:45 | 14:50 | 15:00 | 15:05 |
| | Sample Depth | 2' - 4' | 4' - 6' | 6' - 8' | 8' - 10' | 10' - 12' | 12' - 14' | 14' - 16' |
| | Laboratory | LEA |
| | Lab. Number | 97-2122-052 | 97-2123-053 | 97-2124-054 | 97-2125-055 | 97-2126-056 | 97-2127-057 | 97-2128-058 |
| Constituent | Units | | | | | | | |
| 4-Chlorophenyl phenyl ether | µg/kg | | | | | | | |
| Dichlorodisopropyl ether | µg/kg | | | | | | | |
| Dichloroethyl Ether | µg/kg | | | | | | | |
| n-Methyl-n-nitrosoethylamine | µg/kg | | | | | | | |
| Fluoranthene | µg/kg | | | | | | | |
| Fluorene | µg/kg | | | | | | | |
| 1,2-Diphenylhydrazine | µg/kg | | | | | | | |
| Indeno(1,2,3-cd)pyrene | µg/kg | | | | | | | |
| Isophorone | µg/kg | | | | | | | |
| bis(2-Chloroethoxy)methane | µg/kg | | | | | | | |
| Ethylmethanesulfonate | µg/kg | | | | | | | |
| Methylmethanesulfonate | µg/kg | | | | | | | |
| Methapyrilene | µg/kg | | | | | | | |
| n-Nitrosomorpholine | µg/kg | | | | | | | |
| Naphthalene | µg/kg | | | | | | | |
| 2-Chloronaphthalene | µg/kg | | | | | | | |
| 2-Methylnaphthalene | µg/kg | | | | | | | |
| 1,4-Naphthoquinone | µg/kg | | | | | | | |
| alpha-Naphthylamine | µg/kg | | | | | | | |
| beta-Naphthylamine | µg/kg | | | | | | | |
| Phenanthrene | µg/kg | | | | | | | |
| alpha,alpha-Dimethylphenethylamine | µg/kg | | | | | | | |
| Phenol | µg/kg | | | | | | | |
| 2,2'-Methylenebis(3,4,6-trichlorophenol) | µg/kg | | | | | | | |
| 2,3,4,6-Tetrachlorophenol | µg/kg | | | | | | | |
| 2,4,5-Trichlorophenol | µg/kg | | | | | | | |
| 2,4,6-Trichlorophenol | µg/kg | | | | | | | |
| 2,4-Dichlorophenol | µg/kg | | | | | | | |

Notes: 1. Printed on 05/03/00

Table 3
SUMMARY OF ANALYTICAL RESULTS - SOIL
P&W East Hartford: NK Undeveloped Land Area - Outside Storage Area

Page 165 of 536

| | Location ID | NK-SB-285 |
|---------------------------------|--------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| | Sample ID | 1028269 | 1028270 | 1028271 | 1028272 | 1028273 | 1028274 | 1028275 |
| | Sample Date | 03/17/1997 | 03/17/1997 | 03/17/1997 | 03/17/1997 | 03/17/1997 | 03/17/1997 | 03/17/1997 |
| | Sample Time | 14:20 | 14:30 | 14:35 | 14:45 | 14:50 | 15:00 | 15:05 |
| | Sample Depth | 2' - 4' | 4' - 6' | 6' - 8' | 8' - 10' | 10' - 12' | 12' - 14' | 14' - 16' |
| | Laboratory | LEA |
| | Lab. Number | 97-2122-052 | 97-2123-053 | 97-2124-054 | 97-2125-055 | 97-2126-056 | 97-2127-057 | 97-2128-058 |
| Constituent | Units | | | | | | | |
| 2,4-Dinitrophenol | µg/kg | | | | | | | |
| o-Chlorophenol | µg/kg | | | | | | | |
| o-Nitrophenol | µg/kg | | | | | | | |
| p-Nitrophenol | µg/kg | | | | | | | |
| Pentachlorophenol | µg/kg | | | | | | | |
| p-Phenylenediamine | µg/kg | | | | | | | |
| Butyl Benzyl Phthalate | µg/kg | | | | | | | |
| bis(2-Ethylhexyl)phthalate | µg/kg | | | | | | | |
| Di-n-butyl Phthalate | µg/kg | | | | | | | |
| Di-n-octyl Phthalate | µg/kg | | | | | | | |
| Diethyl Phthalate | µg/kg | | | | | | | |
| Dimethyl Phthalate | µg/kg | | | | | | | |
| 2-Picoline | µg/kg | | | | | | | |
| n-Nitrosopiperidine | µg/kg | | | | | | | |
| Pronamide | µg/kg | | | | | | | |
| Hexachloropropylene | µg/kg | | | | | | | |
| Pyrene | µg/kg | | | | | | | |
| Pyridine | µg/kg | | | | | | | |
| n-Nitrosopyrrolidine | µg/kg | | | | | | | |
| 4-Nitroquinoline, 1-oxide | µg/kg | | | | | | | |
| 2,4-Dinitrotoluene | µg/kg | | | | | | | |
| 2,6-Dinitrotoluene | µg/kg | | | | | | | |
| 5-Nitro-o-Toluidine | µg/kg | | | | | | | |
| o-Toluidine | µg/kg | | | | | | | |
| o,o,o-Triethyl phosphorothioate | µg/kg | | | | | | | |
| 2,4-Xylenol | µg/kg | | | | | | | |
| Acetone | µg/kg | | | | | | | |
| Acetonitrile | µg/kg | | | | | | | |

Notes: 1. Printed on 05/03/00

Table 3
SUMMARY OF ANALYTICAL RESULTS - SOIL
P&W East Hartford: NK Undeveloped Land Area - Outside Storage Area

Page 166 of 536

| | Location ID | NK-SB-285 | NK-SB-285 | NK-SB-285 | NK-SB-285 | NK-SB-285 | NK-SB-285 | NK-SB-285 |
|-----------------------------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|------------|
| Sample ID | 1028269 | 1028270 | 1028271 | 1028272 | 1028273 | 1028274 | 1028275 | 1028275 |
| Sample Date | 03/17/1997 | 03/17/1997 | 03/17/1997 | 03/17/1997 | 03/17/1997 | 03/17/1997 | 03/17/1997 | 03/17/1997 |
| Sample Time | 14:20 | 14:30 | 14:35 | 14:45 | 14:50 | 15:00 | 15:05 | |
| Sample Depth | 2' - 4' | 4' - 6' | 6' - 8' | 8' - 10' | 10' - 12' | 12' - 14' | 14' - 16' | |
| Laboratory | LEA | LEA |
| Lab. Number | 97-2122-052 | 97-2123-053 | 97-2124-054 | 97-2125-055 | 97-2126-056 | 97-2127-057 | 97-2128-058 | |
| Constituent | Units | | | | | | | |
| Acrolein | µg/kg | | | | | | | |
| Acrylonitrile | µg/kg | | | | | | | |
| Benzene | µg/kg | | | | | | | |
| Benzene (screening) | µg/xx | <15.3 | <12.0 | <15.3 | <14.7 | <15.0 | <13.9 | <18.1 NC |
| 1,2,4-Trichlorobenzene | µg/kg | | | | | | | |
| o-Dichlorobenzene | µg/kg | | | | | | | |
| m-Dichlorobenzene | µg/kg | | | | | | | |
| p-Dichlorobenzene | µg/kg | | | | | | | |
| Bromobenzene | µg/kg | | | | | | | |
| Chlorobenzene | µg/kg | | | | | | | |
| Ethyl Benzene | µg/kg | | | | | | | |
| Ethyl Benzene (screening) | µg/xx | <22.2 | <17.5 | <22.2 | <21.4 | <21.8 | <20.3 | <26.3 NC |
| Pentachlorobenzene | µg/kg | | | | | | | |
| Pentachloronitrobenzene | µg/kg | | | | | | | |
| beta-Chloroprene | µg/kg | | | | | | | |
| 2-Butanone | µg/kg | | | | | | | |
| Carbon Disulfide | µg/kg | | | | | | | |
| Carbon Tetrachloride | µg/kg | | | | | | | |
| Chloroform | µg/kg | | | | | | | |
| Dioxane | µg/kg | | | | | | | |
| 1,1,1,2-Tetrachloroethane | µg/kg | | | | | | | |
| 1,1,1-Trichloroethane | µg/kg | | | | | | | |
| 1,1,1-Trichloroethane (screening) | µg/xx | <375 | <295 | <375 | <361 | <368 | <342 | <443 NC |
| 1,1,2,2-Tetrachloroethane | µg/kg | | | | | | | |
| 1,1,2-Trichloroethane | µg/kg | | | | | | | |
| 1,1-Dichloroethane | µg/kg | | | | | | | |
| Ethylene Dibromide | µg/kg | | | | | | | |
| 1,2-Dichloroethane | µg/kg | | | | | | | |

Notes: 1. Printed on 05/03/00

Table 3
SUMMARY OF ANALYTICAL RESULTS - SOIL
P&W East Hartford: NK Undeveloped Land Area - Outside Storage Area

Page 167 of 536

| | Location ID | NK-SB-285 | NK-SB-285 | NK-SB-285 | NK-SB-285 | NK-SB-285 | NK-SB-285 | NK-SB-285 |
|---------------------------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|------------|
| Sample ID | 1028269 | 1028270 | 1028271 | 1028272 | 1028273 | 1028274 | 1028275 | |
| Sample Date | 03/17/1997 | 03/17/1997 | 03/17/1997 | 03/17/1997 | 03/17/1997 | 03/17/1997 | 03/17/1997 | 03/17/1997 |
| Sample Time | 14:20 | 14:30 | 14:35 | 14:45 | 14:50 | 15:00 | 15:05 | |
| Sample Depth | 2' - 4' | 4' - 6' | 6' - 8' | 8' - 10' | 10' - 12' | 12' - 14' | 14' - 16' | |
| Laboratory | LEA | |
| Lab. Number | 97-2122-052 | 97-2123-053 | 97-2124-054 | 97-2125-055 | 97-2126-056 | 97-2127-057 | 97-2128-058 | |
| Constituent | Units | | | | | | | |
| Chloroethane | µg/kg | | | | | | | |
| Pentachloroethane | µg/kg | | | | | | | |
| 2-Chloroethyl Vinyl ether | µg/kg | | | | | | | |
| Methyl-tert-butyl Ether | µg/kg | | | | | | | |
| 1,1-Dichloroethylene | µg/kg | | | | | | | |
| Vinyl Chloride | µg/kg | | | | | | | |
| cis-1,2-Dichloroethylene | µg/kg | | | | | | | |
| Tetrachloroethylene | µg/kg | | | | | | | |
| Tetrachloroethylene (screening) | µg/xx | <23.4 | <18.4 | <23.4 | <22.5 | <22.9 | <21.3 | <27.6 NC |
| trans-1,2-Dichloroethylene | µg/kg | | | | | | | |
| Trichloroethylene | µg/kg | | | | | | | |
| Trichloroethylene (screening) | µg/xx | <36.3 | <28.6 | <36.3 | <35.0 | <35.7 | <33.2 | <43.0 NC |
| Ethylmethacrylate | µg/kg | | | | | | | |
| 2-Hexanone | µg/kg | | | | | | | |
| Isobutyl Alcohol | µg/kg | | | | | | | |
| Bromomethane | µg/kg | | | | | | | |
| Bromodichloromethane | µg/kg | | | | | | | |
| Chloromethane | µg/kg | | | | | | | |
| Dibromomethane | µg/kg | | | | | | | |
| Dibromochloromethane | µg/kg | | | | | | | |
| Methylene Chloride | µg/kg | | | | | | | |
| Dichlorodifluoromethane | µg/kg | | | | | | | |
| Iodomethane | µg/kg | | | | | | | |
| Bromoform | µg/kg | | | | | | | |
| Fluorotrichloromethane | µg/kg | | | | | | | |
| Methyl Methacrylate | µg/kg | | | | | | | |
| Methyl Isobutyl Ketone | µg/kg | | | | | | | |
| 1,2,3-Trichloropropane | µg/kg | | | | | | | |

Notes: 1. Printed on 05/03/00

Table 3
SUMMARY OF ANALYTICAL RESULTS - SOIL
P&W East Hartford: NK Undeveloped Land Area - Outside Storage Area

Page 168 of 536

Notes: 1. Printed on 05/03/00

Table 3
SUMMARY OF ANALYTICAL RESULTS - SOIL
P&W East Hartford: NK Undeveloped Land Area - Outside Storage Area

Page 169 of 536

| | Location ID | NK-SB-286 | NK-SB-286 | NK-SB-286 | NK-SB-286 | NK-SB-286 | NK-SB-286 | NK-SB-286 |
|--------------------------------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|------------|
| Sample ID | 1028280 | 1028281 | 1028282 | 1028282 | 1028283 | 1028284 | 1028284 | 1028284 |
| Sample Date | 03/18/1997 | 03/18/1997 | 03/18/1997 | 03/18/1997 | 03/18/1997 | 03/18/1997 | 03/18/1997 | 03/18/1997 |
| Sample Time | 09:10 | 09:15 | 09:25 | 09:25 | 09:30 | 09:40 | 09:40 | 09:40 |
| Sample Depth | 0' - 2' | 2' - 4' | 4' - 6' | 4' - 6' | 6' - 8' | 8' - 10' | 8' - 10' | 8' - 10' |
| Laboratory | LEA | LEA | AEL | LEA | LEA | LEA | LEA | LEA |
| Lab. Number | 97-2131-061 | 97-2132-062 | AEL97003528 | 97-2134-066 | 97-2135-067 | 97-2145-077 | 97-2145-078 | |
| Constituent | Units | | | | | | | |
| Date PCBs Analyzed | - | | | | | | | |
| Date Metals Analyzed | - | | | | | | | |
| Date Organics Analyzed | - | 03/24/1997 | 03/24/1997 | 03/31/1997 | 03/25/1997 | 03/25/1997 | 03/25/1997 | 03/25/1997 |
| Date Pesticides/Herbicides Analyzed | - | | | | | | | |
| Date Physical Analyzed | - | | | 04/01/1997 | | | | |
| Date Semi-volatile Organics Analyzed | - | | | | | | | |
| Dinoseb | µg/kg | | | | | | | |
| Arsenic | mg/kg | | | | | | | |
| Barium | mg/kg | | | | | | | |
| Cadmium | mg/kg | | | | | | | |
| Chromium | mg/kg | | | | | | | |
| Lead | mg/kg | | | | | | | |
| Mercury | mg/kg | | | | | | | |
| Nickel | mg/kg | | | | | | | |
| Selenium | mg/kg | | | | | | | |
| Silver | mg/kg | | | | | | | |
| Zinc | mg/kg | | | | | | | |
| PCB 1016 | µg/kg | | | | | | | |
| PCB 1221 | µg/kg | | | | | | | |
| PCB 1232 | µg/kg | | | | | | | |
| PCB 1242 | µg/kg | | | | | | | |
| PCB 1248 | µg/kg | | | | | | | |
| PCB 1254 | µg/kg | | | | | | | |
| PCB 1260 | µg/kg | | | | | | | |
| 2-Acetylaminofluorene | µg/kg | | | | | | | |
| Aramite | µg/kg | | | | | | | |
| Hexachlorobenzene | µg/kg | | | | | | | |
| Hexachlorocyclopentadiene | µg/kg | | | | | | | |

Notes: 1. Printed on 05/03/00

Table 3
SUMMARY OF ANALYTICAL RESULTS - SOIL
P&W East Hartford: NK Undeveloped Land Area - Outside Storage Area

Page 170 of 536

| | Location ID | NK-SB-286 | NK-SB-286 | NK-SB-286 | NK-SB-286 | NK-SB-286 | NK-SB-286 | NK-SB-286 |
|--------------------------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|------------|
| Sample ID | 1028280 | 1028281 | 1028282 | 1028282 | 1028283 | 1028284 | 1028284 | 1028284 |
| Sample Date | 03/18/1997 | 03/18/1997 | 03/18/1997 | 03/18/1997 | 03/18/1997 | 03/18/1997 | 03/18/1997 | 03/18/1997 |
| Sample Time | 09:10 | 09:15 | 09:25 | 09:25 | 09:30 | 09:40 | 09:40 | 09:40 |
| Sample Depth | 0' - 2' | 2' - 4' | 4' - 6' | 4' - 6' | 6' - 8' | 8' - 10' | 8' - 10' | 8' - 10' |
| Laboratory | LEA | LEA | AEL | LEA | LEA | LEA | LEA | LEA |
| Lab. Number | 97-2131-061 | 97-2132-062 | AEL97003528 | 97-2134-066 | 97-2135-067 | 97-2145-077 | 97-2145-078 | |
| Constituent | Units | | | | | | | |
| Dimethoate | µg/kg | | | | | | | |
| Disulfoton | µg/kg | | | | | | | |
| Famphur | µg/kg | | | | | | | |
| Phorate | µg/kg | | | | | | | |
| 1,2-Dibromo-3-chloropropane | µg/kg | | | | | | | |
| TPH | mg/kg | | | 171 | | | | |
| Total Solids | % | | | <87.7 | | | | |
| Acenaphthylene | µg/kg | | | | | | | |
| Acenaphthalene | µg/kg | | | | | | | |
| Phenacetin | µg/kg | | | | | | | |
| Acetophenone | µg/kg | | | | | | | |
| Aniline | µg/kg | | | | | | | |
| o-Nitroaniline | µg/kg | | | | | | | |
| m-Nitroaniline | µg/kg | | | | | | | |
| p-Chloroaniline | µg/kg | | | | | | | |
| p-Nitroaniline | µg/kg | | | | | | | |
| p-Dimethylaminoazobenzene | µg/kg | | | | | | | |
| Anthracene | µg/kg | | | | | | | |
| Benzo(a)anthracene | µg/kg | | | | | | | |
| 7,12-Dimethylbenz[a]anthracene | µg/kg | | | | | | | |
| Benzo(b)fluoranthene | µg/kg | | | | | | | |
| 1,2,4,5-Tetrachlorobenzene | µg/kg | | | | | | | |
| Isosafrole | µg/kg | | | | | | | |
| 1,3,5-Trinitrobenzene | µg/kg | | | | | | | |
| m-Dinitrobenzene | µg/kg | | | | | | | |
| Safrole | µg/kg | | | | | | | |
| Nitrobenzene | µg/kg | | | | | | | |
| Benzidine | µg/kg | | | | | | | |

Notes: 1. Printed on 05/03/00

Table 3
SUMMARY OF ANALYTICAL RESULTS - SOIL
P&W East Hartford: NK Undeveloped Land Area - Outside Storage Area

Page 171 of 536

| | Location ID | NK-SB-286 |
|-------------------------------|--------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| | Sample ID | 1028280 | 1028281 | 1028282 | 1028282 | 1028283 | 1028284 | 1028284 |
| | Sample Date | 03/18/1997 | 03/18/1997 | 03/18/1997 | 03/18/1997 | 03/18/1997 | 03/18/1997 | 03/18/1997 |
| | Sample Time | 09:10 | 09:15 | 09:25 | 09:25 | 09:30 | 09:40 | 09:40 |
| | Sample Depth | 0' - 2' | 2' - 4' | 4' - 6' | 4' - 6' | 6' - 8' | 8' - 10' | 8' - 10' |
| | Laboratory | LEA | LEA | AEL | LEA | LEA | LEA | LEA |
| | Lab. Number | 97-2131-061 | 97-2132-062 | AEL97003528 | 97-2134-066 | 97-2135-067 | 97-2145-077 | 97-2145-078 |
| Constituent | Units | | | | | | | |
| 3,3'-Dichlorobenzidine | µg/kg | | | | | | | |
| o-Tolidine | µg/kg | | | | | | | |
| Benzo[a]pyrene | µg/kg | | | | | | | |
| Benzo[ghi]perylene | µg/kg | | | | | | | |
| Benzo[k]fluoranthene | µg/kg | | | | | | | |
| Benzoic Acid | µg/kg | | | | | | | |
| Benzyl Alcohol | µg/kg | | | | | | | |
| p-Aminobiphenyl | µg/kg | | | | | | | |
| Hexachlorobutadiene | µg/kg | | | | | | | |
| n-Nitrosodi-n-butylamine | µg/kg | | | | | | | |
| trans-1,4-Dichloro-2-butylene | µg/kg | | | | | | | |
| Carbazole | µg/kg | | | | | | | |
| 3-Methylchloanthrene | µg/kg | | | | | | | |
| Chrysene | µg/kg | | | | | | | |
| o-Cresol | µg/kg | | | | | | | |
| m-Cresol | µg/kg | | | | | | | |
| Dinitro-o-cresol | µg/kg | | | | | | | |
| p-Cresol | µg/kg | | | | | | | |
| p-Chloro-m-cresol | µg/kg | | | | | | | |
| Dibenz(a,h)anthracene | µg/kg | | | | | | | |
| Dibenzofuran | µg/kg | | | | | | | |
| n-Nitrosodiethylamine | µg/kg | | | | | | | |
| n-Nitrosodimethylamine | µg/kg | | | | | | | |
| Diphenylamine | µg/kg | | | | | | | |
| n-Nitrosodiphenylamine | µg/kg | | | | | | | |
| n-Nitrosodipropylamine | µg/kg | | | | | | | |
| Hexachloroethane | µg/kg | | | | | | | |
| 4-Bromophenyl Phenyl Ether | µg/kg | | | | | | | |

Notes: 1. Printed on 05/03/00

Table 3
SUMMARY OF ANALYTICAL RESULTS - SOIL
P&W East Hartford: NK Undeveloped Land Area - Outside Storage Area

Page 172 of 536

| | Location ID | NK-SB-286 |
|--|--------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| | Sample ID | 1028280 | 1028281 | 1028282 | 1028282 | 1028283 | 1028284 | 1028284 |
| | Sample Date | 03/18/1997 | 03/18/1997 | 03/18/1997 | 03/18/1997 | 03/18/1997 | 03/18/1997 | 03/18/1997 |
| | Sample Time | 09:10 | 09:15 | 09:25 | 09:25 | 09:30 | 09:40 | 09:40 |
| | Sample Depth | 0' - 2' | 2' - 4' | 4' - 6' | 4' - 6' | 6' - 8' | 8' - 10' | 8' - 10' |
| | Laboratory | LEA | LEA | AEL | LEA | LEA | LEA | LEA |
| | Lab. Number | 97-2131-061 | 97-2132-062 | AEL97003528 | 97-2134-066 | 97-2135-067 | 97-2145-077 | 97-2145-078 |
| Constituent | Units | | | | | | | |
| 4-Chlorophenyl phenyl ether | µg/kg | | | | | | | |
| Dichlorodiisopropyl ether | µg/kg | | | | | | | |
| Dichloroethyl Ether | µg/kg | | | | | | | |
| n-Methyl-n-nitrosostyrlamine | µg/kg | | | | | | | |
| Fluoranthene | µg/kg | | | | | | | |
| Fluorene | µg/kg | | | | | | | |
| 1,2-Diphenylhydrazine | µg/kg | | | | | | | |
| Indeno(1,2,3-cd)pyrene | µg/kg | | | | | | | |
| Isophorone | µg/kg | | | | | | | |
| bis(2-Chloroethoxy)methane | µg/kg | | | | | | | |
| Ethylmethanesulfonate | µg/kg | | | | | | | |
| Methylmethanesulfonate | µg/kg | | | | | | | |
| Methapyriene | µg/kg | | | | | | | |
| n-Nitrosomorpholine | µg/kg | | | | | | | |
| Naphthalene | µg/kg | | | | | | | |
| 2-Chloronaphthalene | µg/kg | | | | | | | |
| 2-Methylnaphthalene | µg/kg | | | | | | | |
| 1,4-Naphthoquinone | µg/kg | | | | | | | |
| alpha-Naphthylamine | µg/kg | | | | | | | |
| beta-Naphthylamine | µg/kg | | | | | | | |
| Phenanthrene | µg/kg | | | | | | | |
| alpha,alpha-Dimethylphenethylamine | µg/kg | | | | | | | |
| Phenol | µg/kg | | | | | | | |
| 2,2'-Methylenebis(3,4,6-trichlorophenol) | µg/kg | | | | | | | |
| 2,3,4,6-Tetrachlorophenol | µg/kg | | | | | | | |
| 2,4,5-Trichlorophenol | µg/kg | | | | | | | |
| 2,4,6-Trichlorophenol | µg/kg | | | | | | | |
| 2,4-Dichlorophenol | µg/kg | | | | | | | |

Notes: 1. Printed on 05/03/00

Table 3
SUMMARY OF ANALYTICAL RESULTS - SOIL
P&W East Hartford: NK Undeveloped Land Area - Outside Storage Area

Page 173 of 536

| | Location ID | NK-SB-286 |
|---------------------------------|--------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| | Sample ID | 1028280 | 1028281 | 1028282 | 1028282 | 1028283 | 1028284 | 1028284 |
| | Sample Date | 03/18/1997 | 03/18/1997 | 03/18/1997 | 03/18/1997 | 03/18/1997 | 03/18/1997 | 03/18/1997 |
| | Sample Time | 09:10 | 09:15 | 09:25 | 09:25 | 09:30 | 09:40 | 09:40 |
| | Sample Depth | 0' - 2' | 2' - 4' | 4' - 6' | 4' - 6' | 6' - 8' | 8' - 10' | 8' - 10' |
| | Laboratory | LEA | LEA | AEL | LEA | LEA | LEA | LEA |
| | Lab. Number | 97-2131-061 | 97-2132-062 | AEL97003528 | 97-2134-066 | 97-2135-067 | 97-2145-077 | 97-2145-078 |
| Constituent | Units | | | | | | | |
| 2,4-Dinitrophenol | µg/kg | | | | | | | |
| o-Chlorophenol | µg/kg | | | | | | | |
| o-Nitrophenol | µg/kg | | | | | | | |
| p-Nitrophenol | µg/kg | | | | | | | |
| Pentachlorophenol | µg/kg | | | | | | | |
| p-Phenylenediamine | µg/kg | | | | | | | |
| Butyl Benzyl Phthalate | µg/kg | | | | | | | |
| bis(2-Ethylhexyl)phthalate | µg/kg | | | | | | | |
| Di-n-butyl Phthalate | µg/kg | | | | | | | |
| Di-n-octyl Phthalate | µg/kg | | | | | | | |
| Diethyl Phthalate | µg/kg | | | | | | | |
| Dimethyl Phthalate | µg/kg | | | | | | | |
| 2-Picoline | µg/kg | | | | | | | |
| n-Nitrosopiperidine | µg/kg | | | | | | | |
| Pronamide | µg/kg | | | | | | | |
| Hexachloropropylene | µg/kg | | | | | | | |
| Pyrene | µg/kg | | | | | | | |
| Pyridine | µg/kg | | | | | | | |
| n-Nitrosopyrrolidine | µg/kg | | | | | | | |
| 4-Nitroquinoline, 1-oxide | µg/kg | | | | | | | |
| 2,4-Dinitrotoluene | µg/kg | | | | | | | |
| 2,6-Dinitrotoluene | µg/kg | | | | | | | |
| 5-Nitro-o-Toluidine | µg/kg | | | | | | | |
| o-Toluidine | µg/kg | | | | | | | |
| o,o,o-Triethyl phosphorothioate | µg/kg | | | | | | | |
| 2,4-Xylenol | µg/kg | | | | | | | |
| Acetone | µg/kg | | | <34 | | | | |
| Acetonitrile | µg/kg | | | | | | | |

Notes: 1. Printed on 05/03/00

LEA

Table 3
SUMMARY OF ANALYTICAL RESULTS - SOIL
P&W East Hartford: NK Undeveloped Land Area - Outside Storage Area

Page 174 of 536

| | Location ID | NK-SB-286 |
|-----------------------------------|--------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| | Sample ID | 1028280 | 1028281 | 1028282 | 1028282 | 1028283 | 1028284 | 1028284 |
| | Sample Date | 03/18/1997 | 03/18/1997 | 03/18/1997 | 03/18/1997 | 03/18/1997 | 03/18/1997 | 03/18/1997 |
| | Sample Time | 09:10 | 09:15 | 09:25 | 09:25 | 09:30 | 09:40 | 09:40 |
| | Sample Depth | 0' - 2' | 2' - 4' | 4' - 6' | 4' - 6' | 6' - 8' | 8' - 10' | 8' - 10' |
| | Laboratory | LEA | LEA | AEL | LEA | LEA | LEA | LEA |
| | Lab. Number | 97-2131-061 | 97-2132-062 | AEL97003528 | 97-2134-066 | 97-2135-067 | 97-2145-077 | 97-2145-078 |
| Constituent | Units | | | | | | | |
| Acrolein | µg/kg | | | <17 | | | | |
| Acrylonitrile | µg/kg | | | <17 | | | | |
| Benzene | µg/kg | | | <6.8 | | | | |
| Benzene (screening) | µg/xx | <14.5 | <15.6 | | <13.9 | <14.7 | <15.0 | <15.0 |
| 1,2,4-Trichlorobenzene | µg/kg | | | | | | | |
| o-Dichlorobenzene | µg/kg | | | <6.8 | | | | |
| m-Dichlorobenzene | µg/kg | | | <6.8 | | | | |
| p-Dichlorobenzene | µg/kg | | | <6.8 | | | | |
| Bromobenzene | µg/kg | | | <6.8 | | | | |
| Chlorobenzene | µg/kg | | | <6.8 | | | | |
| Ethyl Benzene | µg/kg | | | <6.8 | | | | |
| Ethyl Benzene (screening) | µg/xx | <21.0 | <22.6 | | <20.3 | <21.4 | <21.8 | <21.8 |
| Pentachlorobenzene | µg/kg | | | | | | | |
| Pentachloronitrobenzene | µg/kg | | | | | | | |
| beta-Chloroprene | µg/kg | | | | | | | |
| 2-Butanone | µg/kg | | | <17 | | | | |
| Carbon Disulfide | µg/kg | | | <6.8 | | | | |
| Carbon Tetrachloride | µg/kg | | | <6.8 | | | | |
| Chloroform | µg/kg | | | <6.8 | | | | |
| Dioxane | µg/kg | | | | | | | |
| 1,1,1,2-Tetrachloroethane | µg/kg | | | <6.8 | | | | |
| 1,1,1-Trichloroethane | µg/kg | | | <6.8 | | | | |
| 1,1,1-Trichloroethane (screening) | µg/xx | <355 | <382 | | <342 | <361 | <368 | <368 |
| 1,1,2,2-Tetrachloroethane | µg/kg | | | <6.8 | | | | |
| 1,1,2-Trichloroethane | µg/kg | | | <6.8 | | | | |
| 1,1-Dichloroethane | µg/kg | | | <6.8 | | | | |
| Ethylene Dibromide | µg/kg | | | | | | | |
| 1,2-Dichloroethane | µg/kg | | | <6.8 | | | | |

Notes: 1. Printed on 05/03/00

Table 3
SUMMARY OF ANALYTICAL RESULTS - SOIL
P&W East Hartford: NK Undeveloped Land Area - Outside Storage Area

Page 175 of 536

| | Location ID | NK-SB-286 |
|---------------------------------|--------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| | Sample ID | 1028280 | 1028281 | 1028282 | 1028282 | 1028283 | 1028284 | 1028284 |
| | Sample Date | 03/18/1997 | 03/18/1997 | 03/18/1997 | 03/18/1997 | 03/18/1997 | 03/18/1997 | 03/18/1997 |
| | Sample Time | 09:10 | 09:15 | 09:25 | 09:25 | 09:30 | 09:40 | 09:40 |
| | Sample Depth | 0' - 2' | 2' - 4' | 4' - 6' | 4' - 6' | 6' - 8' | 8' - 10' | 8' - 10' |
| | Laboratory | LEA | LEA | AEL | LEA | LEA | LEA | LEA |
| | Lab. Number | 97-2131-061 | 97-2132-062 | AEL97003528 | 97-2134-066 | 97-2135-067 | 97-2145-077 | 97-2145-078 |
| Constituent | Units | | | | | | | |
| Chloroethane | µg/kg | | | <6.8 | | | | |
| Pentachloroethane | µg/kg | | | | | | | |
| 2-Chloroethyl Vinyl ether | µg/kg | | | <6.8 | | | | |
| Methyl-tert-butyl Ether | µg/kg | | | <6.8 | | | | |
| 1,1-Dichloroethylene | µg/kg | | | <6.8 | | | | |
| Vinyl Chloride | µg/kg | | | <6.8 | | | | |
| cis-1,2-Dichloroethylene | µg/kg | | | <6.8 | | | | |
| Tetrachloroethylene | µg/kg | | | <6.8 N1 | | | | |
| Tetrachloroethylene (screening) | µg/xx | <22.1 | <23.8 | | <21.3 | <22.5 | <22.9 | <22.9 |
| trans-1,2-Dichloroethylene | µg/kg | | | <6.8 | | | | |
| Trichloroethylene | µg/kg | | | <6.8 | | | | |
| Trichloroethylene (screening) | µg/xx | <34.4 | <37.1 | | <33.2 | <35.0 | <35.7 | <35.7 |
| Ethylmethacrylate | µg/kg | | | | | | | |
| 2-Hexanone | µg/kg | | | <17 | | | | |
| Isobutyl Alcohol | µg/kg | | | | | | | |
| Bromomethane | µg/kg | | | <6.8 | | | | |
| Bromodichloromethane | µg/kg | | | <6.8 | | | | |
| Chloromethane | µg/kg | | | <6.8 | | | | |
| Dibromomethane | µg/kg | | | <6.8 | | | | |
| Dibromochloromethane | µg/kg | | | <6.8 | | | | |
| Methylene Chloride | µg/kg | | | <6.8 | | | | |
| Dichlorodifluoromethane | µg/kg | | | <6.8 | | | | |
| Iodomethane | µg/kg | | | | | | | |
| Bromoform | µg/kg | | | <6.8 | | | | |
| Fluorotrichloromethane | µg/kg | | | <6.8 | | | | |
| Methyl Methacrylate | µg/kg | | | | | | | |
| Methyl Isobutyl Ketone | µg/kg | | | <17 | | | | |
| 1,2,3-Trichloropropane | µg/kg | | | <6.8 | | | | |

Notes: 1. Printed on 05/03/00

Table 3
SUMMARY OF ANALYTICAL RESULTS - SOIL
P&W East Hartford: NK Undeveloped Land Area - Outside Storage Area

Page 176 of 536

Notes: 1. Printed on 05/03/00

Table 3
SUMMARY OF ANALYTICAL RESULTS - SOIL
P&W East Hartford: NK Undeveloped Land Area - Outside Storage Area

Page 177 of 536

| | Location ID | NK-SB-286 | NK-SB-286 | NK-SB-286 | NK-SB-287 | NK-SB-287 | NK-SB-287 | NK-SB-287 |
|--------------------------------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Sample ID | 1028285 | 1028286 | 1028287 | 1028288 | 1028289 | 1028290 | 1028290 | 1028290 |
| Sample Date | 03/18/1997 | 03/18/1997 | 03/18/1997 | 03/18/1997 | 03/18/1997 | 03/18/1997 | 03/18/1997 | 03/18/1997 |
| Sample Time | 09:45 | 09:55 | 10:00 | 10:30 | 10:35 | 10:45 | 10:45 | 10:45 |
| Sample Depth | 10' - 12' | 12' - 14' | 14' - 16' | 0' - 2' | 2' - 4' | 4' - 6' | 4' - 6' | 4' - 6' |
| Laboratory | LEA | LEA | LEA | LEA | LEA | AEL | AEL | LEA |
| Lab. Number | 97-2146-079 | 97-2147-080 | 97-2148-082 | 97-2149-083 | 97-2150-084 | AEL97003529 | AEL97003529 | 97-2151-085 |
| Constituent | Units | | | | | | | |
| Date PCBs Analyzed | - | | | | | | | |
| Date Metals Analyzed | - | | | | | | | |
| Date Organics Analyzed | - | 03/25/1997 | 03/25/1997 | 03/25/1997 | 03/25/1997 | 03/25/1997 | 03/31/1997 | 03/25/1997 |
| Date Pesticides/Herbicides Analyzed | - | | | | | | | |
| Date Physical Analyzed | - | | | | | | 04/01/1997 | |
| Date Semi-volatile Organics Analyzed | - | | | | | | | |
| Dinoseb | µg/kg | | | | | | | |
| Arsenic | mg/kg | | | | | | | |
| Barium | mg/kg | | | | | | | |
| Cadmium | mg/kg | | | | | | | |
| Chromium | mg/kg | | | | | | | |
| Lead | mg/kg | | | | | | | |
| Mercury | mg/kg | | | | | | | |
| Nickel | mg/kg | | | | | | | |
| Selenium | mg/kg | | | | | | | |
| Silver | mg/kg | | | | | | | |
| Zinc | mg/kg | | | | | | | |
| PCB 1016 | µg/kg | | | | | | | |
| PCB 1221 | µg/kg | | | | | | | |
| PCB 1232 | µg/kg | | | | | | | |
| PCB 1242 | µg/kg | | | | | | | |
| PCB 1248 | µg/kg | | | | | | | |
| PCB 1254 | µg/kg | | | | | | | |
| PCB 1260 | µg/kg | | | | | | | |
| 2-Acetylaminofluorene | µg/kg | | | | | | | |
| Aramite | µg/kg | | | | | | | |
| Hexachlorobenzene | µg/kg | | | | | | | |
| Hexaehlorocyclopentadiene | µg/kg | | | | | | | |

Notes: 1. Printed on 03/03/00

Table 3
SUMMARY OF ANALYTICAL RESULTS - SOIL
P&W East Hartford: NK Undeveloped Land Area - Outside Storage Area

Page 178 of 536

| | Location ID | NK-SB-286 | NK-SB-286 | NK-SB-286 | NK-SB-287 | NK-SB-287 | NK-SB-287 | NK-SB-287 |
|--------------------------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|------------|
| Sample ID | 1028285 | 1028286 | 1028287 | 1028288 | 1028289 | 1028290 | 1028290 | 1028290 |
| Sample Date | 03/18/1997 | 03/18/1997 | 03/18/1997 | 03/18/1997 | 03/18/1997 | 03/18/1997 | 03/18/1997 | 03/18/1997 |
| Sample Time | 09:45 | 09:55 | 10:00 | 10:30 | 10:35 | 10:45 | 10:45 | 10:45 |
| Sample Depth | 10' - 12' | 12' - 14' | 14' - 16' | 0' - 2' | 2' - 4' | 4' - 6' | 4' - 6' | 4' - 6' |
| Laboratory | LEA | LEA | LEA | LEA | LEA | AEL | LEA | LEA |
| Lab. Number | 97-2146-079 | 97-2147-080 | 97-2148-082 | 97-2149-083 | 97-2150-084 | AEL97003529 | 97-2151-085 | |
| Constituent | Units | | | | | | | |
| Dimethoate | µg/kg | | | | | | | |
| Disulfoton | µg/kg | | | | | | | |
| Famphur | µg/kg | | | | | | | |
| Phorate | µg/kg | | | | | | | |
| 1,2-Dibromo-3-chloropropane | µg/kg | | | | | | | |
| TPH | mg/kg | | | | | | 234 | |
| Total Solids | % | | | | | | <84.8 | |
| Acenaphthylene | µg/kg | | | | | | | |
| Acenaphthalene | µg/kg | | | | | | | |
| Phenacetin | µg/kg | | | | | | | |
| Acetophenone | µg/kg | | | | | | | |
| Aniline | µg/kg | | | | | | | |
| o-Nitroaniline | µg/kg | | | | | | | |
| m-Nitroaniline | µg/kg | | | | | | | |
| p-Chloroaniline | µg/kg | | | | | | | |
| p-Nitroaniline | µg/kg | | | | | | | |
| p-Dimethylaminoazobenzene | µg/kg | | | | | | | |
| Anthracene | µg/kg | | | | | | | |
| Benzo(a)anthracene | µg/kg | | | | | | | |
| 7,12-Dimethylbenz[a]anthracene | µg/kg | | | | | | | |
| Benzo(b)fluoranthene | µg/kg | | | | | | | |
| 1,2,4,5-Tetrachlorobenzene | µg/kg | | | | | | | |
| Isosafrole | µg/kg | | | | | | | |
| 1,3,5-Trinitrobenzene | µg/kg | | | | | | | |
| m-Dinitrobenzene | µg/kg | | | | | | | |
| Safrole | µg/kg | | | | | | | |
| Nitrobenzene | µg/kg | | | | | | | |
| Benzidine | µg/kg | | | | | | | |

Notes: 1. Printed on 05/03/00

Table 3
SUMMARY OF ANALYTICAL RESULTS - SOIL
P&W East Hartford: NK Undeveloped Land Area - Outside Storage Area

Page 179 of 536

| | Location ID | NK-SB-286 | NK-SB-286 | NK-SB-286 | NK-SB-287 | NK-SB-287 | NK-SB-287 | NK-SB-287 |
|-------------------------------|--------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| | Sample ID | 1028285 | 1028286 | 1028287 | 1028288 | 1028289 | 1028290 | 1028290 |
| | Sample Date | 03/18/1997 | 03/18/1997 | 03/18/1997 | 03/18/1997 | 03/18/1997 | 03/18/1997 | 03/18/1997 |
| | Sample Time | 09:45 | 09:55 | 10:00 | 10:30 | 10:35 | 10:45 | 10:45 |
| | Sample Depth | 10' - 12' | 12' - 14' | 14' - 16' | 0' - 2' | 2' - 4' | 4' - 6' | 4' - 6' |
| | Laboratory | LEA | LEA | LEA | LEA | LEA | AEL | LEA |
| | Lab. Number | 97-2146-079 | 97-2147-080 | 97-2148-082 | 97-2149-083 | 97-2150-084 | AEL97003529 | 97-2151-085 |
| Constituent | Units | | | | | | | |
| 3,3'-Dichlorobenzidine | µg/kg | | | | | | | |
| o-Tolidine | µg/kg | | | | | | | |
| Benzo[a]pyrene | µg/kg | | | | | | | |
| Benzo[ghi]perylene | µg/kg | | | | | | | |
| Benzo[k]fluoranthene | µg/kg | | | | | | | |
| Benzoic Acid | µg/kg | | | | | | | |
| Benzyl Alcohol | µg/kg | | | | | | | |
| p-Aminobiphenyl | µg/kg | | | | | | | |
| Hexachlorobutadiene | µg/kg | | | | | | | |
| n-Nitrosodi-n-butylamine | µg/kg | | | | | | | |
| trans-1,4-Dichloro-2-butylene | µg/kg | | | | | | | |
| Carbazole | µg/kg | | | | | | | |
| 3-Methylchloanthrene | µg/kg | | | | | | | |
| Chrysene | µg/kg | | | | | | | |
| o-Cresol | µg/kg | | | | | | | |
| m-Cresol | µg/kg | | | | | | | |
| Dinitro-o-cresol | µg/kg | | | | | | | |
| p-Cresol | µg/kg | | | | | | | |
| p-Chloro-m-cresol | µg/kg | | | | | | | |
| Dibenz(a,h)anthracene | µg/kg | | | | | | | |
| Dibenzofuran | µg/kg | | | | | | | |
| n-Nitrosodiethylamine | µg/kg | | | | | | | |
| n-Nitrosodimethylamine | µg/kg | | | | | | | |
| Diphenylamine | µg/kg | | | | | | | |
| n-Nitrosodiphenylamine | µg/kg | | | | | | | |
| n-Nitrosodipropylamine | µg/kg | | | | | | | |
| Hexachloroethane | µg/kg | | | | | | | |
| 4-Bromophenyl Phenyl Ether | µg/kg | | | | | | | |

Notes: 1. Printed on 05/03/00

Table 3
SUMMARY OF ANALYTICAL RESULTS - SOIL
P&W East Hartford: NK Undeveloped Land Area - Outside Storage Area

Page 180 of 536

| | Location ID | NK-SB-286 | NK-SB-286 | NK-SB-286 | NK-SB-287 | NK-SB-287 | NK-SB-287 | NK-SB-287 |
|--|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Sample ID | 1028285 | 1028286 | 1028287 | 1028288 | 1028289 | 1028290 | 1028290 | 1028290 |
| Sample Date | 03/18/1997 | 03/18/1997 | 03/18/1997 | 03/18/1997 | 03/18/1997 | 03/18/1997 | 03/18/1997 | 03/18/1997 |
| Sample Time | 09:45 | 09:55 | 10:00 | 10:30 | 10:35 | 10:45 | 10:45 | 10:45 |
| Sample Depth | 10' - 12' | 12' - 14' | 14' - 16' | 0' - 2' | 2' - 4' | 4' - 6' | 4' - 6' | 4' - 6' |
| Laboratory | LEA | LEA | LEA | LEA | LEA | AEL | AEL | LEA |
| Lab. Number | 97-2146-079 | 97-2147-080 | 97-2148-082 | 97-2149-083 | 97-2150-084 | AEL97003529 | AEL97003529 | 97-2151-085 |
| Constituent | Units | | | | | | | |
| 4-Chlorophenyl phenyl ether | µg/kg | | | | | | | |
| Dichlorodiisopropyl ether | µg/kg | | | | | | | |
| Dichloroethyl Ether | µg/kg | | | | | | | |
| n-Methyl-n-nitrosoethylamine | µg/kg | | | | | | | |
| Fluoranthene | µg/kg | | | | | | | |
| Fluorene | µg/kg | | | | | | | |
| 1,2-Diphenylhydrazine | µg/kg | | | | | | | |
| Indeno(1,2,3-cd)pyrene | µg/kg | | | | | | | |
| Isophorone | µg/kg | | | | | | | |
| bis(2-Chloroethoxy)methane | µg/kg | | | | | | | |
| Ethylmethanesulfonate | µg/kg | | | | | | | |
| Methylmethanesulfonate | µg/kg | | | | | | | |
| Methapyrilene | µg/kg | | | | | | | |
| n-Nitrosomorpholine | µg/kg | | | | | | | |
| Naphthalene | µg/kg | | | | | | | |
| 2-Chloronaphthalene | µg/kg | | | | | | | |
| 2-Methylnaphthalene | µg/kg | | | | | | | |
| 1,4-Naphthoquinone | µg/kg | | | | | | | |
| alpha-Naphthylamine | µg/kg | | | | | | | |
| beta-Naphthylamine | µg/kg | | | | | | | |
| Phenanthrene | µg/kg | | | | | | | |
| alpha,alpha-Dimethylphenethylamine | µg/kg | | | | | | | |
| Phenol | µg/kg | | | | | | | |
| 2,2'-Methylenebis(3,4,6-trichlorophenol) | µg/kg | | | | | | | |
| 2,3,4,6-Tetrachlorophenol | µg/kg | | | | | | | |
| 2,4,5-Trichlorophenol | µg/kg | | | | | | | |
| 2,4,6-Trichlorophenol | µg/kg | | | | | | | |
| 2,4-Dichlorophenol | µg/kg | | | | | | | |

Notes: 1. Printed on 05/03/00



Table 3
SUMMARY OF ANALYTICAL RESULTS - SOIL
P&W East Hartford: NK Undeveloped Land Area - Outside Storage Area

Page 181 of 536

| | Location ID | NK-SB-286 | NK-SB-286 | NK-SB-286 | NK-SB-287 | NK-SB-287 | NK-SB-287 | NK-SB-287 |
|---------------------------------|--------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| | Sample ID | 1028285 | 1028286 | 1028287 | 1028288 | 1028289 | 1028290 | 1028290 |
| | Sample Date | 03/18/1997 | 03/18/1997 | 03/18/1997 | 03/18/1997 | 03/18/1997 | 03/18/1997 | 03/18/1997 |
| | Sample Time | 09:45 | 09:55 | 10:00 | 10:30 | 10:35 | 10:45 | 10:45 |
| | Sample Depth | 10' - 12' | 12' - 14' | 14' - 16' | 0' - 2' | 2' - 4' | 4' - 6' | 4' - 6' |
| | Laboratory | LEA | LEA | LEA | LEA | LEA | AEL | LEA |
| | Lab. Number | 97-2146-079 | 97-2147-080 | 97-2148-082 | 97-2149-083 | 97-2150-084 | AEL97003529 | 97-2151-085 |
| Constituent | Units | | | | | | | |
| 2,4-Dinitrophenol | µg/kg | | | | | | | |
| o-Chlorophenol | µg/kg | | | | | | | |
| o-Nitrophenol | µg/kg | | | | | | | |
| p-Nitrophenol | µg/kg | | | | | | | |
| Pentachlorophenol | µg/kg | | | | | | | |
| p-Phenylenediamine | µg/kg | | | | | | | |
| Butyl Benzyl Phthalate | µg/kg | | | | | | | |
| bis(2-Ethylhexyl)phthalate | µg/kg | | | | | | | |
| Di-n-butyl Phthalate | µg/kg | | | | | | | |
| Di-n-octyl Phthalate | µg/kg | | | | | | | |
| Diethyl Phthalate | µg/kg | | | | | | | |
| Dimethyl Phthalate | µg/kg | | | | | | | |
| 2-Picoline | µg/kg | | | | | | | |
| n-Nitrosopiperidine | µg/kg | | | | | | | |
| Pronamide | µg/kg | | | | | | | |
| Hexachloropropylene | µg/kg | | | | | | | |
| Pyrene | µg/kg | | | | | | | |
| Pyridine | µg/kg | | | | | | | |
| n-Nitrosopyrrolidine | µg/kg | | | | | | | |
| 4-Nitroquinoline, 1-oxide | µg/kg | | | | | | | |
| 2,4-Dinitrotoluene | µg/kg | | | | | | | |
| 2,6-Dinitrotoluene | µg/kg | | | | | | | |
| 5-Nitro-o-Toluidine | µg/kg | | | | | | | |
| o-Toluidine | µg/kg | | | | | | | |
| o,o,o-Triethyl phosphorothioate | µg/kg | | | | | | | |
| 2,4-Xylenol | µg/kg | | | | | | | |
| Acetone | µg/kg | | | | | | <28 | |
| Acetonitrile | µg/kg | | | | | | | |

Notes: 1. Printed on 05/03/00

(1)

Table 3
SUMMARY OF ANALYTICAL RESULTS - SOIL
P&W East Hartford: NK Undeveloped Land Area - Outside Storage Area

Page 182 of 536

| | Location ID | NK-SB-286 | NK-SB-286 | NK-SB-286 | NK-SB-287 | NK-SB-287 | NK-SB-287 | NK-SB-287 |
|-----------------------------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|------------|
| Sample ID | 1028285 | 1028286 | 1028287 | 1028288 | 1028289 | 1028290 | 1028290 | 1028290 |
| Sample Date | 03/18/1997 | 03/18/1997 | 03/18/1997 | 03/18/1997 | 03/18/1997 | 03/18/1997 | 03/18/1997 | 03/18/1997 |
| Sample Time | 09:45 | 09:55 | 10:00 | 10:30 | 10:35 | 10:45 | 10:45 | 10:45 |
| Sample Depth | 10' - 12' | 12' - 14' | 14' - 16' | 0' - 2' | 2' - 4' | 4' - 6' | 4' - 6' | 4' - 6' |
| Laboratory | LEA | LEA | LEA | LEA | LEA | AEL | LEA | LEA |
| Lab. Number | 97-2146-079 | 97-2147-080 | 97-2148-082 | 97-2149-083 | 97-2150-084 | AEL97003529 | 97-2151-085 | |
| Constituent | Units | | | | | | | |
| Acrolein | µg/kg | | | | | | <14 | |
| Acrylonitrile | µg/kg | | | | | | <14 | |
| Benzene | µg/kg | | | | | | <5.6 | |
| Benzene (screening) | µg/xx | <15.9 | <15.9 | <14.7 | <14.2 | <15.9 | | <14.7 |
| 1,2,4-Trichlorobenzene | µg/kg | | | | | | | |
| o-Dichlorobenzene | µg/kg | | | | | | <5.6 | |
| m-Dichlorobenzene | µg/kg | | | | | | <5.6 | |
| p-Dichlorobenzene | µg/kg | | | | | | <5.6 | |
| Bromobenzene | µg/kg | | | | | | <5.6 | |
| Chlorobenzene | µg/kg | | | | | | <5.6 | |
| Ethyl Benzene | µg/kg | | | | | | <5.6 | |
| Ethyl Benzene (screening) | µg/xx | <23.1 | <23.1 | <21.4 | <20.6 | <23.1 | | <21.4 |
| Pentachlorobenzene | µg/kg | | | | | | | |
| Pentachloronitrobenzene | µg/kg | | | | | | | |
| beta-Chloroprene | µg/kg | | | | | | | |
| 2-Butanone | µg/kg | | | | | | <14 | |
| Carbon Disulfide | µg/kg | | | | | | <5.6 | |
| Carbon Tetrachloride | µg/kg | | | | | | <5.6 | |
| Chloroform | µg/kg | | | | | | <5.6 | |
| Dioxane | µg/kg | | | | | | | |
| 1,1,1,2-Tetrachloroethane | µg/kg | | | | | | <5.6 | |
| 1,1,1-Trichloroethane | µg/kg | | | | | | <5.6 | |
| 1,1,1-Trichloroethane (screening) | µg/xx | <390 | <390 | <361 | <348 | <390 | | <361 |
| 1,1,2,2-Tetrachloroethane | µg/kg | | | | | | <5.6 | |
| 1,1,2-Trichloroethane | µg/kg | | | | | | <5.6 | |
| 1,1-Dichloroethane | µg/kg | | | | | | <5.6 | |
| Ethylene Dibromide | µg/kg | | | | | | | |
| 1,2-Dichloroethane | µg/kg | | | | | | <5.6 | |

Notes: 1. Printed on 05/03/00

Table 3
SUMMARY OF ANALYTICAL RESULTS - SOIL
P&W East Hartford: NK Undeveloped Land Area - Outside Storage Area

Page 183 of 536

| | Location ID | NK-SB-286 | NK-SB-286 | NK-SB-286 | NK-SB-287 | NK-SB-287 | NK-SB-287 | NK-SB-287 |
|---------------------------------|--------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| | Sample ID | 1028285 | 1028286 | 1028287 | 1028288 | 1028289 | 1028290 | 1028290 |
| | Sample Date | 03/18/1997 | 03/18/1997 | 03/18/1997 | 03/18/1997 | 03/18/1997 | 03/18/1997 | 03/18/1997 |
| | Sample Time | 09:45 | 09:55 | 10:00 | 10:30 | 10:35 | 10:45 | 10:45 |
| | Sample Depth | 10' - 12' | 12' - 14' | 14' - 16' | 0' - 2' | 2' - 4' | 4' - 6' | 4' - 6' |
| | Laboratory | LEA | LEA | LEA | LEA | LEA | AEL | LEA |
| | Lab. Number | 97-2146-079 | 97-2147-080 | 97-2148-082 | 97-2149-083 | 97-2150-084 | AEL97003529 | 97-2151-085 |
| Constituent | Units | | | | | | | |
| Chloroethane | µg/kg | | | | | | <5.6 | |
| Pentachloroethane | µg/kg | | | | | | | |
| 2-Chloroethyl Vinyl ether | µg/kg | | | | | | <5.6 | |
| Methyl-tert-butyl Ether | µg/kg | | | | | | <5.6 | |
| 1,1-Dichloroethylene | µg/kg | | | | | | <5.6 | |
| Vinyl Chloride | µg/kg | | | | | | <5.6 | |
| cis-1,2-Dichloroethylene | µg/kg | | | | | | <5.6 | |
| Tetrachloroethylene | µg/kg | | | | | | <5.6 | |
| Tetrachloroethylene (screening) | µg/xx | <24.3 | <24.3 | <22.5 | 10 J | 10 J | | <22.5 |
| trans-1,2-Dichloroethylene | µg/kg | | | | | | <5.6 | |
| Trichloroethylene | µg/kg | | | | | | <5.6 | |
| Trichloroethylene (screening) | µg/xx | <37.8 | <37.8 | <35.0 | <33.8 | <37.8 | | <35.0 |
| Ethylmethacrylate | µg/kg | | | | | | | |
| 2-Hexanone | µg/kg | | | | | | <14 | |
| Isobutyl Alcohol | µg/kg | | | | | | | |
| Bromomethane | µg/kg | | | | | | <5.6 | |
| Bromodichloromethane | µg/kg | | | | | | <5.6 | |
| Chloromethane | µg/kg | | | | | | <5.6 | |
| Dibromomethane | µg/kg | | | | | | <5.6 | |
| Dibromo-chloromethane | µg/kg | | | | | | <5.6 | |
| Methylene Chloride | µg/kg | | | | | | <5.6 | |
| Dichlorodifluoromethane | µg/kg | | | | | | <5.6 | |
| Iodomethane | µg/kg | | | | | | | |
| Bromoform | µg/kg | | | | | | <5.6 | |
| Fluorotrichloromethane | µg/kg | | | | | | <5.6 | |
| Methyl Methacrylate | µg/kg | | | | | | | |
| Methyl Isobutyl Ketone | µg/kg | | | | | | <14 | |
| 1,2,3-Trichloropropene | µg/kg | | | | | | <5.6 | |

Notes: 1. Printed on 05/03/00

Table 3
SUMMARY OF ANALYTICAL RESULTS - SOIL
P&W East Hartford: NK Undeveloped Land Area - Outside Storage Area

Page 184 of 536

Notes: 1. Printed on 05/03/00

Table 3
SUMMARY OF ANALYTICAL RESULTS - SOIL
P&W East Hartford: NK Undeveloped Land Area - Outside Storage Area

Page 185 of 536

| | Location ID | NK-SB-287 | NK-SB-287 | NK-SB-287 | NK-SB-287 | NK-SB-287 | NK-SB-287 | NK-SB-288 |
|--------------------------------------|--------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| | Sample ID | 1028291 | 1028292 | 1028294 | 1028293 | 1028295 | 1028296 | 1028297 |
| | Sample Date | 03/18/1997 | 03/18/1997 | 03/18/1997 | 03/18/1997 | 03/18/1997 | 03/18/1997 | 03/18/1997 |
| | Sample Time | 10:50 | 11:00 | 11:00 | 11:05 | 11:20 | 11:25 | 12:25 |
| | Sample Depth | 6' - 8' | 8' - 10' | 8' - 10' | 10' - 12' | 12' - 14' | 14' - 16' | 0' - 2' |
| | Laboratory | LEA |
| | Lab. Number | 97-2152-086 | 97-2153-084 | 97-2155-090 | 97-2154-089 | 97-2156-091 | 97-2157-092 | 97-2158-093 |
| Constituent | Units | | | | | | | |
| Date PCBs Analyzed | - | | | | | | | |
| Date Metals Analyzed | - | | | | | | | |
| Date Organics Analyzed | - | 03/25/1997 | 03/25/1997 | 03/25/1997 | 03/25/1997 | 03/25/1997 | 03/25/1997 | 03/25/1997 |
| Date Pesticides/Herbicides Analyzed | - | | | | | | | |
| Date Physical Analyzed | - | | | | | | | |
| Date Semi-volatile Organics Analyzed | - | | | | | | | |
| Dinoseb | µg/kg | | | | | | | |
| Arsenic | mg/kg | | | | | | | |
| Barium | mg/kg | | | | | | | |
| Cadmium | mg/kg | | | | | | | |
| Chromium | mg/kg | | | | | | | |
| Lead | mg/kg | | | | | | | |
| Mercury | mg/kg | | | | | | | |
| Nickel | mg/kg | | | | | | | |
| Selenium | mg/kg | | | | | | | |
| Silver | mg/kg | | | | | | | |
| Zinc | mg/kg | | | | | | | |
| PCB 1016 | µg/kg | | | | | | | |
| PCB 1221 | µg/kg | | | | | | | |
| PCB 1232 | µg/kg | | | | | | | |
| PCB 1242 | µg/kg | | | | | | | |
| PCB 1248 | µg/kg | | | | | | | |
| PCB 1254 | µg/kg | | | | | | | |
| PCB 1260 | µg/kg | | | | | | | |
| 2-Acetylaminofluorene | µg/kg | | | | | | | |
| Aramite | µg/kg | | | | | | | |
| Hexachlorobenzene | µg/kg | | | | | | | |
| Hexachlorocyclopentadiene | µg/kg | | | | | | | |

Notes: 1. Printed on 05/03/00

LEA

Table 3
SUMMARY OF ANALYTICAL RESULTS - SOIL
P&W East Hartford: NK Undeveloped Land Area - Outside Storage Area

Page 186 of 536

| | Location ID | NK-SB-287 | NK-SB-287 | NK-SB-287 | NK-SB-287 | NK-SB-287 | NK-SB-287 | NK-SB-288 |
|--------------------------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|------------|
| Sample ID | 1028291 | 1028292 | 1028294 | 1028293 | 1028295 | 1028296 | 1028297 | 1028297 |
| Sample Date | 03/18/1997 | 03/18/1997 | 03/18/1997 | 03/18/1997 | 03/18/1997 | 03/18/1997 | 03/18/1997 | 03/18/1997 |
| Sample Time | 10:50 | 11:00 | 11:00 | 11:05 | 11:20 | 11:25 | 12:25 | |
| Sample Depth | 6' - 8' | 8' - 10' | 8' - 10' | 10' - 12' | 12' - 14' | 14' - 16' | 0' - 2' | |
| Laboratory | LEA | LEA |
| Lab. Number | 97-2152-086 | 97-2153-084 | 97-2155-090 | 97-2154-089 | 97-2156-091 | 97-2157-092 | 97-2158-093 | |
| Constituent | Units | | | | | | | |
| Dimethoate | µg/kg | | | | | | | |
| Disulfoton | µg/kg | | | | | | | |
| Farnphur | µg/kg | | | | | | | |
| Phorate | µg/kg | | | | | | | |
| 1,2-Dibromo-3-chloropropane | µg/kg | | | | | | | |
| TPH | mg/kg | | | | | | | |
| Total Solids | % | | | | | | | |
| Acenaphthylene | µg/kg | | | | | | | |
| Acenaphthalene | µg/kg | | | | | | | |
| Phenacetin | µg/kg | | | | | | | |
| Acetophenone | µg/kg | | | | | | | |
| Aniline | µg/kg | | | | | | | |
| o-Nitroaniline | µg/kg | | | | | | | |
| m-Nitroaniline | µg/kg | | | | | | | |
| p-Chloroaniline | µg/kg | | | | | | | |
| p-Nitroaniline | µg/kg | | | | | | | |
| p-Dimethylaminoazobenzene | µg/kg | | | | | | | |
| Anthracene | µg/kg | | | | | | | |
| Benzo(a)anthracene | µg/kg | | | | | | | |
| 7,12-Dimethylbenz[a]anthracene | µg/kg | | | | | | | |
| Benzo(b)fluoranthene | µg/kg | | | | | | | |
| 1,2,4,5-Tetrachlorobenzene | µg/kg | | | | | | | |
| Isosafrole | µg/kg | | | | | | | |
| 1,3,5-Trinitrobenzene | µg/kg | | | | | | | |
| m-Dinitrobenzene | µg/kg | | | | | | | |
| Safrole | µg/kg | | | | | | | |
| Nitrobenzene | µg/kg | | | | | | | |
| Benzidine | µg/kg | | | | | | | |

Notes: 1. Printed on 05/03/00

LEA

Table 3
SUMMARY OF ANALYTICAL RESULTS - SOIL
P&W East Hartford: NK Undeveloped Land Area - Outside Storage Area

Page 187 of 536

| | Location ID | NK-SB-287 | NK-SB-287 | NK-SB-287 | NK-SB-287 | NK-SB-287 | NK-SB-287 | NK-SB-288 |
|-------------------------------|--------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| | Sample ID | 1028291 | 1028292 | 1028294 | 1028293 | 1028295 | 1028296 | 1028297 |
| | Sample Date | 03/18/1997 | 03/18/1997 | 03/18/1997 | 03/18/1997 | 03/18/1997 | 03/18/1997 | 03/18/1997 |
| | Sample Time | 10:50 | 11:00 | 11:00 | 11:05 | 11:20 | 11:25 | 12:25 |
| | Sample Depth | 6' - 8' | 8' - 10' | 8' - 10' | 10' - 12' | 12' - 14' | 14' - 16' | 0' - 2' |
| | Laboratory | LEA |
| | Lab. Number | 97-2152-086 | 97-2153-084 | 97-2155-090 | 97-2154-089 | 97-2156-091 | 97-2157-092 | 97-2158-093 |
| Constituent | Units | | | | | | | |
| 3,3'-Dichlorobenzidine | µg/kg | | | | | | | |
| o-Tolidine | µg/kg | | | | | | | |
| Benzo[a]pyrene | µg/kg | | | | | | | |
| Benzo[ghi]perylene | µg/kg | | | | | | | |
| Benzo[k]fluoranthene | µg/kg | | | | | | | |
| Benzoic Acid | µg/kg | | | | | | | |
| Benzyl Alcohol | µg/kg | | | | | | | |
| p-Aminobiphenyl | µg/kg | | | | | | | |
| Hexachlorobutadiene | µg/kg | | | | | | | |
| n-Nitrosodi-n-butylamine | µg/kg | | | | | | | |
| trans-1,4-Dichloro-2-butylene | µg/kg | | | | | | | |
| Carbazole | µg/kg | | | | | | | |
| 3-Methylchloanthrene | µg/kg | | | | | | | |
| Chrysene | µg/kg | | | | | | | |
| o-Cresol | µg/kg | | | | | | | |
| m-Cresol | µg/kg | | | | | | | |
| Dinitro-o-cresol | µg/kg | | | | | | | |
| p-Cresol | µg/kg | | | | | | | |
| p-Chloro-m-cresol | µg/kg | | | | | | | |
| Dibenz(a,h)anthracene | µg/kg | | | | | | | |
| Dibenzofuran | µg/kg | | | | | | | |
| n-Nitrosodiethylamine | µg/kg | | | | | | | |
| n-Nitrosodimethylamine | µg/kg | | | | | | | |
| Diphenylamine | µg/kg | | | | | | | |
| n-Nitrosodiphenylamine | µg/kg | | | | | | | |
| n-Nitrosodipropylamine | µg/kg | | | | | | | |
| Hexachloroethane | µg/kg | | | | | | | |
| 4-Bromophenyl Phenyl Ether | µg/kg | | | | | | | |

Notes: 1. Printed on 05/03/00

Table 3
SUMMARY OF ANALYTICAL RESULTS - SOIL
P&W East Hartford: NK Undeveloped Land Area - Outside Storage Area

Page 188 of 536

| | Location ID | NK-SB-287 | NK-SB-287 | NK-SB-287 | NK-SB-287 | NK-SB-287 | NK-SB-287 | NK-SB-288 |
|--|-------------|-------------|-------------|-------------|-------------|-------------|-------------|------------|
| Sample ID | 1028291 | 1028292 | 1028294 | 1028293 | 1028295 | 1028296 | 1028297 | |
| Sample Date | 03/18/1997 | 03/18/1997 | 03/18/1997 | 03/18/1997 | 03/18/1997 | 03/18/1997 | 03/18/1997 | 03/18/1997 |
| Sample Time | 10:50 | 11:00 | 11:00 | 11:05 | 11:20 | 11:25 | | 12:25 |
| Sample Depth | 6' - 8' | 8' - 10' | 8' - 10' | 10' - 12' | 12' - 14' | 14' - 16' | | 0' - 2' |
| Laboratory | LEA | |
| Lab. Number | 97-2152-086 | 97-2153-084 | 97-2155-090 | 97-2154-089 | 97-2156-091 | 97-2157-092 | 97-2158-093 | |
| Constituent | Units | | | | | | | |
| 4-Chlorophenyl phenyl ether | µg/kg | | | | | | | |
| Dichlorodiisopropyl ether | µg/kg | | | | | | | |
| Dichloroethyl Ether | µg/kg | | | | | | | |
| n-Methyl-n-nitrosoethylamine | µg/kg | | | | | | | |
| Fluoranthene | µg/kg | | | | | | | |
| Fluorene | µg/kg | | | | | | | |
| 1,2-Diphenylhydrazine | µg/kg | | | | | | | |
| Indeno(1,2,3-cd)pyrene | µg/kg | | | | | | | |
| Isophorone | µg/kg | | | | | | | |
| bis(2-Chloroethoxy)methane | µg/kg | | | | | | | |
| Ethylmethanesulfonate | µg/kg | | | | | | | |
| Methylmethanesulfonate | µg/kg | | | | | | | |
| Methapynilene | µg/kg | | | | | | | |
| n-Nitrosomorpholine | µg/kg | | | | | | | |
| Naphthalene | µg/kg | | | | | | | |
| 2-Chloronaphthalene | µg/kg | | | | | | | |
| 2-Methylnaphthalene | µg/kg | | | | | | | |
| 1,4-Naphthoquinone | µg/kg | | | | | | | |
| alpha-Naphthylamine | µg/kg | | | | | | | |
| beta-Naphthylamine | µg/kg | | | | | | | |
| Phenanthere | µg/kg | | | | | | | |
| alpha,alpha-Dimethylphenethylamine | µg/kg | | | | | | | |
| Phenol | µg/kg | | | | | | | |
| 2,2'-Methylenebis(3,4,6-trichlorophenol) | µg/kg | | | | | | | |
| 2,3,4,6-Tetrachlorophenol | µg/kg | | | | | | | |
| 2,4,5-Trichlorophenol | µg/kg | | | | | | | |
| 2,4,6-Trichlorophenol | µg/kg | | | | | | | |
| 2,4-Dichlorophenol | µg/kg | | | | | | | |

Notes: 1. Printed on 05/03/00

Table 3
SUMMARY OF ANALYTICAL RESULTS - SOIL
P&W East Hartford: NK Undeveloped Land Area - Outside Storage Area

Page 189 of 536

| | Location ID | NK-SB-287 | NK-SB-287 | NK-SB-287 | NK-SB-287 | NK-SB-287 | NK-SB-287 | NK-SB-288 |
|---------------------------------|-------------|-------------|-------------|-------------|-------------|-------------|------------|-------------|
| Sample ID | 1028291 | 1028292 | 1028294 | 1028293 | 1028295 | 1028296 | 1028297 | |
| Sample Date | 03/18/1997 | 03/18/1997 | 03/18/1997 | 03/18/1997 | 03/18/1997 | 03/18/1997 | 03/18/1997 | 03/18/1997 |
| Sample Time | 10:50 | 11:00 | 11:00 | 11:05 | 11:20 | 11:25 | | 12:25 |
| Sample Depth | 6' - 8' | 8' - 10' | 8' - 10' | 10' - 12' | 12' - 14' | 14' - 16' | | 0' - 2' |
| Laboratory | LEA | LEA | LEA | LEA | LEA | LEA | | LEA |
| Lab. Number | 97-2152-086 | 97-2153-084 | 97-2155-090 | 97-2154-089 | 97-2156-091 | 97-2157-092 | | 97-2158-093 |
| Constituent | Units | | | | | | | |
| 2,4-Dinitrophenol | µg/kg | | | | | | | |
| o-Chlorophenol | µg/kg | | | | | | | |
| o-Nitrophenol | µg/kg | | | | | | | |
| p-Nitrophenol | µg/kg | | | | | | | |
| Pentachlorophenol | µg/kg | | | | | | | |
| p-Phenylenediamine | µg/kg | | | | | | | |
| Butyl Benzyl Phthalate | µg/kg | | | | | | | |
| bis(2-Ethylhexyl)phthalate | µg/kg | | | | | | | |
| Di-n-butyl Phthalate | µg/kg | | | | | | | |
| Di-n-octyl Phthalate | µg/kg | | | | | | | |
| Diethyl Phthalate | µg/kg | | | | | | | |
| Dimethyl Phthalate | µg/kg | | | | | | | |
| 2-Picoline | µg/kg | | | | | | | |
| n-Nitrosopiperidine | µg/kg | | | | | | | |
| Pronamide | µg/kg | | | | | | | |
| Hexachloropropylene | µg/kg | | | | | | | |
| Pyrene | µg/kg | | | | | | | |
| Pyridine | µg/kg | | | | | | | |
| n-Nitrosopyrrolidine | µg/kg | | | | | | | |
| 4-Nitroquinoline, 1-oxide | µg/kg | | | | | | | |
| 2,4-Dinitrotoluene | µg/kg | | | | | | | |
| 2,6-Dinitrotoluene | µg/kg | | | | | | | |
| 5-Nitro-o-Toluidine | µg/kg | | | | | | | |
| o-Toluidine | µg/kg | | | | | | | |
| o,o,o-Triethyl phosphorothioate | µg/kg | | | | | | | |
| 2,4-Xylenol | µg/kg | | | | | | | |
| Acetone | µg/kg | | | | | | | |
| Acetonitrile | µg/kg | | | | | | | |

Notes: 1. Printed on 05/03/00

Table 3
SUMMARY OF ANALYTICAL RESULTS - SOIL
P&W East Hartford: NK Undeveloped Land Area - Outside Storage Area

Page 190 of 536

| | Location ID | NK-SB-287 | NK-SB-287 | NK-SB-287 | NK-SB-287 | NK-SB-287 | NK-SB-287 | NK-SB-288 |
|-----------------------------------|--------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| | Sample ID | 1028291 | 1028292 | 1028294 | 1028293 | 1028295 | 1028296 | 1028297 |
| | Sample Date | 03/18/1997 | 03/18/1997 | 03/18/1997 | 03/18/1997 | 03/18/1997 | 03/18/1997 | 03/18/1997 |
| | Sample Time | 10:50 | 11:00 | 11:00 | 11:05 | 11:20 | 11:25 | 12:25 |
| | Sample Depth | 6' - 8' | 8' - 10' | 8' - 10' | 10' - 12' | 12' - 14' | 14' - 16' | 0' - 2' |
| | Laboratory | LEA |
| | Lab. Number | 97-2152-086 | 97-2153-084 | 97-2155-090 | 97-2154-089 | 97-2156-091 | 97-2157-092 | 97-2158-093 |
| Constituent | Units | | | | | | | |
| Acrolein | µg/kg | | | | | | | |
| Acrylonitrile | µg/kg | | | | | | | |
| Benzene | µg/kg | | | | | | | |
| Benzene (screening) | µg/xx | <15.9 | <13.9 | <15.0 | <15.3 | <16.2 NC | <16.6 NC | <16.9 NC |
| 1,2,4-Trichlorobenzene | µg/kg | | | | | | | |
| o-Dichlorobenzene | µg/kg | | | | | | | |
| m-Dichlorobenzene | µg/kg | | | | | | | |
| p-Dichlorobenzene | µg/kg | | | | | | | |
| Bromobenzene | µg/kg | | | | | | | |
| Chlorobenzene | µg/kg | | | | | | | |
| Ethyl Benzene | µg/kg | | | | | | | |
| Ethyl Benzene (screening) | µg/xx | <23.1 | <20.3 | <21.8 | <22.2 | <23.6 NC | <24.1 NC | <24.6 NC |
| Pentachlorobenzene | µg/kg | | | | | | | |
| Pentachloronitrobenzene | µg/kg | | | | | | | |
| beta-Chloroprene | µg/kg | | | | | | | |
| 2-Butanone | µg/kg | | | | | | | |
| Carbon Disulfide | µg/kg | | | | | | | |
| Carbon Tetrachloride | µg/kg | | | | | | | |
| Chloroform | µg/kg | | | | | | | |
| Dioxane | µg/kg | | | | | | | |
| 1,1,1,2-Tetrachloroethane | µg/kg | | | | | | | |
| 1,1,1-Trichloroethane | µg/kg | | | | | | | |
| 1,1,1-Trichloroethane (screening) | µg/xx | <390 | <342 | <368 | <375 | <398 NC | <406 NC | <415 NC |
| 1,1,2,2-Tetrachloroethane | µg/kg | | | | | | | |
| 1,1,2-Trichloroethane | µg/kg | | | | | | | |
| 1,1-Dichloroethane | µg/kg | | | | | | | |
| Ethylene Dibromide | µg/kg | | | | | | | |
| 1,2-Dichloroethane | µg/kg | | | | | | | |

Notes: 1. Printed on 03/03/00

Table 3
SUMMARY OF ANALYTICAL RESULTS - SOIL
P&W East Hartford: NK Undeveloped Land Area - Outside Storage Area

Page 191 of 536

| | Location ID | NK-SB-287 | NK-SB-287 | NK-SB-287 | NK-SB-287 | NK-SB-287 | NK-SB-287 | NK-SB-288 |
|---------------------------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|------------|
| Sample ID | 1028291 | 1028292 | 1028294 | 1028293 | 1028295 | 1028296 | 1028297 | 1028297 |
| Sample Date | 03/18/1997 | 03/18/1997 | 03/18/1997 | 03/18/1997 | 03/18/1997 | 03/18/1997 | 03/18/1997 | 03/18/1997 |
| Sample Time | 10:50 | 11:00 | 11:00 | 11:05 | 11:20 | 11:25 | 12:25 | |
| Sample Depth | 6' - 8' | 8' - 10' | 8' - 10' | 10' - 12' | 12' - 14' | 14' - 16' | 0' - 2' | |
| Laboratory | LEA | |
| Lab. Number | 97-2152-086 | 97-2153-084 | 97-2155-090 | 97-2154-089 | 97-2156-091 | 97-2157-092 | 97-2158-093 | |
| Constituent | Units | | | | | | | |
| Chloroethane | µg/kg | | | | | | | |
| Pentachloroethane | µg/kg | | | | | | | |
| 2-Chloroethyl Vinyl ether | µg/kg | | | | | | | |
| Methyl-tert-butyl Ether | µg/kg | | | | | | | |
| 1,1-Dichloroethylene | µg/kg | | | | | | | |
| Vinyl Chloride | µg/kg | | | | | | | |
| cis-1,2-Dichloroethylene | µg/kg | | | | | | | |
| Tetrachloroethylene | µg/kg | | | | | | | |
| Tetrachloroethylene (screening) | µg/xx | 27 E | <21.3 | <22.9 | <23.4 | <24.8 NC | <25.3 NC | <25.9 NC |
| trans-1,2-Dichloroethylene | µg/kg | | | | | | | |
| Trichloroethylene | µg/kg | | | | | | | |
| Trichloroethylene (screening) | µg/xx | <37.8 | <33.2 | <35.7 | <36.3 | <38.6 NC | <39.4 NC | <40.2 NC |
| Ethylmethacrylate | µg/kg | | | | | | | |
| 2-Hexanone | µg/kg | | | | | | | |
| Isobutyl Alcohol | µg/kg | | | | | | | |
| Bromomethane | µg/kg | | | | | | | |
| Bromodichloromethane | µg/kg | | | | | | | |
| Chloromethane | µg/kg | | | | | | | |
| Dibromomethane | µg/kg | | | | | | | |
| Dibromochloromethane | µg/kg | | | | | | | |
| Methylene Chloride | µg/kg | | | | | | | |
| Dichlorodifluoromethane | µg/kg | | | | | | | |
| Iodomethane | µg/kg | | | | | | | |
| Bromoform | µg/kg | | | | | | | |
| Fluorotrichloromethane | µg/kg | | | | | | | |
| Methyl Methacrylate | µg/kg | | | | | | | |
| Methyl Isobutyl Ketone | µg/kg | | | | | | | |
| 1,2,3-Trichloropropane | µg/kg | | | | | | | |

Notes: 1. Printed on 03/03/00

Table 3
SUMMARY OF ANALYTICAL RESULTS - SOIL
P&W East Hartford: NK Undeveloped Land Area - Outside Storage Area

Page 192 of 536

Notes: I. Printed on 03/03/00

Table 3
SUMMARY OF ANALYTICAL RESULTS - SOIL
P&W East Hartford: NK Undeveloped Land Area - Outside Storage Area

Page 193 of 536

| | Location ID | NK-SB-288 | NK-SB-288 | NK-SB-288 | NK-SB-288 | NK-SB-288 | NK-SB-288 | NK-SB-289 |
|--------------------------------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|------------|
| Sample ID | 1028298 | 1028299 | 1028300 | 1028301 | 1028301 | 1028302 | 1028303 | 1028303 |
| Sample Date | 03/18/1997 | 03/18/1997 | 03/18/1997 | 03/18/1997 | 03/18/1997 | 03/18/1997 | 03/18/1997 | 03/18/1997 |
| Sample Time | 12:30 | 12:40 | 12:45 | 12:55 | 12:55 | 13:00 | 13:30 | |
| Sample Depth | 2' - 4' | 4' - 6' | 6' - 8' | 8' - 10' | 8' - 10' | 10' - 12' | 0' - 2' | |
| Laboratory | LEA | LEA | LEA | AEL | LEA | LEA | LEA | |
| Lab. Number | 97-2159-094 | 97-2160-095 | 97-2161-096 | AEL97003530 | 97-2162-097 | 97-2163-098 | 97-2164-099 | |
| Constituent | Units | | | | | | | |
| Date PCBs Analyzed | - | | | | | | | |
| Date Metals Analyzed | - | | | | | | | |
| Date Organics Analyzed | - | 03/25/1997 | 03/25/1997 | 03/25/1997 | 03/31/1997 | 03/25/1997 | 03/25/1997 | 03/25/1997 |
| Date Pesticides/Herbicides Analyzed | - | | | | | | | |
| Date Physical Analyzed | - | | | | 04/01/1997 | | | |
| Date Semi-volatile Organics Analyzed | - | | | | 04/07/1997 | | | |
| Dinoseb | µg/kg | | | | | | | |
| Arsenic | mg/kg | | | | | | | |
| Barium | mg/kg | | | | | | | |
| Cadmium | mg/kg | | | | | | | |
| Chromium | mg/kg | | | | | | | |
| Lead | mg/kg | | | | | | | |
| Mercury | mg/kg | | | | | | | |
| Nickel | mg/kg | | | | | | | |
| Selenium | mg/kg | | | | | | | |
| Silver | mg/kg | | | | | | | |
| Zinc | mg/kg | | | | | | | |
| PCB 1016 | µg/kg | | | | | | | |
| PCB 1221 | µg/kg | | | | | | | |
| PCB 1232 | µg/kg | | | | | | | |
| PCB 1242 | µg/kg | | | | | | | |
| PCB 1248 | µg/kg | | | | | | | |
| PCB 1254 | µg/kg | | | | | | | |
| PCB 1260 | µg/kg | | | | | | | |
| 2-Acetylaminofluorene | µg/kg | | | | | | | |
| Aramite | µg/kg | | | | | | | |
| Hexachlorobenzene | µg/kg | | | | <380 | | | |
| Hexachlorocyclopentadiene | µg/kg | | | | <380 | | | |

Notes: 1. Printed on 05/03/00

Table 3
SUMMARY OF ANALYTICAL RESULTS - SOIL
P&W East Hartford: NK Undeveloped Land Area - Outside Storage Area

Page 194 of 536

| | Location ID | NK-SB-288 | NK-SB-288 | NK-SB-288 | NK-SB-288 | NK-SB-288 | NK-SB-288 | NK-SB-289 |
|--------------------------------|--------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| | Sample ID | 1028298 | 1028299 | 1028300 | 1028301 | 1028301 | 1028302 | 1028303 |
| | Sample Date | 03/18/1997 | 03/18/1997 | 03/18/1997 | 03/18/1997 | 03/18/1997 | 03/18/1997 | 03/18/1997 |
| | Sample Time | 12:30 | 12:40 | 12:45 | 12:55 | 12:55 | 13:00 | 13:30 |
| | Sample Depth | 2' - 4' | 4' - 6' | 6' - 8' | 8' - 10' | 8' - 10' | 10' - 12' | 0' - 2' |
| | Laboratory | LEA | LEA | LEA | AEL | LEA | LEA | LEA |
| | Lab. Number | 97-2159-094 | 97-2160-095 | 97-2161-096 | AEL97003530 | 97-2162-097 | 97-2163-098 | 97-2164-099 |
| Constituent | Units | | | | | | | |
| Dimethoate | µg/kg | | | | | | | |
| Disulfoton | µg/kg | | | | | | | |
| Famphur | µg/kg | | | | | | | |
| Phorate | µg/kg | | | | | | | |
| 1,2-Dibromo-3-chloropropane | µg/kg | | | | | | | |
| TPH | mg/kg | | | | <38.3 | | | |
| Total Solids | % | | | | <86.6 | | | |
| Acenaphthylene | µg/kg | | | | <380 | | | |
| Acenaphthalene | µg/kg | | | | <380 | | | |
| Phenacetin | µg/kg | | | | | | | |
| Acetophenone | µg/kg | | | | | | | |
| Aniline | µg/kg | | | | | | | |
| o-Nitroaniline | µg/kg | | | | | | | |
| m-Nitroaniline | µg/kg | | | | | | | |
| p-Chloroaniline | µg/kg | | | | | | | |
| p-Nitroaniline | µg/kg | | | | | | | |
| p-Dimethylaminoazobenzene | µg/kg | | | | | | | |
| Anthracene | µg/kg | | | | <380 | | | |
| Benzo(a)anthracene | µg/kg | | | | <380 | | | |
| 7,12-Dimethylbenz[a]anthracene | µg/kg | | | | | | | |
| Benzo(b)fluoranthene | µg/kg | | | | <380 | | | |
| 1,2,4,5-Tetrachlorobenzene | µg/kg | | | | | | | |
| Isosafrole | µg/kg | | | | | | | |
| 1,3,5-Trinitrobenzene | µg/kg | | | | | | | |
| m-Dinitrobenzene | µg/kg | | | | | | | |
| Safrole | µg/kg | | | | | | | |
| Nitrobenzene | µg/kg | | | | <380 | | | |
| Benzidine | µg/kg | | | | <380 | | | |

Notes: 1. Printed on 03/03/00

Table 3
SUMMARY OF ANALYTICAL RESULTS - SOIL
P&W East Hartford: NK Undeveloped Land Area - Outside Storage Area

Page 195 of 536

| | Location ID | NK-SB-288 | NK-SB-288 | NK-SB-288 | NK-SB-288 | NK-SB-288 | NK-SB-288 | NK-SB-288 |
|-------------------------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|------------|
| Sample ID | 1028298 | 1028299 | 1028300 | 1028301 | 1028301 | 1028302 | 1028303 | 1028303 |
| Sample Date | 03/18/1997 | 03/18/1997 | 03/18/1997 | 03/18/1997 | 03/18/1997 | 03/18/1997 | 03/18/1997 | 03/18/1997 |
| Sample Time | 12:30 | 12:40 | 12:45 | 12:55 | 12:55 | 13:00 | 13:30 | |
| Sample Depth | 2' - 4' | 4' - 6' | 6' - 8' | 8' - 10' | 8' - 10' | 10' - 12' | 0' - 2' | |
| Laboratory | LEA | LEA | LEA | AEL | LEA | LEA | LEA | |
| Lab. Number | 97-2159-094 | 97-2160-095 | 97-2161-096 | AEL97003530 | 97-2162-097 | 97-2163-098 | 97-2164-099 | |
| Constituent | Units | | | | | | | |
| 3,3'-Dichlorobenzidine | µg/kg | | | <380 | | | | |
| o-Tolidine | µg/kg | | | | | | | |
| Benzo[a]pyrene | µg/kg | | | <380 | | | | |
| Benzo[ghi]perylene | µg/kg | | | <380 | | | | |
| Benzo[k]fluoranthene | µg/kg | | | <380 | | | | |
| Benzoic Acid | µg/kg | | | | | | | |
| Benzyl Alcohol | µg/kg | | | | | | | |
| p-Aminobiphenyl | µg/kg | | | | | | | |
| Hexachlorobutadiene | µg/kg | | | <380 | | | | |
| n-Nitrosodi-n-butylamine | µg/kg | | | | | | | |
| trans-1,4-Dichloro-2-butylene | µg/kg | | | | | | | |
| Carbazole | µg/kg | | | | | | | |
| 3-Methylchloanthrene | µg/kg | | | | | | | |
| Chrysene | µg/kg | | | <380 | | | | |
| o-Cresol | µg/kg | | | | | | | |
| m-Cresol | µg/kg | | | | | | | |
| Dinitro-o-cresol | µg/kg | | | <380 | | | | |
| p-Cresol | µg/kg | | | | | | | |
| p-Chloro-m-cresol | µg/kg | | | <380 | | | | |
| Dibenz(a,h)anthracene | µg/kg | | | <380 | | | | |
| Dibenzofuran | µg/kg | | | | | | | |
| n-Nitrosodiethylamine | µg/kg | | | | | | | |
| n-Nitrosodimethylamine | µg/kg | | | <380 | | | | |
| Diphenylamine | µg/kg | | | | | | | |
| n-Nitrosodiphenylamine | µg/kg | | | <380 | | | | |
| n-Nitrosodipropylamine | µg/kg | | | <380 | | | | |
| Hexachloroethane | µg/kg | | | <380 | | | | |
| 4-Bromophenyl Phenyl Ether | µg/kg | | | <380 | | | | |

Notes: 1. Printed on 05/03/00

(LEA)

Table 3
SUMMARY OF ANALYTICAL RESULTS - SOIL
P&W East Hartford: NK Undeveloped Land Area - Outside Storage Area

Page 196 of 536

| | Location ID | NK-SB-288 | NK-SB-288 | NK-SB-288 | NK-SB-288 | NK-SB-288 | NK-SB-288 | NK-SB-289 |
|--|--------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| | Sample ID | 1028298 | 1028299 | 1028300 | 1028301 | 1028301 | 1028302 | 1028303 |
| | Sample Date | 03/18/1997 | 03/18/1997 | 03/18/1997 | 03/18/1997 | 03/18/1997 | 03/18/1997 | 03/18/1997 |
| | Sample Time | 12:30 | 12:40 | 12:45 | 12:55 | 12:55 | 13:00 | 13:30 |
| | Sample Depth | 2' - 4' | 4' - 6' | 6' - 8' | 8' - 10' | 8' - 10' | 10' - 12' | 0' - 2' |
| | Laboratory | LEA | LEA | LEA | AEL | LEA | LEA | LEA |
| | Lab. Number | 97-2159-094 | 97-2160-095 | 97-2161-096 | AEL97003530 | 97-2162-097 | 97-2163-098 | 97-2164-099 |
| Constituent | Units | | | | | | | |
| 4-Chlorophenyl phenyl ether | µg/kg | | | | <380 | | | |
| Dichlorodiisopropyl ether | µg/kg | | | | <380 | | | |
| Dichloroethyl Ether | µg/kg | | | | <380 | | | |
| n-Methyl-n-nitrosoethylamine | µg/kg | | | | | | | |
| Fluoranthene | µg/kg | | | | <380 | | | |
| Fluorene | µg/kg | | | | <380 | | | |
| 1,2-Diphenylhydrazine | µg/kg | | | | <380 | | | |
| Indeno(1,2,3-cd)pyrene | µg/kg | | | | <380 | | | |
| Isophorone | µg/kg | | | | <380 | | | |
| bis(2-Chloroethoxy)methane | µg/kg | | | | <380 | | | |
| Ethylmethanesulfonate | µg/kg | | | | | | | |
| Methylmethanesulfonate | µg/kg | | | | | | | |
| Methapyrilene | µg/kg | | | | | | | |
| n-Nitrosomorpholine | µg/kg | | | | | | | |
| Naphthalene | µg/kg | | | | <380 | | | |
| 2-Chloronaphthalene | µg/kg | | | | <380 | | | |
| 2-Methylnaphthalene | µg/kg | | | | | | | |
| 1,4-Naphthoquinone | µg/kg | | | | | | | |
| alpha-Naphthylamine | µg/kg | | | | | | | |
| beta-Naphthylamine | µg/kg | | | | | | | |
| Phenanthrene | µg/kg | | | | <380 | | | |
| alpha,alpha-Dimethylphenethylamine | µg/kg | | | | | | | |
| Phenol | µg/kg | | | | <380 | | | |
| 2,2'-Methylenebis(3,4,6-trichlorophenol) | µg/kg | | | | | | | |
| 2,3,4,6-Tetrachlorophenol | µg/kg | | | | | | | |
| 2,4,5-Trichlorophenol | µg/kg | | | | | | | |
| 2,4,6-Trichlorophenol | µg/kg | | | | <380 | | | |
| 2,4-Dichlorophenol | µg/kg | | | | <380 | | | |

Notes: 1. Printed on 05/03/00

Table 3
SUMMARY OF ANALYTICAL RESULTS - SOIL
P&W East Hartford: NK Undeveloped Land Area - Outside Storage Area

Page 197 of 536

| | Location ID | NK-SB-288 | NK-SB-288 | NK-SB-288 | NK-SB-288 | NK-SB-288 | NK-SB-288 | NK-SB-289 |
|---------------------------------|-------------|-------------|-------------|-------------|-------------|-------------|------------|-------------|
| Sample ID | 1028298 | 1028299 | 1028300 | 1028301 | 1028301 | 1028302 | 1028303 | |
| Sample Date | 03/18/1997 | 03/18/1997 | 03/18/1997 | 03/18/1997 | 03/18/1997 | 03/18/1997 | 03/18/1997 | 03/18/1997 |
| Sample Time | 12:30 | 12:40 | 12:45 | 12:55 | 12:55 | 13:00 | | 13:30 |
| Sample Depth | 2' - 4' | 4' - 6' | 6' - 8' | 8' - 10' | 8' - 10' | 10' - 12' | | 0' - 2' |
| Laboratory | LEA | LEA | LEA | AEL | LEA | LEA | | LEA |
| Lab. Number | 97-2159-094 | 97-2160-095 | 97-2161-096 | AEL97003530 | 97-2162-097 | 97-2163-098 | | 97-2164-099 |
| Constituent | Units | | | | | | | |
| 2,4-Dinitrophenol | µg/kg | | | | <380 | | | |
| o-Chlorophenol | µg/kg | | | | <380 | | | |
| o-Nitrophenol | µg/kg | | | | <380 | | | |
| p-Nitrophenol | µg/kg | | | | <380 | | | |
| Pentachlorophenol | µg/kg | | | | <380 | | | |
| p-Phenylenediamine | µg/kg | | | | | | | |
| Butyl Benzyl Phthalate | µg/kg | | | | <380 | | | |
| bis(2-Ethylhexyl)phthalate | µg/kg | | | | <380 | | | |
| Di-n-butyl Phthalate | µg/kg | | | | <380 | | | |
| Di-n-octyl Phthalate | µg/kg | | | | <380 | | | |
| Diethyl Phthalate | µg/kg | | | | <380 | | | |
| Dimethyl Phthalate | µg/kg | | | | <380 | | | |
| 2-Picoline | µg/kg | | | | | | | |
| n-Nitrosopiperidine | µg/kg | | | | | | | |
| Pronamide | µg/kg | | | | | | | |
| Hexachloropropylene | µg/kg | | | | | | | |
| Pyrene | µg/kg | | | | <380 | | | |
| Pyridine | µg/kg | | | | | | | |
| n-Nitrosopyrrolidine | µg/kg | | | | | | | |
| 4-Nitroquinoline, 1-oxide | µg/kg | | | | | | | |
| 2,4-Dinitrotoluene | µg/kg | | | | <380 | | | |
| 2,6-Dinitrotoluene | µg/kg | | | | <380 | | | |
| 5-Nitro-o-Toluidine | µg/kg | | | | | | | |
| o-Toluidine | µg/kg | | | | | | | |
| o,o,o-Triethyl phosphorothioate | µg/kg | | | | | | | |
| 2,4-Xylenol | µg/kg | | | | <380 | | | |
| Acetone | µg/kg | | | | <23 | | | |
| Acetonitrile | µg/kg | | | | | | | |

Notes: 1. Printed on 05/03/00

Table 3
SUMMARY OF ANALYTICAL RESULTS - SOIL
P&W East Hartford: NK Undeveloped Land Area - Outside Storage Area

Page 198 of 536

| | Location ID | NK-SB-288 | NK-SB-288 | NK-SB-288 | NK-SB-288 | NK-SB-288 | NK-SB-288 | NK-SB-289 |
|-----------------------------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|------------|
| Sample ID | 1028298 | 1028299 | 1028300 | 1028301 | 1028301 | 1028302 | 1028302 | 1028303 |
| Sample Date | 03/18/1997 | 03/18/1997 | 03/18/1997 | 03/18/1997 | 03/18/1997 | 03/18/1997 | 03/18/1997 | 03/18/1997 |
| Sample Time | 12:30 | 12:40 | 12:45 | 12:55 | 12:55 | 13:00 | 13:00 | 13:30 |
| Sample Depth | 2' - 4' | 4' - 6' | 6' - 8' | 8' - 10' | 8' - 10' | 10' - 12' | 10' - 12' | 0' - 2' |
| Laboratory | LEA | LEA | LEA | AEL | LEA | LEA | LEA | LEA |
| Lab. Number | 97-2159-094 | 97-2160-095 | 97-2161-096 | AEL97003530 | 97-2162-097 | 97-2163-098 | 97-2164-099 | |
| Constituent | Units | | | | | | | |
| Acrolein | µg/kg | | | | <12 | | | |
| Acrylonitrile | µg/kg | | | | <12 | | | |
| Benzene | µg/kg | | | | <4.7 | | | |
| Benzene (screening) | µg/xx | <15.6 | <16.9 NC | <15.6 | | <12.2 | <12.2 | <15.9 |
| 1,2,4-Trichlorobenzene | µg/kg | | | | <380 | | | |
| o-Dichlorobenzene | µg/kg | | | | <4.7 | | | |
| m-Dichlorobenzene | µg/kg | | | | <4.7 | | | |
| p-Dichlorobenzene | µg/kg | | | | <4.7 | | | |
| Bromobenzene | µg/kg | | | | <4.7 | | | |
| Chlorobenzene | µg/kg | | | | <4.7 | | | |
| Ethyl Benzene | µg/kg | | | | <4.7 | | | |
| Ethyl Benzene (screening) | µg/xx | <22.6 | <24.6 NC | <22.6 | | <17.8 | <17.8 | <23.1 |
| Pentachlorobenzene | µg/kg | | | | | | | |
| Pentachloronitrobenzene | µg/kg | | | | | | | |
| beta-Chloroprene | µg/kg | | | | | | | |
| 2-Butanone | µg/kg | | | | <12 | | | |
| Carbon Disulfide | µg/kg | | | | <4.7 | | | |
| Carbon Tetrachloride | µg/kg | | | | <4.7 | | | |
| Chloroform | µg/kg | | | | <4.7 | | | |
| Dioxane | µg/kg | | | | | | | |
| 1,1,1,2-Tetrachloroethane | µg/kg | | | | <4.7 | | | |
| 1,1,1-Trichloroethane | µg/kg | | | | <4.7 | | | |
| 1,1,1-Trichloroethane (screening) | µg/xx | <382 | <415 NC | <382 | | <300 | <300 | <390 |
| 1,1,2,2-Tetrachloroethane | µg/kg | | | | <4.7 | | | |
| 1,1,2-Trichloroethane | µg/kg | | | | <4.7 | | | |
| 1,1-Dichloroethane | µg/kg | | | | <4.7 | | | |
| Ethylene Dibromide | µg/kg | | | | | | | |
| 1,2-Dichloroethane | µg/kg | | | | <4.7 | | | |

Notes: 1. Printed on 05/03/00

Table 3
SUMMARY OF ANALYTICAL RESULTS - SOIL
P&W East Hartford: NK Undeveloped Land Area - Outside Storage Area

Page 199 of 536

| | Location ID | NK-SB-288 | NK-SB-288 | NK-SB-288 | NK-SB-288 | NK-SB-288 | NK-SB-288 | NK-SB-289 |
|---------------------------------|--------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| | Sample ID | 1028298 | 1028299 | 1028300 | 1028301 | 1028301 | 1028302 | 1028303 |
| | Sample Date | 03/18/1997 | 03/18/1997 | 03/18/1997 | 03/18/1997 | 03/18/1997 | 03/18/1997 | 03/18/1997 |
| | Sample Time | 12:30 | 12:40 | 12:45 | 12:55 | 12:55 | 13:00 | 13:30 |
| | Sample Depth | 2' - 4' | 4' - 6' | 6' - 8' | 8' - 10' | 8' - 10' | 10' - 12' | 0' - 2' |
| | Laboratory | LEA | LEA | LEA | AEL | LEA | LEA | LEA |
| | Lab. Number | 97-2159-094 | 97-2160-095 | 97-2161-096 | AEL97003530 | 97-2162-097 | 97-2163-098 | 97-2164-099 |
| Constituent | Units | | | | | | | |
| Chloroethane | µg/kg | | | | <4.7 | | | |
| Pentachloroethane | µg/kg | | | | | | | |
| 2-Chloroethyl Vinyl ether | µg/kg | | | | <4.7 | | | |
| Methyl-tert-butyl Ether | µg/kg | | | | <4.7 | | | |
| 1,1-Dichloroethylene | µg/kg | | | | <4.7 | | | |
| Vinyl Chloride | µg/kg | | | | <4.7 | | | |
| cis-1,2-Dichloroethylene | µg/kg | | | | <4.7 | | | |
| Tetrachloroethylene | µg/kg | | | | <4.7 | | | |
| Tetrachloroethylene (screening) | µg/xx | <23.8 | <25.9 NC | <23.8 | | <18.7 | <18.7 | 32 E |
| trans-1,2-Dichloroethylene | µg/kg | | | | <4.7 | | | |
| Trichloroethylene | µg/kg | | | | <4.7 | | | |
| Trichloroethylene (screening) | µg/xx | <37.1 | <40.2 NC | <37.1 | | <29.1 | <29.1 | <37.8 |
| Ethylmethacrylate | µg/kg | | | | | | | |
| 2-Hexanone | µg/kg | | | | <12 | | | |
| Isobutyl Alcohol | µg/kg | | | | | | | |
| Bromomethane | µg/kg | | | | <4.7 | | | |
| Bromodichloromethane | µg/kg | | | | <4.7 | | | |
| Chloromethane | µg/kg | | | | <4.7 | | | |
| Dibromomethane | µg/kg | | | | <4.7 | | | |
| Dibromo-chloromethane | µg/kg | | | | <4.7 | | | |
| Methylene Chloride | µg/kg | | | | <4.7 | | | |
| Dichlorodifluoromethane | µg/kg | | | | <4.7 | | | |
| Iodomethane | µg/kg | | | | | | | |
| Bromoform | µg/kg | | | | <4.7 | | | |
| Fluorotrichloromethane | µg/kg | | | | <4.7 | | | |
| Methyl Methacrylate | µg/kg | | | | | | | |
| Methyl Isobutyl Ketone | µg/kg | | | | <12 | | | |
| 1,2,3-Trichloropropane | µg/kg | | | | <4.7 | | | |

Notes: 1. Printed on 05/03/00

LEA

Table 3
SUMMARY OF ANALYTICAL RESULTS - SOIL
P&W East Hartford: NK Undeveloped Land Area - Outside Storage Area

Page 200 of 536

Notes: 1. Printed on 05/03/00

168

Table 3
SUMMARY OF ANALYTICAL RESULTS - SOIL
P&W East Hartford: NK Undeveloped Land Area - Outside Storage Area

Page 201 of 536

| | Location ID | NK-SB-289 | NK-SB-289 | NK-SB-289 | NK-SB-289 | NK-SB-289 | NK-SB-289 | NK-SB-290 |
|--------------------------------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|------------|
| Sample ID | 1028304 | 1028305 | 1028306 | 1028307 | 1028310 | 1028310 | 1028309 | |
| Sample Date | 03/18/1997 | 03/18/1997 | 03/18/1997 | 03/18/1997 | 03/18/1997 | 03/18/1997 | 03/18/1997 | 03/18/1997 |
| Sample Time | 13:35 | 13:45 | 13:50 | 14:05 | 14:10 | 14:10 | 14:10 | 14:25 |
| Sample Depth | 2' - 4' | 4' - 6' | 6' - 8' | 8' - 10' | 10' - 12.5' | 10' - 12.5' | 10' - 12.5' | 0' - 2' |
| Laboratory | LEA | LEA | LEA | LEA | AEL | LEA | LEA | |
| Lab. Number | 97-2165-100 | 97-2166-101 | 97-2167-104 | 97-2168-105 | AEL97003531 | 97-2171-108 | 97-2170-107 | |
| Constituent | Units | | | | | | | |
| Date PCBs Analyzed | - | | | | | | | |
| Date Metals Analyzed | - | | | | | | | |
| Date Organics Analyzed | - | 03/25/1997 | 03/25/1997 | 03/25/1997 | 03/25/1997 | 03/31/1997 | 03/25/1997 | 03/25/1997 |
| Date Pesticides/Herbicides Analyzed | - | | | | | | | |
| Date Physical Analyzed | - | | | | | 04/01/1997 | | |
| Date Semi-volatile Organics Analyzed | - | | | | | 04/07/1997 | | |
| Dinoseb | µg/kg | | | | | | | |
| Arsenic | mg/kg | | | | | | | |
| Barium | mg/kg | | | | | | | |
| Cadmium | mg/kg | | | | | | | |
| Chromium | mg/kg | | | | | | | |
| Lead | mg/kg | | | | | | | |
| Mercury | mg/kg | | | | | | | |
| Nickel | mg/kg | | | | | | | |
| Selenium | mg/kg | | | | | | | |
| Silver | mg/kg | | | | | | | |
| Zinc | mg/kg | | | | | | | |
| PCB 1016 | µg/kg | | | | | | | |
| PCB 1221 | µg/kg | | | | | | | |
| PCB 1232 | µg/kg | | | | | | | |
| PCB 1242 | µg/kg | | | | | | | |
| PCB 1248 | µg/kg | | | | | | | |
| PCB 1254 | µg/kg | | | | | | | |
| PCB 1260 | µg/kg | | | | | | | |
| 2-Acetylaminofluorene | µg/kg | | | | | | | |
| Aramite | µg/kg | | | | | | | |
| Hexachlorobenzene | µg/kg | | | | | <370 | | |
| Hexachlorocyclopentadiene | µg/kg | | | | | <370 | | |

Notes: 1. Printed on 05/03/00

Table 3
SUMMARY OF ANALYTICAL RESULTS - SOIL
P&W East Hartford: NK Undeveloped Land Area - Outside Storage Area

Page 202 of 536

| | Location ID | NK-SB-289 | NK-SB-289 | NK-SB-289 | NK-SB-289 | NK-SB-289 | NK-SB-289 | NK-SB-290 |
|--------------------------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|------------|
| Sample ID | 1028304 | 1028305 | 1028306 | 1028307 | 1028310 | 1028310 | 1028309 | |
| Sample Date | 03/18/1997 | 03/18/1997 | 03/18/1997 | 03/18/1997 | 03/18/1997 | 03/18/1997 | 03/18/1997 | 03/18/1997 |
| Sample Time | 13:35 | 13:45 | 13:50 | 14:05 | 14:10 | 14:10 | 14:25 | |
| Sample Depth | 2' - 4' | 4' - 6' | 6' - 8' | 8' - 10' | 10' - 12.5' | 10' - 12.5' | 0' - 2' | |
| Laboratory | LEA | LEA | LEA | LEA | AEL | LEA | LEA | |
| Lab. Number | 97-2165-100 | 97-2166-101 | 97-2167-104 | 97-2168-105 | AEL97003531 | 97-2171-108 | 97-2170-107 | |
| Constituent | Units | | | | | | | |
| Dimethoate | µg/kg | | | | | | | |
| Disulfoton | µg/kg | | | | | | | |
| Famphur | µg/kg | | | | | | | |
| Phorate | µg/kg | | | | | | | |
| 1,2-Dibromo-3-chloropropane | µg/kg | | | | | | | |
| TPH | mg/kg | | | | <37.0 | | | |
| Total Solids | % | | | | <89.3 | | | |
| Acenaphthylene | µg/kg | | | | <370 | | | |
| Acenaphthalene | µg/kg | | | | <370 | | | |
| Phenacetin | µg/kg | | | | | | | |
| Acetophenone | µg/kg | | | | | | | |
| Aniline | µg/kg | | | | | | | |
| o-Nitroaniline | µg/kg | | | | | | | |
| m-Nitroaniline | µg/kg | | | | | | | |
| p-Chloroaniline | µg/kg | | | | | | | |
| p-Nitroaniline | µg/kg | | | | | | | |
| p-Dimethylaminoazobenzene | µg/kg | | | | | | | |
| Anthracene | µg/kg | | | | <370 | | | |
| Benzo(a)anthracene | µg/kg | | | | <370 | | | |
| 7,12-Dimethylbenz[a]anthracene | µg/kg | | | | | | | |
| Benzo(b)fluoranthene | µg/kg | | | | <370 | | | |
| 1,2,4,5-Tetrachlorobenzene | µg/kg | | | | | | | |
| Isosafrole | µg/kg | | | | | | | |
| 1,3,5-Trinitrobenzene | µg/kg | | | | | | | |
| m-Dinitrobenzene | µg/kg | | | | | | | |
| Safrole | µg/kg | | | | | | | |
| Nitrobenzene | µg/kg | | | | <370 | | | |
| Benzidine | µg/kg | | | | <370 | | | |

Notes: 1. Printed on 03/03/00

Table 3
SUMMARY OF ANALYTICAL RESULTS - SOIL
P&W East Hartford: NK Undeveloped Land Area - Outside Storage Area

Page 203 of 536

| | Location ID | NK-SB-289 | NK-SB-289 | NK-SB-289 | NK-SB-289 | NK-SB-289 | NK-SB-289 | NK-SB-290 |
|-------------------------------|--------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| | Sample ID | 1028304 | 1028305 | 1028306 | 1028307 | 1028310 | 1028310 | 1028309 |
| | Sample Date | 03/18/1997 | 03/18/1997 | 03/18/1997 | 03/18/1997 | 03/18/1997 | 03/18/1997 | 03/18/1997 |
| | Sample Time | 13:35 | 13:45 | 13:50 | 14:05 | 14:10 | 14:10 | 14:25 |
| | Sample Depth | 2' - 4' | 4' - 6' | 6' - 8' | 8' - 10' | 10' - 12.5' | 10' - 12.5' | 0' - 2' |
| | Laboratory | LEA | LEA | LEA | LEA | AEL | LEA | LEA |
| | Lab. Number | 97-2165-100 | 97-2166-101 | 97-2167-104 | 97-2168-105 | AEL97003531 | 97-2171-108 | 97-2170-107 |
| Constituent | Units | | | | | | | |
| 3,3'-Dichlorobenzidine | µg/kg | | | | | <370 | | |
| o-Tolidine | µg/kg | | | | | | | |
| Benzo[a]pyrene | µg/kg | | | | | <370 | | |
| Benzo[ghi]perylene | µg/kg | | | | | <370 | | |
| Benzo[k]fluoranthene | µg/kg | | | | | <370 | | |
| Benzoic Acid | µg/kg | | | | | | | |
| Benzyl Alcohol | µg/kg | | | | | | | |
| p-Aminobiphenyl | µg/kg | | | | | | | |
| Hexachlorobutadiene | µg/kg | | | | | <370 | | |
| n-Nitrosodi-n-butylamine | µg/kg | | | | | | | |
| trans-1,4-Dichloro-2-butylene | µg/kg | | | | | | | |
| Carbazole | µg/kg | | | | | | | |
| 3-Methylchiaranthrene | µg/kg | | | | | | | |
| Chrysene | µg/kg | | | | | <370 | | |
| o-Cresol | µg/kg | | | | | | | |
| m-Cresol | µg/kg | | | | | | | |
| Dinitro-o-cresol | µg/kg | | | | | <370 | | |
| p-Cresol | µg/kg | | | | | | | |
| p-Chloro-m-cresol | µg/kg | | | | | <370 | | |
| Dibenz(a,h)anthracene | µg/kg | | | | | <370 | | |
| Dibenzofuran | µg/kg | | | | | | | |
| n-Nitrosodiethylamine | µg/kg | | | | | | | |
| n-Nitrosodimethylamine | µg/kg | | | | | <370 | | |
| Diphenylamine | µg/kg | | | | | | | |
| n-Nitrosodiphenylamine | µg/kg | | | | | <370 | | |
| n-Nitrosodipropylamine | µg/kg | | | | | <370 | | |
| Hexachloroethane | µg/kg | | | | | <370 | | |
| 4-Bromophenyl Phenyl Ether | µg/kg | | | | | <370 | | |

Notes: 1. Printed on 05/03/00

Table 3
SUMMARY OF ANALYTICAL RESULTS - SOIL
P&W East Hartford: NK Undeveloped Land Area - Outside Storage Area

Page 204 of 536

| | Location ID | NK-SB-289 | NK-SB-290 |
|--|--------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|------------|
| | Sample ID | 1028304 | 1028305 | 1028306 | 1028307 | 1028310 | 1028310 | 1028309 | 1028309 |
| | Sample Date | 03/18/1997 | 03/18/1997 | 03/18/1997 | 03/18/1997 | 03/18/1997 | 03/18/1997 | 03/18/1997 | 03/18/1997 |
| | Sample Time | 13:35 | 13:45 | 13:50 | 14:05 | 14:10 | 14:10 | 14:25 | |
| | Sample Depth | 2' - 4' | 4' - 6' | 6' - 8' | 8' - 10' | 10' - 12.5' | 10' - 12.5' | 0' - 2' | |
| | Laboratory | LEA | LEA | LEA | LEA | AEL | LEA | LEA | |
| | Lab. Number | 97-2165-100 | 97-2166-101 | 97-2167-104 | 97-2168-105 | AEL97003531 | 97-2171-108 | 97-2170-107 | |
| Constituent | Units | | | | | | | | |
| 4-Chlorophenyl phenyl ether | µg/kg | | | | | <370 | | | |
| Dichlorodiisopropyl ether | µg/kg | | | | | <370 | | | |
| Dichloroethyl Ether | µg/kg | | | | | <370 | | | |
| n-Methyl-n-nitrosoethylamine | µg/kg | | | | | | | | |
| Fluoranthene | µg/kg | | | | | <370 | | | |
| Fluorene | µg/kg | | | | | <370 | | | |
| 1,2-Diphenylhydrazine | µg/kg | | | | | <370 | | | |
| Indeno(1,2,3-cd)pyrene | µg/kg | | | | | <370 | | | |
| Isophorone | µg/kg | | | | | <370 | | | |
| bis(2-Chloroethoxy)methane | µg/kg | | | | | <370 | | | |
| Ethylmethanesulfonate | µg/kg | | | | | | | | |
| Methylmethanesulfonate | µg/kg | | | | | | | | |
| Methapyrilene | µg/kg | | | | | | | | |
| n-Nitrosomorpholine | µg/kg | | | | | | | | |
| Naphthalene | µg/kg | | | | | <370 | | | |
| 2-Chloronaphthalene | µg/kg | | | | | <370 | | | |
| 2-Methylnaphthalene | µg/kg | | | | | | | | |
| 1,4-Naphthoquinone | µg/kg | | | | | | | | |
| alpha-Naphthylamine | µg/kg | | | | | | | | |
| beta-Naphthylamine | µg/kg | | | | | | | | |
| Phenanthrene | µg/kg | | | | | <370 | | | |
| alpha,alpha-Dimethylphenethylamine | µg/kg | | | | | | | | |
| Phenol | µg/kg | | | | | <370 | | | |
| 2,2'-Methylenebis(3,4,6-trichlorophenol) | µg/kg | | | | | | | | |
| 2,3,4,6-Tetrachlorophenol | µg/kg | | | | | | | | |
| 2,4,5-Trichlorophenol | µg/kg | | | | | | | | |
| 2,4,6-Trichlorophenol | µg/kg | | | | | <370 | | | |
| 2,4-Dichlorophenol | µg/kg | | | | | <370 | | | |

Notes: 1. Printed on 03/03/00

Table 3
SUMMARY OF ANALYTICAL RESULTS - SOIL
P&W East Hartford: NK Undeveloped Land Area - Outside Storage Area

Page 205 of 536

| | Location ID | NK-SB-289 | NK-SB-290 |
|---------------------------------|--------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|------------|
| | Sample ID | 1028304 | 1028305 | 1028306 | 1028307 | 1028310 | 1028310 | 1028309 | 1028309 |
| | Sample Date | 03/18/1997 | 03/18/1997 | 03/18/1997 | 03/18/1997 | 03/18/1997 | 03/18/1997 | 03/18/1997 | 03/18/1997 |
| | Sample Time | 13:35 | 13:45 | 13:50 | 14:05 | 14:10 | 14:10 | 14:25 | |
| | Sample Depth | 2' - 4' | 4' - 6' | 6' - 8' | 8' - 10' | 10' - 12.5' | 10' - 12.5' | 0' - 2' | |
| | Laboratory | LEA | LEA | LEA | LEA | AEL | LEA | LEA | |
| | Lab. Number | 97-2165-100 | 97-2166-101 | 97-2167-104 | 97-2168-105 | AEL97003531 | 97-2171-108 | 97-2170-107 | |
| Constituent | Units | | | | | | | | |
| 2,4-Dinitrophenol | µg/kg | | | | | <370 | | | |
| o-Chlorophenol | µg/kg | | | | | <370 | | | |
| o-Nitrophenol | µg/kg | | | | | <370 | | | |
| p-Nitrophenol | µg/kg | | | | | <370 | | | |
| Pentachlorophenol | µg/kg | | | | | <370 | | | |
| p-Phenylenediamine | µg/kg | | | | | | | | |
| Butyl Benzyl Phthalate | µg/kg | | | | | <370 | | | |
| bis(2-Ethylhexyl)phthalate | µg/kg | | | | | <370 | | | |
| Di-n-butyl Phthalate | µg/kg | | | | | <370 | | | |
| Di-n-octyl Phthalate | µg/kg | | | | | <370 | | | |
| Diethyl Phthalate | µg/kg | | | | | <370 | | | |
| Dimethyl Phthalate | µg/kg | | | | | <370 | | | |
| 2-Picoline | µg/kg | | | | | | | | |
| n-Nitrosopiperidine | µg/kg | | | | | | | | |
| Pronamide | µg/kg | | | | | | | | |
| Hexachloropropylene | µg/kg | | | | | | | | |
| Pyrene | µg/kg | | | | | <370 | | | |
| Pyridine | µg/kg | | | | | | | | |
| n-Nitrosopyrrolidine | µg/kg | | | | | | | | |
| 4-Nitroquinoline, 1-oxide | µg/kg | | | | | | | | |
| 2,4-Dinitrotoluene | µg/kg | | | | | <370 | | | |
| 2,6-Dinitrotoluene | µg/kg | | | | | <370 | | | |
| 5-Nitro-o-Toluidine | µg/kg | | | | | | | | |
| o-Toluidine | µg/kg | | | | | | | | |
| o,o,o-Triethyl phosphorothioate | µg/kg | | | | | | | | |
| 2,4-Xylenol | µg/kg | | | | | <370 | | | |
| Acetone | µg/kg | | | | | <23 | | | |
| Acetonitrile | µg/kg | | | | | | | | |

Notes: 1. Printed on 05/03/00

Table 3
SUMMARY OF ANALYTICAL RESULTS - SOIL
P&W East Hartford: NK Undeveloped Land Area - Outside Storage Area

Page 206 of 536

| | Location ID | NK-SB-289 | NK-SB-289 | NK-SB-289 | NK-SB-289 | NK-SB-289 | NK-SB-289 | NK-SB-290 |
|-----------------------------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|------------|
| Sample ID | 1028304 | 1028305 | 1028306 | 1028307 | 1028310 | 1028310 | 1028309 | |
| Sample Date | 03/18/1997 | 03/18/1997 | 03/18/1997 | 03/18/1997 | 03/18/1997 | 03/18/1997 | 03/18/1997 | 03/18/1997 |
| Sample Time | 13:35 | 13:45 | 13:50 | 14:05 | 14:10 | 14:10 | 14:25 | |
| Sample Depth | 2' - 4' | 4' - 6' | 6' - 8' | 8' - 10' | 10' - 12.5' | 10' - 12.5' | 0' - 2' | |
| Laboratory | LEA | LEA | LEA | LEA | AEL | LEA | LEA | |
| Lab. Number | 97-2165-100 | 97-2166-101 | 97-2167-104 | 97-2168-105 | AEL97003531 | 97-2171-108 | 97-2170-107 | |
| Constituent | Units | | | | | | | |
| Acrolein | µg/kg | | | | <12 | | | |
| Acrylonitrile | µg/kg | | | | <12 | | | |
| Benzene | µg/kg | | | | <4.6 | | | |
| Benzene (screening) | µg/xx | <14.5 | <15.6 | <12.4 | <13.7 | | <15.6 | <14.5 |
| 1,2,4-Trichlorobenzene | µg/kg | | | | <370 | | | |
| o-Dichlorobenzene | µg/kg | | | | <4.6 | | | |
| m-Dichlorobenzene | µg/kg | | | | <4.6 | | | |
| p-Dichlorobenzene | µg/kg | | | | <4.6 | | | |
| Bromobenzene | µg/kg | | | | <4.6 | | | |
| Chlorobenzene | µg/kg | | | | <4.6 | | | |
| Ethyl Benzene | µg/kg | | | | <4.6 | | | |
| Ethyl Benzene (screening) | µg/xx | <21.0 | <22.6 | <18.0 | <19.9 | | <22.6 | <21.0 |
| Pentachlorobenzene | µg/kg | | | | | | | |
| Pentachloronitrobenzene | µg/kg | | | | | | | |
| beta-Chloroprene | µg/kg | | | | | | | |
| 2-Butanone | µg/kg | | | | <12 | | | |
| Carbon Disulfide | µg/kg | | | | <4.6 | | | |
| Carbon Tetrachloride | µg/kg | | | | <4.6 | | | |
| Chloroform | µg/kg | | | | <4.6 | | | |
| Dioxane | µg/kg | | | | | | | |
| 1,1,1,2-Tetrachloroethane | µg/kg | | | | <4.6 | | | |
| 1,1,1-Trichloroethane | µg/kg | | | | <4.6 | | | |
| 1,1,1-Trichloroethane (screening) | µg/xx | <355 | <382 | <305 | <336 | | <382 | <355 |
| 1,1,2,2-Tetrachloroethane | µg/kg | | | | <4.6 | | | |
| 1,1,2-Trichloroethane | µg/kg | | | | <4.6 | | | |
| 1,1-Dichloroethane | µg/kg | | | | <4.6 | | | |
| Ethylene Dibromide | µg/kg | | | | | | | |
| 1,2-Dichloroethane | µg/kg | | | | <4.6 | | | |

Notes: 1. Printed on 05/03/00

Table 3
SUMMARY OF ANALYTICAL RESULTS - SOIL
P&W East Hartford: NK Undeveloped Land Area - Outside Storage Area

Page 207 of 536

| | Location ID | NK-SB-289 | NK-SB-289 | NK-SB-289 | NK-SB-289 | NK-SB-289 | NK-SB-289 | NK-SB-290 |
|---------------------------------|--------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| | Sample ID | 1028304 | 1028305 | 1028306 | 1028307 | 1028310 | 1028310 | 1028309 |
| | Sample Date | 03/18/1997 | 03/18/1997 | 03/18/1997 | 03/18/1997 | 03/18/1997 | 03/18/1997 | 03/18/1997 |
| | Sample Time | 13:35 | 13:45 | 13:50 | 14:05 | 14:10 | 14:10 | 14:25 |
| | Sample Depth | 2' - 4' | 4' - 6' | 6' - 8' | 8' - 10' | 10' - 12.5' | 10' - 12.5' | 0' - 2' |
| | Laboratory | LEA | LEA | LEA | LEA | AEL | LEA | LEA |
| | Lab. Number | 97-2165-100 | 97-2166-101 | 97-2167-104 | 97-2168-105 | AEL97003531 | 97-2171-108 | 97-2170-107 |
| Constituent | Units | | | | | | | |
| Chloroethane | µg/kg | | | | | <4.6 | | |
| Pentachloroethane | µg/kg | | | | | | | |
| 2-Chloroethyl Vinyl ether | µg/kg | | | | | <4.6 | | |
| Methyl-tert-butyl Ether | µg/kg | | | | | <4.6 | | |
| 1,1-Dichloroethylene | µg/kg | | | | | <4.6 | | |
| Vinyl Chloride | µg/kg | | | | | <4.6 | | |
| cis-1,2-Dichloroethylene | µg/kg | | | | | <4.6 | | |
| Tetrachloroethylene | µg/kg | | | | | <4.6 | | |
| Tetrachloroethylene (screening) | µg/xx | 65 | 99 | 80 | <20.9 | | <23.8 | 10 J |
| trans-1,2-Dichloroethylene | µg/kg | | | | | <4.6 | | |
| Trichloroethylene | µg/kg | | | | | <4.6 | | |
| Trichloroethylene (screening) | µg/xx | <34.4 | <37.1 | <29.5 | <32.6 | | <37.1 | <34.4 |
| Ethylmethacrylate | µg/kg | | | | | | | |
| 2-Hexanone | µg/kg | | | | | <12 | | |
| Isobutyl Alcohol | µg/kg | | | | | | | |
| Bromomethane | µg/kg | | | | | <4.6 | | |
| Bromodichloromethane | µg/kg | | | | | <4.6 | | |
| Chloromethane | µg/kg | | | | | <4.6 | | |
| Dibromomethane | µg/kg | | | | | <4.6 | | |
| Dibromochloromethane | µg/kg | | | | | <4.6 | | |
| Methylene Chloride | µg/kg | | | | | <4.6 | | |
| Dichlorodifluoromethane | µg/kg | | | | | <4.6 | | |
| Iodomethane | µg/kg | | | | | | | |
| Bromoform | µg/kg | | | | | <4.6 | | |
| Fluorotrichloromethane | µg/kg | | | | | <4.6 | | |
| Methyl Methacrylate | µg/kg | | | | | | | |
| Methyl Isobutyl Ketone | µg/kg | | | | | <12 | | |
| 1,2,3-Trichloropropane | µg/kg | | | | | <4.6 | | |

Notes: 1. Printed on 05/03/00

Table 3
SUMMARY OF ANALYTICAL RESULTS - SOIL
P&W East Hartford: NK Undeveloped Land Area - Outside Storage Area

Page 208 of 536

Notes: 1. Printed on 05/03/00

Table 3
SUMMARY OF ANALYTICAL RESULTS - SOIL
P&W East Hartford: NK Undeveloped Land Area - Outside Storage Area

Page 209 of 536

| | Location ID | NK-SB-290 |
|--------------------------------------|--------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| | Sample ID | 1028308 | 1028311 | 1028312 | 1028312 | 1028313 | 1028314 | 1028314 |
| | Sample Date | 03/18/1997 | 03/18/1997 | 03/18/1997 | 03/18/1997 | 03/18/1997 | 03/18/1997 | 03/18/1997 |
| | Sample Time | 14:30 | 14:50 | 14:55 | 14:55 | 15:05 | 15:10 | 15:10 |
| | Sample Depth | 2' - 4' | 4' - 6' | 6' - 8' | 6' - 8' | 8' - 10' | 10' - 12' | 10' - 12' |
| | Laboratory | LEA | LEA | AEL | LEA | LEA | LEA | LEA |
| | Lab. Number | 97-2169-106 | 97-2172-109 | AEL97003532 | 97-2173-110 | 97-2174-111 | 97-2175-112 | 97-2175.112 |
| Constituent | Units | | | | | | | |
| Date PCBs Analyzed | - | | | | | | | |
| Date Metals Analyzed | - | | | | | | | |
| Date Organics Analyzed | - | 03/25/1997 | 03/25/1997 | 03/31/1997 | 03/25/1997 | 03/25/1997 | 03/25/1997 | 03/25/1997 |
| Date Pesticides/Herbicides Analyzed | - | | | | | | | |
| Date Physical Analyzed | - | | | 04/01/1997 | | | | |
| Date Semi-volatile Organics Analyzed | - | | | | | | | |
| Dinoseb | µg/kg | | | | | | | |
| Arsenic | mg/kg | | | | | | | |
| Barium | mg/kg | | | | | | | |
| Cadmium | mg/kg | | | | | | | |
| Chromium | mg/kg | | | | | | | |
| Lead | mg/kg | | | | | | | |
| Mercury | mg/kg | | | | | | | |
| Nickel | mg/kg | | | | | | | |
| Selenium | mg/kg | | | | | | | |
| Silver | mg/kg | | | | | | | |
| Zinc | mg/kg | | | | | | | |
| PCB 1016 | µg/kg | | | | | | | |
| PCB 1221 | µg/kg | | | | | | | |
| PCB 1232 | µg/kg | | | | | | | |
| PCB 1242 | µg/kg | | | | | | | |
| PCB 1248 | µg/kg | | | | | | | |
| PCB 1254 | µg/kg | | | | | | | |
| PCB 1260 | µg/kg | | | | | | | |
| 2-Acetylaminofluorene | µg/kg | | | | | | | |
| Aramite | µg/kg | | | | | | | |
| Hexachlorobenzene | µg/kg | | | | | | | |
| Hexachlorocyclopentadiene | µg/kg | | | | | | | |

Notes: 1. Printed on 05/03/00

Table 3
SUMMARY OF ANALYTICAL RESULTS - SOIL
P&W East Hartford: NK Undeveloped Land Area - Outside Storage Area

Page 210 of 536

| | Location ID | NK-SB-290 | NK-SB-290 | NK-SB-290 | NK-SB-290 | NK-SB-290 | NK-SB-290 | NK-SB-290 |
|--------------------------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|------------|
| Sample ID | 1028308 | 1028311 | 1028312 | 1028312 | 1028313 | 1028314 | 1028314 | 1028314 |
| Sample Date | 03/18/1997 | 03/18/1997 | 03/18/1997 | 03/18/1997 | 03/18/1997 | 03/18/1997 | 03/18/1997 | 03/18/1997 |
| Sample Time | 14:30 | 14:50 | 14:55 | 14:55 | 15:05 | 15:10 | 15:10 | 15:10 |
| Sample Depth | 2' - 4' | 4' - 6' | 6' - 8' | 6' - 8' | 8' - 10' | 10' - 12' | 10' - 12' | 10' - 12' |
| Laboratory | LEA | LEA | AEL | LEA | LEA | LEA | LEA | LEA |
| Lab. Number | 97-2169-106 | 97-2172-109 | AEL97003532 | 97-2173-110 | 97-2174-111 | 97-2175-112 | 97-2175.112 | |
| Constituent | Units | | | | | | | |
| Dimethoate | µg/kg | | | | | | | |
| Disulfoton | µg/kg | | | | | | | |
| Famphur | µg/kg | | | | | | | |
| Phorate | µg/kg | | | | | | | |
| 1,2-Dibromo-3-chloropropane | µg/kg | | | | | | | |
| TPH | mg/kg | | | <35.7 | | | | |
| Total Solids | % | | | <91.9 | | | | |
| Acenaphthylene | µg/kg | | | | | | | |
| Acenaphthalene | µg/kg | | | | | | | |
| Phenacetin | µg/kg | | | | | | | |
| Acetophenone | µg/kg | | | | | | | |
| Aniline | µg/kg | | | | | | | |
| o-Nitroaniline | µg/kg | | | | | | | |
| m-Nitroaniline | µg/kg | | | | | | | |
| p-Chloroaniline | µg/kg | | | | | | | |
| p-Nitroaniline | µg/kg | | | | | | | |
| p-Dimethylaminoazobenzene | µg/kg | | | | | | | |
| Anthracene | µg/kg | | | | | | | |
| Benzo(a)anthracene | µg/kg | | | | | | | |
| 7,12-Dimethylbenz[a]anthracene | µg/kg | | | | | | | |
| Benzo(b)fluoranthene | µg/kg | | | | | | | |
| 1,2,4,5-Tetrachlorobenzene | µg/kg | | | | | | | |
| Isosafrole | µg/kg | | | | | | | |
| 1,3,5-Trinitrobenzene | µg/kg | | | | | | | |
| m-Dinitrobenzene | µg/kg | | | | | | | |
| Safrole | µg/kg | | | | | | | |
| Nitrobenzene | µg/kg | | | | | | | |
| Benzidine | µg/kg | | | | | | | |

Notes: 1. Printed on 03/03/00

Table 3
SUMMARY OF ANALYTICAL RESULTS - SOIL
P&W East Hartford: NK Undeveloped Land Area - Outside Storage Area

Page 211 of 536

| | Location ID. | NK-SB-290 |
|-------------------------------|--------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Sample ID | 1028308 | 1028311 | 1028312 | 1028312 | 1028313 | 1028314 | 1028314 | 1028314 | 1028314 |
| Sample Date | 03/18/1997 | 03/18/1997 | 03/18/1997 | 03/18/1997 | 03/18/1997 | 03/18/1997 | 03/18/1997 | 03/18/1997 | 03/18/1997 |
| Sample Time | 14:30 | 14:50 | 14:55 | 14:55 | 15:05 | 15:10 | 15:10 | 15:10 | 15:10 |
| Sample Depth | 2' - 4' | 4' - 6' | 6' - 8' | 6' - 8' | 8' - 10' | 10' - 12' | 10' - 12' | 10' - 12' | 10' - 12' |
| Laboratory | LEA | LEA | AEL | LEA | LEA | LEA | LEA | LEA | LEA |
| Lab. Number | 97-2169-106 | 97-2172-109 | AEL97003532 | 97-2173-110 | 97-2174-111 | 97-2175-112 | 97-2175-112 | 97-2175.112 | 97-2175.112 |
| Constituent | Units | | | | | | | | |
| 3,3'-Dichlorobenzidine | µg/kg | | | | | | | | |
| o-Tolidine | µg/kg | | | | | | | | |
| Benzo[a]pyrene | µg/kg | | | | | | | | |
| Benzo[ghi]perylene | µg/kg | | | | | | | | |
| Benzo[k]fluoranthene | µg/kg | | | | | | | | |
| Benzoic Acid | µg/kg | | | | | | | | |
| Benzyl Alcohol | µg/kg | | | | | | | | |
| p-Aminobiphenyl | µg/kg | | | | | | | | |
| Hexachlorobutadiene | µg/kg | | | | | | | | |
| n-Nitrosodi-n-butylamine | µg/kg | | | | | | | | |
| trans-1,4-Dichloro-2-butylene | µg/kg | | | | | | | | |
| Carbazole | µg/kg | | | | | | | | |
| 3-Methylchloanthrene | µg/kg | | | | | | | | |
| Chrysene | µg/kg | | | | | | | | |
| o-Cresol | µg/kg | | | | | | | | |
| m-Cresol | µg/kg | | | | | | | | |
| Dinitro-o-cresol | µg/kg | | | | | | | | |
| p-Cresol | µg/kg | | | | | | | | |
| p-Chloro-m-cresol | µg/kg | | | | | | | | |
| Dibenz(a,h)anthracene | µg/kg | | | | | | | | |
| Dibenzo-furan | µg/kg | | | | | | | | |
| n-Nitrosodiethylamine | µg/kg | | | | | | | | |
| n-Nitrosodimethylamine | µg/kg | | | | | | | | |
| Diphenylamine | µg/kg | | | | | | | | |
| n-Nitrosodiphenylamine | µg/kg | | | | | | | | |
| n-Nitrosodipropylamine | µg/kg | | | | | | | | |
| Hexachloroethane | µg/kg | | | | | | | | |
| 4-Bromophenyl Phenyl Ether | µg/kg | | | | | | | | |

Notes: 1. Printed on 05/03/00

Table 3
SUMMARY OF ANALYTICAL RESULTS - SOIL
P&W East Hartford: NK Undeveloped Land Area - Outside Storage Area

Page 212 of 536

| | Location ID | NK-SB-290 |
|--|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Sample ID | 1028308 | 1028311 | 1028312 | 1028312 | 1028313 | 1028314 | 1028314 | 1028314 | 1028314 |
| Sample Date | 03/18/1997 | 03/18/1997 | 03/18/1997 | 03/18/1997 | 03/18/1997 | 03/18/1997 | 03/18/1997 | 03/18/1997 | 03/18/1997 |
| Sample Time | 14:30 | 14:50 | 14:55 | 14:55 | 15:05 | 15:10 | 15:10 | 15:10 | 15:10 |
| Sample Depth | 2' - 4' | 4' - 6' | 6' - 8' | 6' - 8' | 8' - 10' | 10' - 12' | 10' - 12' | 10' - 12' | 10' - 12' |
| Laboratory | LEA | LEA | AEL | LEA | LEA | LEA | LEA | LEA | LEA |
| Lab. Number | 97-2169-106 | 97-2172-109 | AEL97003532 | 97-2173-110 | 97-2174-111 | 97-2175-112 | 97-2175-112 | 97-2175-112 | 97-2175-112 |
| Constituent | Units | | | | | | | | |
| 4-Chlorophenyl phenyl ether | µg/kg | | | | | | | | |
| Dichlorodiisopropyl ether | µg/kg | | | | | | | | |
| Dichloroethyl Ether | µg/kg | | | | | | | | |
| n-Methyl-n-nitrosoethylamine | µg/kg | | | | | | | | |
| Fluoranthene | µg/kg | | | | | | | | |
| Fluorene | µg/kg | | | | | | | | |
| 1,2-Diphenylhydrazine | µg/kg | | | | | | | | |
| Indeno(1,2,3-cd)pyrene | µg/kg | | | | | | | | |
| Isophorone | µg/kg | | | | | | | | |
| bis(2-Chloroethoxy)methane | µg/kg | | | | | | | | |
| Ethylmethanesulfonate | µg/kg | | | | | | | | |
| Methylmethanesulfonate | µg/kg | | | | | | | | |
| Methapyrilene | µg/kg | | | | | | | | |
| n-Nitrosomorpholine | µg/kg | | | | | | | | |
| Naphthalene | µg/kg | | | | | | | | |
| 2-Chloronaphthalene | µg/kg | | | | | | | | |
| 2-Methylnaphthalene | µg/kg | | | | | | | | |
| 1,4-Naphthoquinone | µg/kg | | | | | | | | |
| alpha-Naphthylamine | µg/kg | | | | | | | | |
| beta-Naphthylamine | µg/kg | | | | | | | | |
| Phenanthrene | µg/kg | | | | | | | | |
| alpha,alpha-Dimethylphenethylamine | µg/kg | | | | | | | | |
| Phenol | µg/kg | | | | | | | | |
| 2,2'-Methylenebis(3,4,6-trichlorophenol) | µg/kg | | | | | | | | |
| 2,3,4,6-Tetrachlorophenol | µg/kg | | | | | | | | |
| 2,4,5-Trichlorophenol | µg/kg | | | | | | | | |
| 2,4,6-Trichlorophenol | µg/kg | | | | | | | | |
| 2,4-Dichlorophenol | µg/kg | | | | | | | | |

Notes: 1. Printed on 05/03/00

Table 3
SUMMARY OF ANALYTICAL RESULTS - SOIL
P&W East Hartford: NK Undeveloped Land Area - Outside Storage Area

Page 213 of 536

| | Location ID | NK-SB-290 | NK-SB-290 | NK-SB-290 | NK-SB-290 | NK-SB-290 | NK-SB-290 | NK-SB-290 | NK-SB-290 |
|---------------------------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|------------|------------|
| Sample ID | 1028308 | 1028311 | 1028312 | 1028312 | 1028313 | 1028314 | 1028314 | 1028314 | 1028314 |
| Sample Date | 03/18/1997 | 03/18/1997 | 03/18/1997 | 03/18/1997 | 03/18/1997 | 03/18/1997 | 03/18/1997 | 03/18/1997 | 03/18/1997 |
| Sample Time | 14:30 | 14:50 | 14:55 | 14:55 | 15:05 | 15:10 | 15:10 | | |
| Sample Depth | 2' - 4' | 4' - 6' | 6' - 8' | 6' - 8' | 8' - 10' | 10' - 12' | 10' - 12' | | |
| Laboratory | LEA | LEA | AEL | LEA | LEA | LEA | LEA | | |
| Lab. Number | 97-2169-106 | 97-2172-109 | AEL97003532 | 97-2173-110 | 97-2174-111 | 97-2175-112 | 97-2175-112 | | |
| Constituent | Units | | | | | | | | |
| 2,4-Dinitrophenol | µg/kg | | | | | | | | |
| o-Chlorophenol | µg/kg | | | | | | | | |
| o-Nitrophenol | µg/kg | | | | | | | | |
| p-Nitrophenol | µg/kg | | | | | | | | |
| Pentachlorophenol | µg/kg | | | | | | | | |
| p-Phenylenediamine | µg/kg | | | | | | | | |
| Butyl Benzyl Phthalate | µg/kg | | | | | | | | |
| bis(2-Ethylhexyl)phthalate | µg/kg | | | | | | | | |
| Di-n-butyl Phthalate | µg/kg | | | | | | | | |
| Di-n-octyl Phthalate | µg/kg | | | | | | | | |
| Diethyl Phthalate | µg/kg | | | | | | | | |
| Dimethyl Phthalate | µg/kg | | | | | | | | |
| 2-Picoline | µg/kg | | | | | | | | |
| n-Nitrosopiperidine | µg/kg | | | | | | | | |
| Pronamide | µg/kg | | | | | | | | |
| Hexachloropropylene | µg/kg | | | | | | | | |
| Pyrene | µg/kg | | | | | | | | |
| Pyridine | µg/kg | | | | | | | | |
| n-Nitrosopyrrolidine | µg/kg | | | | | | | | |
| 4-Nitroquinoline, 1-oxide | µg/kg | | | | | | | | |
| 2,4-Dinitrotoluene | µg/kg | | | | | | | | |
| 2,6-Dinitrotoluene | µg/kg | | | | | | | | |
| 5-Nitro-o-Toluidine | µg/kg | | | | | | | | |
| o-Toluidine | µg/kg | | | | | | | | |
| o,o,o-Triethyl phosphorothioate | µg/kg | | | | | | | | |
| 2,4-Xylenol | µg/kg | | | | | | | | |
| Acetone | µg/kg | | | <24 | | | | | |
| Acetonitrile | µg/kg | | | | | | | | |

Notes: 1. Printed on 03/03/00

Table 3
SUMMARY OF ANALYTICAL RESULTS - SOIL
P&W East Hartford: NK Undeveloped Land Area - Outside Storage Area

Page 214 of 536

| | Location ID | NK-SB-290 |
|-----------------------------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Sample ID | 1028308 | 1028311 | 1028312 | 1028312 | 1028313 | 1028314 | 1028314 | 1028314 |
| Sample Date | 03/18/1997 | 03/18/1997 | 03/18/1997 | 03/18/1997 | 03/18/1997 | 03/18/1997 | 03/18/1997 | 03/18/1997 |
| Sample Time | 14:30 | 14:50 | 14:55 | 14:55 | 15:05 | 15:10 | 15:10 | 15:10 |
| Sample Depth | 2' - 4' | 4' - 6' | 6' - 8' | 6' - 8' | 8' - 10' | 10' - 12' | 10' - 12' | 10' - 12' |
| Laboratory | LEA | LEA | AEL | LEA | LEA | LEA | LEA | LEA |
| Lab. Number | 97-2169-106 | 97-2172-109 | AEL97003532 | 97-2173-110 | 97-2174-111 | 97-2175-112 | 97-2175.112 | 97-2175.112 |
| Constituent | Units | | | | | | | |
| Acrolein | µg/kg | | | <12 | | | | |
| Acrylonitrile | µg/kg | | | <12 | | | | |
| Benzene | µg/kg | | | <4.9 | | | | |
| Benzene (screening) | µg/xx | <15.3 | <13.3 | | <14.2 | <16.9 NC | <13.9 | <13.9 |
| 1,2,4-Trichlorobenzene | µg/kg | | | | | | | |
| o-Dichlorobenzene | µg/kg | | | <4.9 | | | | |
| m-Dichlorobenzene | µg/kg | | | <4.9 | | | | |
| p-Dichlorobenzene | µg/kg | | | <4.9 | | | | |
| Bromobenzene | µg/kg | | | <4.9 | | | | |
| Chlorobenzene | µg/kg | | | <4.9 | | | | |
| Ethyl Benzene | µg/kg | | | <4.9 | | | | |
| Ethyl Benzene (screening) | µg/xx | <22.2 | <19.3 | | <20.6 | <24.6 NC | <20.3 | <20.3 |
| Pentachlorobenzene | µg/kg | | | | | | | |
| Pentachloronitrobenzene | µg/kg | | | | | | | |
| beta-Chloroprene | µg/kg | | | | | | | |
| 2-Butanone | µg/kg | | | <12 | | | | |
| Carbon Disulfide | µg/kg | | | <4.9 | | | | |
| Carbon Tetrachloride | µg/kg | | | <4.9 | | | | |
| Chloroform | µg/kg | | | <4.9 | | | | |
| Dioxane | µg/kg | | | | | | | |
| 1,1,1,2-Tetrachloroethane | µg/kg | | | <4.9 | | | | |
| 1,1,1-Trichloroethane | µg/kg | | | <4.9 | | | | |
| 1,1,1-Trichloroethane (screening) | µg/xx | <375 | <325 | | <348 | <415 NC | <342 | <342 |
| 1,1,2,2-Tetrachloroethane | µg/kg | | | <4.9 | | | | |
| 1,1,2-Trichloroethane | µg/kg | | | <4.9 | | | | |
| 1,1-Dichloroethane | µg/kg | | | <4.9 | | | | |
| Ethylene Dibromide | µg/kg | | | | | | | |
| 1,2-Dichloroethane | µg/kg | | | <4.9 | | | | |

Notes: 1. Printed on 05/03/00

Table 3
SUMMARY OF ANALYTICAL RESULTS - SOIL
P&W East Hartford: NK Undeveloped Land Area - Outside Storage Area

Page 215 of 536

| | Location ID | NK-SB-290 |
|---------------------------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Sample ID | 1028308 | 1028311 | 1028312 | 1028312 | 1028313 | 1028314 | 1028314 | 1028314 |
| Sample Date | 03/18/1997 | 03/18/1997 | 03/18/1997 | 03/18/1997 | 03/18/1997 | 03/18/1997 | 03/18/1997 | 03/18/1997 |
| Sample Time | 14:30 | 14:50 | 14:55 | 14:55 | 15:05 | 15:10 | 15:10 | 15:10 |
| Sample Depth | 2' - 4' | 4' - 6' | 6' - 8' | 6' - 8' | 8' - 10' | 10' - 12' | 10' - 12' | 10' - 12' |
| Laboratory | LEA | LEA | AEL | LEA | LEA | LEA | LEA | LEA |
| Lab. Number | 97-2169-106 | 97-2172-109 | AEL97003532 | 97-2173-110 | 97-2174-111 | 97-2175-112 | 97-2175.112 | 97-2175.112 |
| Constituent | Units | | | | | | | |
| Chloroethane | µg/kg | | | <4.9 | | | | |
| Pentachloroethane | µg/kg | | | | | | | |
| 2-Chloroethyl Vinyl ether | µg/kg | | | <4.9 | | | | |
| Methyl-tert-butyl Ether | µg/kg | | | <4.9 | | | | |
| 1,1-Dichloroethylene | µg/kg | | | <4.9 | | | | |
| Vinyl Chloride | µg/kg | | | <4.9 | | | | |
| cis-1,2-Dichloroethylene | µg/kg | | | <4.9 | | | | |
| Tetrachloroethylene | µg/kg | | | 8.1 | | | | |
| Tetrachloroethylene (screening) | µg/xx | 35 E | 20 J | | 20 J | <25.9 NC | <21.3 | <21.3 |
| trans-1,2-Dichloroethylene | µg/kg | | | <4.9 | | | | |
| Trichloroethylene | µg/kg | | | <4.9 | | | | |
| Trichloroethylene (screening) | µg/xx | <36.3 | <31.5 | | <33.8 | <40.2 NC | <33.2 | <33.2 |
| Ethylmethacrylate | µg/kg | | | | | | | |
| 2-Hexanone | µg/kg | | | <12 | | | | |
| Isobutyl Alcohol | µg/kg | | | | | | | |
| Bromomethane | µg/kg | | | <4.9 | | | | |
| Bromodichloromethane | µg/kg | | | <4.9 | | | | |
| Chloromethane | µg/kg | | | <4.9 | | | | |
| Dibromomethane | µg/kg | | | <4.9 | | | | |
| Dibromochloromethane | µg/kg | | | <4.9 | | | | |
| Methylene Chloride | µg/kg | | | <4.9 | | | | |
| Dichlorodifluoromethane | µg/kg | | | <4.9 | | | | |
| Iodomethane | µg/kg | | | | | | | |
| Bromoform | µg/kg | | | <4.9 | | | | |
| Fluorotrichloromethane | µg/kg | | | <4.9 | | | | |
| Methyl Methacrylate | µg/kg | | | | | | | |
| Methyl Isobutyl Ketone | µg/kg | | | <12 | | | | |
| 1,2,3-Trichloropropane | µg/kg | | | <4.9 | | | | |

Notes: 1. Printed on 03/03/00

Table 3
SUMMARY OF ANALYTICAL RESULTS - SOIL
P&W East Hartford: NK Undeveloped Land Area - Outside Storage Area

Page 216 of 536

Notes: 1. Printed on 05/03/00

Table 3
SUMMARY OF ANALYTICAL RESULTS - SOIL
P&W East Hartford: NK Undeveloped Land Area - Outside Storage Area

Page 217 of 536

| | Location ID | NK-SB-290 | NK-SB-310 | NK-SB-310 | NK-SB-310 | NK-SB-310 | NK-SB-310 | NK-SB-310 |
|--------------------------------------|-------------|-------------|-------------|--------------|-------------|--------------|-------------|------------|
| Sample ID | 1028315 | 1634657 | 1634658 | 1634658 | 1634659 | 1634659 | 1634660 | |
| Sample Date | 03/18/1997 | 06/05/1997 | 06/05/1997 | 06/05/1997 | 06/05/1997 | 06/05/1997 | 06/05/1997 | 06/05/1997 |
| Sample Time | 15:20 | 11:00 | 11:05 | 11:05 | 11:05 | 11:05 | 11:05 | 11:15 |
| Sample Depth | 12' - 14' | 0' - 2' | 2' - 4' | 2' - 4' | 2' - 4' | 2' - 4' | 2' - 4' | 4' - 6' |
| Laboratory | LEA | LEA | LEA | QUAN | LEA | QUAN | QUAN | LEA |
| Lab. Number | 97-2176-113 | 35-3437-008 | 35-3438-009 | A7F120155002 | 35-3439-010 | A7F120155003 | 35-3440-011 | |
| Constituent | Units | | | | | | | |
| Date PCBs Analyzed | - | | | | 06/16/1997 | | 06/16/1997 | |
| Date Metals Analyzed | - | | | | | | | |
| Date Organics Analyzed | - | 03/25/1997 | 06/06/1997 | 06/06/1997 | 06/18/1997 | 06/06/1997 | 06/18/1997 | 06/06/1997 |
| Date Pesticides/Herbicides Analyzed | - | | | | 06/23/1997 | | 06/23/1997 | |
| Date Physical Analyzed | - | | | | 06/19/1997 | | 06/19/1997 | |
| Date Semi-volatile Organics Analyzed | - | | | | 06/23/1997 | | 06/23/1997 | |
| Dinoseb | µg/kg | | | | <360 U | | <360 U | |
| Arsenic | mg/kg | | | | | | | |
| Barium | mg/kg | | | | | | | |
| Cadmium | mg/kg | | | | | | | |
| Chromium | mg/kg | | | | | | | |
| Lead | mg/kg | | | | | | | |
| Mercury | mg/kg | | | | | | | |
| Nickel | mg/kg | | | | | | | |
| Selenium | mg/kg | | | | | | | |
| Silver | mg/kg | | | | | | | |
| Zinc | mg/kg | | | | | | | |
| PCB 1016 | µg/kg | | | | <36 U | | <36 U | |
| PCB 1221 | µg/kg | | | | <72 U | | <73 U | |
| PCB 1232 | µg/kg | | | | <36 U | | <36 U | |
| PCB 1242 | µg/kg | | | | <36 U | | <36 U | |
| PCB 1248 | µg/kg | | | | <36 U | | <36 U | |
| PCB 1254 | µg/kg | | | | <36 U | | <36 U | |
| PCB 1260 | µg/kg | | | | <36 U | | <36 U | |
| 2-Acetylaminofluorene | µg/kg | | | | <360 U | | <360 U | |
| Aramite | µg/kg | | | | <360 U | | <360 U | |
| Hexachlorobenzene | µg/kg | | | | <360 U | | <360 U | |
| Hexachlorocyclopentadiene | µg/kg | | | | <360 U | | <360 U | |

Notes: 1. Printed on 03/03/00

Table 3
SUMMARY OF ANALYTICAL RESULTS - SOIL
P&W East Hartford: NK Undeveloped Land Area - Outside Storage Area

Page 218 of 536

| | Location ID | NK-SB-290 | NK-SB-310 | NK-SB-310 | NK-SB-310 | NK-SB-310 | NK-SB-310 | NK-SB-310 |
|--------------------------------|-------------|-------------|-------------|--------------|-------------|--------------|--------------|-------------|
| Sample ID | 1028315 | 1634657 | 1634658 | 1634658 | 1634659 | 1634659 | 1634659 | 1634660 |
| Sample Date | 03/18/1997 | 06/05/1997 | 06/05/1997 | 06/05/1997 | 06/05/1997 | 06/05/1997 | 06/05/1997 | 06/05/1997 |
| Sample Time | 15:20 | 11:00 | 11:05 | 11:05 | 11:05 | 11:05 | 11:05 | 11:15 |
| Sample Depth | 12' - 14' | 0' - 2' | 2' - 4' | 2' - 4' | 2' - 4' | 2' - 4' | 2' - 4' | 4' - 6' |
| Laboratory | LEA | LEA | LEA | QUAN | LEA | QUAN | QUAN | LEA |
| Lab. Number | 97-2176-113 | 35-3437-008 | 35-3438-009 | A7F120155002 | 35-3439-010 | A7F120155003 | A7F120155003 | 35-3440-011 |
| Constituent | Units | | | | | | | |
| Dimethoate | µg/kg | | | <360 U | | <360 U | | |
| Disulfoton | µg/kg | | | <360 U | | <360 U | | |
| Famphur | µg/kg | | | <360 U | | <360 U | | |
| Phorate | µg/kg | | | <360 U | | <360 U | | |
| 1,2-Dibromo-3-chloropropane | µg/kg | | | <5.4 U | | <5.5 U | | |
| TPH | mg/kg | | | <54 U | | <55 U | | |
| Total Solids | % | | | 92.4 | | 91.4 | | |
| Acenaphthylene | µg/kg | | | <360 U | | <360 U | | |
| Acenaphthalene | µg/kg | | | <360 U | | <360 U | | |
| Phenacetin | µg/kg | | | <360 U | | <360 U | | |
| Acetophenone | µg/kg | | | <360 U | | <360 U | | |
| Aniline | µg/kg | | | <360 U | | <360 U | | |
| o-Nitroaniline | µg/kg | | | <900 U | | <910 U | | |
| m-Nitroaniline | µg/kg | | | <900 U | | <910 U | | |
| p-Chloroaniline | µg/kg | | | <360 U | | <360 U | | |
| p-Nitroaniline | µg/kg | | | <900 U | | <910 U | | |
| p-Dimethylaminoazobenzene | µg/kg | | | <360 U | | <360 U | | |
| Anthracene | µg/kg | | | <360 U | | <360 U | | |
| Benzo(a)anthracene | µg/kg | | | <360 U | | <360 U | | |
| 7,12-Dimethylbenz[a]anthracene | µg/kg | | | <360 U | | <360 U | | |
| Benzo(b)fluoranthene | µg/kg | | | <360 U | | <360 U | | |
| 1,2,4,5-Tetrachlorobenzene | µg/kg | | | <360 U | | <360 U | | |
| Isosafrole | µg/kg | | | <360 U | | <360 U | | |
| 1,3,5-Trinitrobenzene | µg/kg | | | <360 U | | <360 U | | |
| m-Dinitrobenzene | µg/kg | | | <360 U | | <360 U | | |
| Safrole | µg/kg | | | <360 U | | <360 U | | |
| Nitrobenzene | µg/kg | | | <360 U | | <360 U | | |
| Benzidine | µg/kg | | | | | | | |

Notes: 1. Printed on 05/03/00

Table 3
SUMMARY OF ANALYTICAL RESULTS - SOIL
P&W East Hartford: NK Undeveloped Land Area - Outside Storage Area

Page 219 of 536

| | Location ID | NK-SB-290 | NK-SB-310 | NK-SB-310 | NK-SB-310 | NK-SB-310 | NK-SB-310 | NK-SB-310 |
|-------------------------------|--------------|-------------|-------------|-------------|--------------|-------------|--------------|-------------|
| | Sample ID | 1028315 | 1634657 | 1634658 | 1634658 | 1634659 | 1634659 | 1634660 |
| | Sample Date | 03/18/1997 | 06/05/1997 | 06/05/1997 | 06/05/1997 | 06/05/1997 | 06/05/1997 | 06/05/1997 |
| | Sample Time | 15:20 | 11:00 | 11:05 | 11:05 | 11:05 | 11:05 | 11:15 |
| | Sample Depth | 12' - 14' | 0' - 2' | 2' - 4' | 2' - 4' | 2' - 4' | 2' - 4' | 4' - 6' |
| | Laboratory | LEA | LEA | LEA | QUAN | LEA | QUAN | LEA |
| | Lab. Number | 97-2176-113 | 35-3437-008 | 35-3438-009 | A7F120155002 | 35-3439-010 | A7F120155003 | 35-3440-011 |
| Constituent | Units | | | | | | | |
| 3,3'-Dichlorobenzidine | µg/kg | | | | <720 U | | <730 U | |
| o-Tolidine | µg/kg | | | | <360 U | | <360 U | |
| Benzo[a]pyrene | µg/kg | | | | <360 U | | <360 U | |
| Benzo[ghi]perylene | µg/kg | | | | <360 U | | <360 U | |
| Benzo[k]fluoranthene | µg/kg | | | | <360 U | | <360 U | |
| Benzoic Acid | µg/kg | | | | <360 U | | <360 U | |
| Benzyl Alcohol | µg/kg | | | | <720 U | | <730 U | |
| p-Aminobiphenyl | µg/kg | | | | <360 U | | <360 U | |
| Hexachlorobutadiene | µg/kg | | | | <360 U | | <360 U | |
| n-Nitrosodi-n-butylamine | µg/kg | | | | <360 U | | <360 U | |
| trans-1,4-Dichloro-2-butylene | µg/kg | | | | <5.4 U | | <5.5 U | |
| Carbazole | µg/kg | | | | <360 U | | <360 U | |
| 3-Methylchloanthrene | µg/kg | | | | <710 U | | <720 U | |
| Chrysene | µg/kg | | | | <360 U | | <360 U | |
| o-Cresol | µg/kg | | | | <360 U | | <360 U | |
| m-Cresol | µg/kg | | | | <360 U | | <360 U | |
| Dinitro-o-cresol | µg/kg | | | | <900 U | | <910 U | |
| p-Cresol | µg/kg | | | | <360 U | | <360 U | |
| p-Chloro-m-cresol | µg/kg | | | | <720 U | | <730 U | |
| Dibenz(a,h)anthracene | µg/kg | | | | <360 U | | <360 U | |
| Dibenzofuran | µg/kg | | | | <360 U | | <360 U | |
| n-Nitrosodiethylamine | µg/kg | | | | <360 U | | <360 U | |
| n-Nitrosodimethylamine | µg/kg | | | | <360 U | | <360 U | |
| Diphenylamine | µg/kg | | | | <360 U | | <360 U | |
| n-Nitrosodiphenylamine | µg/kg | | | | <360 U | | <360 U | |
| n-Nitrosodipropylamine | µg/kg | | | | <360 U | | <360 U | |
| Hexachloroethane | µg/kg | | | | <360 U | | <360 U | |
| 4-Bromophenyl Phenyl Ether | µg/kg | | | | <360 U | | <360 U | |

Notes: 1. Printed on 05/03/00

Table 3
SUMMARY OF ANALYTICAL RESULTS - SOIL
P&W East Hartford: NK Undeveloped Land Area - Outside Storage Area

Page 220 of 536

| | Location ID | NK-SB-290 | NK-SB-310 | NK-SB-310 | NK-SB-310 | NK-SB-310 | NK-SB-310 | NK-SB-310 |
|--|-------------|-------------|-------------|--------------|-------------|--------------|-------------|------------|
| Sample ID | 1028315 | 1634657 | 1634658 | 1634658 | 1634659 | 1634659 | 1634659 | 1634660 |
| Sample Date | 03/18/1997 | 06/05/1997 | 06/05/1997 | 06/05/1997 | 06/05/1997 | 06/05/1997 | 06/05/1997 | 06/05/1997 |
| Sample Time | 15:20 | 11:00 | 11:05 | 11:05 | 11:05 | 11:05 | 11:05 | 11:15 |
| Sample Depth | 12' - 14' | 0' - 2' | 2' - 4' | 2' - 4' | 2' - 4' | 2' - 4' | 2' - 4' | 4' - 6' |
| Laboratory | LEA | LEA | LEA | QUAN | LEA | QUAN | QUAN | LEA |
| Lab. Number | 97-2176-113 | 35-3437-008 | 35-3438-009 | A7F120155002 | 35-3439-010 | A7F120155003 | 35-3440-011 | |
| Constituent | Units | | | | | | | |
| 4-Chlorophenyl phenyl ether | µg/kg | | | <360 U | | | <360 U | |
| Dichlorodisopropyl ether | µg/kg | | | <360 U | | | <360 U | |
| Dichloroethyl Ether | µg/kg | | | <360 U | | | <360 U | |
| n-Methyl-n-nitrosoethylamine | µg/kg | | | <360 U | | | <360 U | |
| Fluoranthene | µg/kg | | | <360 U | | | <360 U | |
| Fluorene | µg/kg | | | <360 U | | | <360 U | |
| 1,2-Diphenylhydrazine | µg/kg | | | | | | | |
| Indeno(1,2,3-cd)pyrene | µg/kg | | | <360 U | | | <360 U | |
| Isophorone | µg/kg | | | <360 U | | | <360 U | |
| bis(2-Chloroethoxy)methane | µg/kg | | | <360 U | | | <360 U | |
| Ethylmethanesulfonate | µg/kg | | | <360 U | | | <360 U | |
| Methylmethanesulfonate | µg/kg | | | <360 U | | | <360 U | |
| Methapyrilene | µg/kg | | | <360 U | | | <360 U | |
| n-Nitrosomorpholine | µg/kg | | | <360 U | | | <360 U | |
| Naphthalene | µg/kg | | | <360 U | | | <360 U | |
| 2-Chloronaphthalene | µg/kg | | | <360 U | | | <360 U | |
| 2-Methylnaphthalene | µg/kg | | | <360 U | | | <360 U | |
| 1,4-Naphthoquinone | µg/kg | | | <360 U | | | <360 U | |
| alpha-Naphthylamine | µg/kg | | | <360 U | | | <360 U | |
| beta-Naphthylamine | µg/kg | | | <360 U | | | <360 U | |
| Phenanthrene | µg/kg | | | <360 U | | | <360 U | |
| alpha,alpha-Dimethylphenethylamine | µg/kg | | | <360 U | | | <360 U | |
| Phenol | µg/kg | | | <360 U | | | <360 U | |
| 2,2'-Methylenebis(3,4,6-trichlorophenol) | µg/kg | | | <360 U | | | <360 U | |
| 2,3,4,6-Tetrachlorophenol | µg/kg | | | <360 U | | | <360 U | |
| 2,4,5-Trichlorophenol | µg/kg | | | <360 U | | | <360 U | |
| 2,4,6-Trichlorophenol | µg/kg | | | <360 U | | | <360 U | |
| 2,4-Dichlorophenol | µg/kg | | | <360 U | | | <360 U | |

Notes: 1. Printed on 05/03/00

Table 3
SUMMARY OF ANALYTICAL RESULTS - SOIL
P&W East Hartford: NK Undeveloped Land Area - Outside Storage Area

Page 221 of 536

| | Location ID | NK-SB-290 | NK-SB-310 | NK-SB-310 | NK-SB-310 | NK-SB-310 | NK-SB-310 | NK-SB-310 |
|---------------------------------|-------------|-------------|-------------|--------------|-------------|--------------|-------------|------------|
| Sample ID | 1028315 | 1634657 | 1634658 | 1634658 | 1634659 | 1634659 | 1634660 | 1634660 |
| Sample Date | 03/18/1997 | 06/05/1997 | 06/05/1997 | 06/05/1997 | 06/05/1997 | 06/05/1997 | 06/05/1997 | 06/05/1997 |
| Sample Time | 15:20 | 11:00 | 11:05 | 11:05 | 11:05 | 11:05 | 11:05 | 11:15 |
| Sample Depth | 12' - 14' | 0' - 2' | 2' - 4' | 2' - 4' | 2' - 4' | 2' - 4' | 2' - 4' | 4' - 6' |
| Laboratory | LEA | LEA | LEA | QUAN | LEA | QUAN | QUAN | LEA |
| Lab. Number | 97-2176-113 | 35-3437-008 | 35-3438-009 | A7F120155002 | 35-3439-010 | A7F120155003 | 35-3440-011 | |
| Constituent | Units | | | | | | | |
| 2,4-Dinitrophenol | µg/kg | | | <900 U | | <910 U | | |
| o-Chlorophenol | µg/kg | | | <360 U | | <360 U | | |
| o-Nitrophenol | µg/kg | | | <360 U | | <360 U | | |
| p-Nitrophenol | µg/kg | | | <900 U | | <910 U | | |
| Pentachlorophenol | µg/kg | | | <900 U | | <910 U | | |
| p-Phenylenediamine | µg/kg | | | <360 U | | <360 U | | |
| Butyl Benzyl Phthalate | µg/kg | | | <360 U | | <360 U | | |
| bis(2-Ethylhexyl)phthalate | µg/kg | | | <360 U | | <360 U | | |
| Di-n-butyl Phthalate | µg/kg | | | <360 U | | <360 U | | |
| Di-n-octyl Phthalate | µg/kg | | | <360 U | | <360 U | | |
| Diethyl Phthalate | µg/kg | | | <360 U | | <360 U | | |
| Dimethyl Phthalate | µg/kg | | | <360 U | | <360 U | | |
| 2-Picoline | µg/kg | | | <360 U | | <360 U | | |
| n-Nitrosopiperidine | µg/kg | | | <360 U | | <360 U | | |
| Pronamide | µg/kg | | | <360 U | | <360 U | | |
| Hexachloropropylene | µg/kg | | | <360 U | | <360 U | | |
| Pyrene | µg/kg | | | <360 U | | <360 U | | |
| Pyridine | µg/kg | | | <360 U | | <360 U | | |
| n-Nitrosopyrrolidine | µg/kg | | | <360 U | | <360 U | | |
| 4-Nitroquinoline, 1-oxide | µg/kg | | | <360 U | | <360 U | | |
| 2,4-Dinitrotoluene | µg/kg | | | <360 U | | <360 U | | |
| 2,6-Dinitrotoluene | µg/kg | | | <360 U | | <360 U | | |
| 5-Nitro-o-Toluidine | µg/kg | | | <360 U | | <360 U | | |
| o-Toluidine | µg/kg | | | <360 U | | <360 U | | |
| o,o,o-Triethyl phosphorothioate | µg/kg | | | <360 U | | <360 U | | |
| 2,4-Xylenol | µg/kg | | | <360 U | | <360 U | | |
| Acetone | µg/kg | | | <110 U | | <110 U | | |
| Acetonitrile | µg/kg | | | <54 U | | <55 U | | |

Notes: 1. Printed on 05/03/00

Table 3
SUMMARY OF ANALYTICAL RESULTS - SOIL
P&W East Hartford: NK Undeveloped Land Area - Outside Storage Area

Page 222 of 536

| | Location ID | NK-SB-290 | NK-SB-310 | NK-SB-310 | NK-SB-310 | NK-SB-310 | NK-SB-310 | NK-SB-310 |
|-----------------------------------|-------------|-------------|-------------|--------------|-------------|--------------|-------------|------------|
| Sample ID | 1028315 | 1634657 | 1634658 | 1634658 | 1634659 | 1634659 | 1634659 | 1634660 |
| Sample Date | 03/18/1997 | 06/05/1997 | 06/05/1997 | 06/05/1997 | 06/05/1997 | 06/05/1997 | 06/05/1997 | 06/05/1997 |
| Sample Time | 15:20 | 11:00 | 11:05 | 11:05 | 11:05 | 11:05 | 11:05 | 11:15 |
| Sample Depth | 12' - 14' | 0' - 2' | 2' - 4' | 2' - 4' | 2' - 4' | 2' - 4' | 2' - 4' | 4' - 6' |
| Laboratory | LEA | LEA | LEA | QUAN | LEA | QUAN | QUAN | LEA |
| Lab. Number | 97-2176-113 | 35-3437-008 | 35-3438-009 | A7F120155002 | 35-3439-010 | A7F120155003 | 35-3440-011 | |
| Constituent | Units | | | | | | | |
| Acrolein | µg/kg | | | <54 U | | <55 U | | |
| Acrylonitrile | µg/kg | | | <110 U | | <110 U | | |
| Benzene | µg/kg | | | <5.4 U | | <5.5 U | | |
| Benzene (screening) | µg/xx | <11.9 | <15.3 | <15.3 | | <15.0 | | <15.9 |
| 1,2,4-Trichlorobenzene | µg/kg | | | <360 U | | <360 U | | |
| o-Dichlorobenzene | µg/kg | | | <360 U | | <360 U | | |
| m-Dichlorobenzene | µg/kg | | | <360 U | | <360 U | | |
| p-Dichlorobenzene | µg/kg | | | <360 U | | <360 U | | |
| Bromobenzene | µg/kg | | | | | | | |
| Chlorobenzene | µg/kg | | | <5.4 U | | <5.5 U | | |
| Ethyl Benzene | µg/kg | | | <5.4 U | | <5.5 U | | |
| Ethyl Benzene (screening) | µg/xx | <17.2 | <22.2 | <22.2 | | <21.8 | | <23.1 |
| Pentachlorobenzene | µg/kg | | | <360 U | | <360 U | | |
| Pentachloronitrobenzene | µg/kg | | | <360 U | | <360 U | | |
| beta-Chloroprene | µg/kg | | | <5.4 U | | <5.5 U | | |
| 2-Butanone | µg/kg | | | <110 U | | <110 U | | |
| Carbon Disulfide | µg/kg | | | <5.4 U | | <5.5 U | | |
| Carbon Tetrachloride | µg/kg | | | <5.4 U | | <5.5 U | | |
| Chloroform | µg/kg | | | <5.4 U | | <5.5 U | | |
| Dioxane | µg/kg | | | <160 U | | <160 U | | |
| 1,1,1,2-Tetrachloroethane | µg/kg | | | <5.4 U | | <5.5 U | | |
| 1,1,1-Trichloroethane | µg/kg | | | <5.4 U | | <5.5 U | | |
| 1,1,1-Trichloroethane (screening) | µg/xx | <291 | <375 | <375 | | <368 | | <390 |
| 1,1,2,2-Tetrachloroethane | µg/kg | | | <5.4 U | | <5.5 U | | |
| 1,1,2-Trichloroethane | µg/kg | | | <5.4 U | | <5.5 U | | |
| 1,1-Dichloroethane | µg/kg | | | <5.4 U | | <5.5 U | | |
| Ethylene Dibromide | µg/kg | | | <5.4 U | | <5.5 U | | |
| 1,2-Dichloroethane | µg/kg | | | <5.4 U | | <5.5 U | | |

Notes: 1. Printed on 03/03/00

Table 3
SUMMARY OF ANALYTICAL RESULTS - SOIL
P&W East Hartford: NK Undeveloped Land Area - Outside Storage Area

Page 223 of 536

| | Location ID | NK-SB-290 | NK-SB-310 | NK-SB-310 | NK-SB-310 | NK-SB-310 | NK-SB-310 | NK-SB-310 |
|---------------------------------|-------------|-------------|-------------|--------------|-------------|--------------|-------------|------------|
| Sample ID | 1028315 | 1634657 | 1634658 | 1634658 | 1634659 | 1634659 | 1634660 | 1634660 |
| Sample Date | 03/18/1997 | 06/05/1997 | 06/05/1997 | 06/05/1997 | 06/05/1997 | 06/05/1997 | 06/05/1997 | 06/05/1997 |
| Sample Time | 15:20 | 11:00 | 11:05 | 11:05 | 11:05 | 11:05 | 11:05 | 11:15 |
| Sample Depth | 12' - 14' | 0' - 2' | 2' - 4' | 2' - 4' | 2' - 4' | 2' - 4' | 2' - 4' | 4' - 6' |
| Laboratory | LEA | LEA | LEA | QUAN | LEA | QUAN | QUAN | LEA |
| Lab. Number | 97-2176-113 | 35-3437-008 | 35-3438-009 | A7F120155002 | 35-3439-010 | A7F120155003 | 35-3440-011 | |
| Constituent | Units | | | | | | | |
| Chloroethane | µg/kg | | | | <11 U | | <11 U | |
| Pentachloroethane | µg/kg | | | | <360 U | | <360 U | |
| 2-Chloroethyl Vinyl ether | µg/kg | | | | | | | |
| Methyl-tert-butyl Ether | µg/kg | | | | <5.4 U | | <5.5 U | |
| 1,1-Dichloroethylene | µg/kg | | | | <5.4 U | | <5.5 U | |
| Vinyl Chloride | µg/kg | | | | <11 U | | <11 U | |
| cis-1,2-Dichloroethylene | µg/kg | | | | <5.4 U | | <5.5 U | |
| Tetrachloroethylene | µg/kg | | | | 5.0 J | | 2.9 J | |
| Tetrachloroethylene (screening) | µg/xx | <18.1 | <23.4 | 56 | | 42 E | | 39 E |
| trans-1,2-Dichloroethylene | µg/kg | | | | <5.4 U | | <5.5 U | |
| Trichloroethylene | µg/kg | | | | <5.4 U | | <5.5 U | |
| Trichloroethylene (screening) | µg/xx | <28.2 | <36.3 | 10 J | | 2 J | | 5 J |
| Ethylmethacrylate | µg/kg | | | | <5.4 U | | <5.5 U | |
| 2-Hexanone | µg/kg | | | | <54 U | | <55 U | |
| Isobutyl Alcohol | µg/kg | | | | <54 U | | <55 U | |
| Bromomethane | µg/kg | | | | <11 U | | <11 U | |
| Bromodichloromethane | µg/kg | | | | <5.4 U | | <5.5 U | |
| Chloromethane | µg/kg | | | | <11 U | | <11 U | |
| Dibromomethane | µg/kg | | | | <5.4 U | | <5.5 U | |
| Dibromochloromethane | µg/kg | | | | <5.4 U | | <5.5 U | |
| Methylene Chloride | µg/kg | | | | 46 | | 27 | |
| Dichlorodifluoromethane | µg/kg | | | | <5.4 U | | <5.5 U | |
| Iodomethane | µg/kg | | | | <5.4 U | | <5.5 U | |
| Bromoform | µg/kg | | | | <5.4 U | | <5.5 U | |
| Fluorotrichloromethane | µg/kg | | | | <5.4 U | | <5.5 U | |
| Methyl Methacrylate | µg/kg | | | | <5.4 U | | <5.5 U | |
| Methyl Isobutyl Ketone | µg/kg | | | | <11 U | | <11 U | |
| 1,2,3-Trichloropropane | µg/kg | | | | <5.4 U | | <5.5 U | |

Notes: 1. Printed on 05/03/00

Table 3
SUMMARY OF ANALYTICAL RESULTS - SOIL
P&W East Hartford: NK Undeveloped Land Area - Outside Storage Area

Page 224 of 536

Notes: 1. Printed on 05/03/00

Table 3
SUMMARY OF ANALYTICAL RESULTS - SOIL
P&W East Hartford: NK Undeveloped Land Area - Outside Storage Area

Page 225 of 536

| | Location ID | NK-SB-310 | NK-SB-310 | NK-SB-310 | NK-SB-310 | NK-SB-310 | NK-SB-311 | NK-SB-311 |
|--------------------------------------|--------------|-------------|--------------|-------------|-------------|-------------|--------------|------------|
| Sample ID | 1634660 | 1634661 | 1634661 | 1634662 | 1634663 | 1634664 | 1634664 | 1634664 |
| Sample Date | 06/05/1997 | 06/05/1997 | 06/05/1997 | 06/05/1997 | 06/05/1997 | 06/05/1997 | 06/05/1997 | 06/05/1997 |
| Sample Time | 11:15 | 11:20 | 11:20 | 11:25 | 11:30 | 11:40 | 11:40 | |
| Sample Depth | 4' - 6' | 6' - 8' | 6' - 8' | 8' - 10' | 10' - 12' | 0' - 2' | 0' - 2' | |
| Laboratory | QUAN | LEA | QUAN | LEA | LEA | LEA | QUAN | |
| Lab. Number | A7F120155004 | 35-3442-013 | A7F120155005 | 35-3443-014 | 35-3444-015 | 35-3445-016 | A7F120155008 | |
| Constituent | Units | | | | | | | |
| Date PCBs Analyzed | - | | | | | | | |
| Date Metals Analyzed | - | | | | | | | |
| Date Organics Analyzed | - | 06/19/1997 | 06/06/1997 | 06/19/1997 | 06/06/1997 | 06/06/1997 | 06/06/1997 | |
| Date Pesticides/Herbicides Analyzed | - | | | | | | | |
| Date Physical Analyzed | - | 06/19/1997 | | 06/19/1997 | | | | 06/19/1997 |
| Date Semi-volatile Organics Analyzed | - | | | | | | | |
| Dinoseb | µg/kg | | | | | | | |
| Arsenic | mg/kg | | | | | | | |
| Barium | mg/kg | | | | | | | |
| Cadmium | mg/kg | | | | | | | |
| Chromium | mg/kg | | | | | | | |
| Lead | mg/kg | | | | | | | |
| Mercury | mg/kg | | | | | | | |
| Nickel | mg/kg | | | | | | | |
| Selenium | mg/kg | | | | | | | |
| Silver | mg/kg | | | | | | | |
| Zinc | mg/kg | | | | | | | |
| PCB 1016 | µg/kg | | | | | | | |
| PCB 1221 | µg/kg | | | | | | | |
| PCB 1232 | µg/kg | | | | | | | |
| PCB 1242 | µg/kg | | | | | | | |
| PCB 1248 | µg/kg | | | | | | | |
| PCB 1254 | µg/kg | | | | | | | |
| PCB 1260 | µg/kg | | | | | | | |
| 2-Acetylaminofluorene | µg/kg | | | | | | | |
| Aramite | µg/kg | | | | | | | |
| Hexachlorobenzene | µg/kg | | | | | | | |
| Hexachlorocyclopentadiene | µg/kg | | | | | | | |

Notes: 1. Printed on 03/03/00

Table 3
SUMMARY OF ANALYTICAL RESULTS - SOIL
P&W East Hartford: NK Undeveloped Land Area - Outside Storage Area

Page 226 of 536

| | Location ID | NK-SB-310 | NK-SB-310 | NK-SB-310 | NK-SB-310 | NK-SB-310 | NK-SB-311 | NK-SB-311 |
|--------------------------------|--------------|-------------|--------------|-------------|-------------|-------------|--------------|------------|
| Sample ID | 1634660 | 1634661 | 1634661 | 1634662 | 1634663 | 1634664 | 1634664 | 1634664 |
| Sample Date | 06/05/1997 | 06/05/1997 | 06/05/1997 | 06/05/1997 | 06/05/1997 | 06/05/1997 | 06/05/1997 | 06/05/1997 |
| Sample Time | 11:15 | 11:20 | 11:20 | 11:25 | 11:30 | 11:40 | 11:40 | |
| Sample Depth | 4' - 6' | 6' - 8' | 6' - 8' | 8' - 10' | 10' - 12' | 0' - 2' | 0' - 2' | |
| Laboratory | QUAN | LEA | QUAN | LEA | LEA | LEA | QUAN | |
| Lab. Number | A7F120155004 | 35-3442-013 | A7F120155005 | 35-3443-014 | 35-3444-015 | 35-3445-016 | A7F120155008 | |
| Constituent | Units | | | | | | | |
| Dimethoate | µg/kg | | | | | | | |
| Disulfoton | µg/kg | | | | | | | |
| Famphur | µg/kg | | | | | | | |
| Phorate | µg/kg | | | | | | | |
| 1,2-Dibromo-3-chloropropane | µg/kg | <5.5 U | | <5.7 U | | | | |
| TPH | mg/kg | 4300 | | 11000 | | | | 58 |
| Total Solids | % | 91.6 | | 88.1 | | | | 92.6 |
| Acenaphthylene | µg/kg | | | | | | | |
| Acenaphthalene | µg/kg | | | | | | | |
| Phenacetin | µg/kg | | | | | | | |
| Acetophenone | µg/kg | | | | | | | |
| Aniline | µg/kg | | | | | | | |
| o-Nitroaniline | µg/kg | | | | | | | |
| m-Nitroaniline | µg/kg | | | | | | | |
| p-Chloroaniline | µg/kg | | | | | | | |
| p-Nitroaniline | µg/kg | | | | | | | |
| p-Dimethylaminoazobenzene | µg/kg | | | | | | | |
| Anthracene | µg/kg | | | | | | | |
| Benzo(a)anthracene | µg/kg | | | | | | | |
| 7,12-Dimethylbenz[a]anthracene | µg/kg | | | | | | | |
| Benzo(b)fluoranthene | µg/kg | | | | | | | |
| 1,2,4,5-Tetrachlorobenzene | µg/kg | | | | | | | |
| Isosafrole | µg/kg | | | | | | | |
| 1,3,5-Trinitrobenzene | µg/kg | | | | | | | |
| m-Dinitrobenzene | µg/kg | | | | | | | |
| Safrole | µg/kg | | | | | | | |
| Nitrobenzene | µg/kg | | | | | | | |
| Benzidine | µg/kg | | | | | | | |

Notes: 1. Printed on 05/03/00

Table 3
SUMMARY OF ANALYTICAL RESULTS - SOIL
P&W East Hartford: NK Undeveloped Land Area - Outside Storage Area

Page 227 of 536

| | Location ID | NK-SB-310 | NK-SB-310 | NK-SB-310 | NK-SB-310 | NK-SB-310 | NK-SB-311 | NK-SB-311 |
|-------------------------------|--------------|-------------|--------------|-------------|-------------|-------------|-------------|--------------|
| Sample ID | 1634660 | 1634661 | 1634661 | 1634662 | 1634663 | 1634664 | 1634664 | 1634664 |
| Sample Date | 06/05/1997 | 06/05/1997 | 06/05/1997 | 06/05/1997 | 06/05/1997 | 06/05/1997 | 06/05/1997 | 06/05/1997 |
| Sample Time | 11:15 | 11:20 | 11:20 | 11:25 | 11:30 | 11:40 | 11:40 | 11:40 |
| Sample Depth | 4' - 6' | 6' - 8' | 6' - 8' | 8' - 10' | 10' - 12' | 0' - 2' | 0' - 2' | 0' - 2' |
| Laboratory | QUAN | LEA | QUAN | LEA | LEA | LEA | LEA | QUAN |
| Lab. Number | A7F120155004 | 35-3442-013 | A7F120155005 | 35-3443-014 | 35-3444-015 | 35-3445-016 | 35-3445-016 | A7F120155008 |
| Constituent | Units | | | | | | | |
| 3,3'-Dichlorobenzidine | µg/kg | | | | | | | |
| o-Tolidine | µg/kg | | | | | | | |
| Benzo[a]pyrene | µg/kg | | | | | | | |
| Benzo[ghi]perylene | µg/kg | | | | | | | |
| Benzo[k]fluoranthene | µg/kg | | | | | | | |
| Benzoic Acid | µg/kg | | | | | | | |
| Benzyl Alcohol | µg/kg | | | | | | | |
| p-Aminobiphenyl | µg/kg | | | | | | | |
| Hexachlorobutadiene | µg/kg | | | | | | | |
| n-Nitrosodi-n-butylamine | µg/kg | | | | | | | |
| trans-1,4-Dichloro-2-butylene | µg/kg | <5.5 U | | <5.7 U | | | | |
| Carbazole | µg/kg | | | | | | | |
| 3-Methylchloanthrene | µg/kg | | | | | | | |
| Chrysene | µg/kg | | | | | | | |
| o-Cresol | µg/kg | | | | | | | |
| m-Cresol | µg/kg | | | | | | | |
| Dinitro-o-cresol | µg/kg | | | | | | | |
| p-Cresol | µg/kg | | | | | | | |
| p-Chloro-m-cresol | µg/kg | | | | | | | |
| Dibenz(a,h)anthracene | µg/kg | | | | | | | |
| Dibenzofuran | µg/kg | | | | | | | |
| n-Nitrosodiethylamine | µg/kg | | | | | | | |
| n-Nitrosodimethylamine | µg/kg | | | | | | | |
| Diphenylamine | µg/kg | | | | | | | |
| n-Nitrosodiphenylamine | µg/kg | | | | | | | |
| n-Nitrosodipropylamine | µg/kg | | | | | | | |
| Hexachloroethane | µg/kg | | | | | | | |
| 4-Bromophenyl Phenyl Ether | µg/kg | | | | | | | |

Notes: 1. Printed on 05/03/00

Table 3
SUMMARY OF ANALYTICAL RESULTS - SOIL
P&W East Hartford: NK Undeveloped Land Area - Outside Storage Area

Page 228 of 536

| | Location ID | NK-SB-310 | NK-SB-310 | NK-SB-310 | NK-SB-310 | NK-SB-310 | NK-SB-311 | NK-SB-311 |
|--|--------------|-------------|--------------|-------------|-------------|-------------|-------------|--------------|
| Sample ID | 1634660 | 1634661 | 1634661 | 1634662 | 1634663 | 1634664 | 1634664 | 1634664 |
| Sample Date | 06/05/1997 | 06/05/1997 | 06/05/1997 | 06/05/1997 | 06/05/1997 | 06/05/1997 | 06/05/1997 | 06/05/1997 |
| Sample Time | 11:15 | 11:20 | 11:20 | 11:25 | 11:30 | 11:40 | 11:40 | |
| Sample Depth | 4' - 6' | 6' - 8' | 6' - 8' | 8' - 10' | 10' - 12' | 0' - 2' | 0' - 2' | |
| Laboratory | QUAN | LEA | QUAN | LEA | LEA | LEA | LEA | QUAN |
| Lab. Number | A7F120155004 | 35-3442-013 | A7F120155005 | 35-3443-014 | 35-3444-015 | 35-3445-016 | 35-3445-016 | A7F120155008 |
| Constituent | Units | | | | | | | |
| 4-Chlorophenyl phenyl ether | µg/kg | | | | | | | |
| Dichlorodiisopropyl ether | µg/kg | | | | | | | |
| Dichloroethyl Ether | µg/kg | | | | | | | |
| n-Methyl-n-nitrosoethylamine | µg/kg | | | | | | | |
| Fluoranthene | µg/kg | | | | | | | |
| Fluorene | µg/kg | | | | | | | |
| 1,2-Diphenylhydrazine | µg/kg | | | | | | | |
| Indeno(1,2,3-cd)pyrene | µg/kg | | | | | | | |
| Isophorone | µg/kg | | | | | | | |
| bis(2-Chloroethoxy)methane | µg/kg | | | | | | | |
| Ethylmethanesulfonate | µg/kg | | | | | | | |
| Methylmethanesulfonate | µg/kg | | | | | | | |
| Methapyrilene | µg/kg | | | | | | | |
| n-Nitrosomorpholine | µg/kg | | | | | | | |
| Naphthalene | µg/kg | | | | | | | |
| 2-Chloronaphthalene | µg/kg | | | | | | | |
| 2-Methylnaphthalene | µg/kg | | | | | | | |
| 1,4-Naphthoquinone | µg/kg | | | | | | | |
| alpha-Naphthylamine | µg/kg | | | | | | | |
| beta-Naphthylamine | µg/kg | | | | | | | |
| Phenanthrene | µg/kg | | | | | | | |
| alpha,alpha-Dimethylphenethylamine | µg/kg | | | | | | | |
| Phenol | µg/kg | | | | | | | |
| 2,2'-Methylenebis(3,4,6-trichlorophenol) | µg/kg | | | | | | | |
| 2,3,4,6-Tetrachlorophenol | µg/kg | | | | | | | |
| 2,4,5-Trichlorophenol | µg/kg | | | | | | | |
| 2,4,6-Trichlorophenol | µg/kg | | | | | | | |
| 2,4-Dichlorophenol | µg/kg | | | | | | | |

Notes: 1. Printed on 05/03/2000

Table 3
SUMMARY OF ANALYTICAL RESULTS - SOIL
P&W East Hartford: NK Undeveloped Land Area - Outside Storage Area

Page 229 of 536

| | Location ID | NK-SB-310 | NK-SB-310 | NK-SB-310 | NK-SB-310 | NK-SB-310 | NK-SB-311 | NK-SB-311 |
|---------------------------------|--------------|-------------|--------------|-------------|-------------|-------------|------------|--------------|
| Sample ID | 1634660 | 1634661 | 1634661 | 1634662 | 1634663 | 1634664 | 1634664 | 1634664 |
| Sample Date | 06/05/1997 | 06/05/1997 | 06/05/1997 | 06/05/1997 | 06/05/1997 | 06/05/1997 | 06/05/1997 | 06/05/1997 |
| Sample Time | 11:15 | 11:20 | 11:20 | 11:25 | 11:30 | 11:40 | 11:40 | 11:40 |
| Sample Depth | 4' - 6' | 6' - 8' | 6' - 8' | 8' - 10' | 10' - 12' | 0' - 2' | 0' - 2' | 0' - 2' |
| Laboratory | QUAN | LEA | QUAN | LEA | LEA | LEA | QUAN | |
| Lab. Number | A7F120155004 | 35-3442-013 | A7F120155005 | 35-3443-014 | 35-3444-015 | 35-3445-016 | | A7F120155008 |
| Constituent | Units | | | | | | | |
| 2,4-Dinitrophenol | µg/kg | | | | | | | |
| o-Chlorophenol | µg/kg | | | | | | | |
| o-Nitrophenol | µg/kg | | | | | | | |
| p-Nitrophenol | µg/kg | | | | | | | |
| Pentachlorophenol | µg/kg | | | | | | | |
| p-Phenylenediamine | µg/kg | | | | | | | |
| Butyl Benzyl Phthalate | µg/kg | | | | | | | |
| bis(2-Ethylhexyl)phthalate | µg/kg | | | | | | | |
| Di-n-butyl Phthalate | µg/kg | | | | | | | |
| Di-n-octyl Phthalate | µg/kg | | | | | | | |
| Diethyl Phthalate | µg/kg | | | | | | | |
| Dimethyl Phthalate | µg/kg | | | | | | | |
| 2-Picoline | µg/kg | | | | | | | |
| n-Nitrosopiperidine | µg/kg | | | | | | | |
| Pronamide | µg/kg | | | | | | | |
| Hexachloropropylene | µg/kg | | | | | | | |
| Pyrene | µg/kg | | | | | | | |
| Pyridine | µg/kg | | | | | | | |
| n-Nitrosopyrrolidine | µg/kg | | | | | | | |
| 4-Nitroquinoline, 1-oxide | µg/kg | | | | | | | |
| 2,4-Dinitrotoluene | µg/kg | | | | | | | |
| 2,6-Dinitrotoluene | µg/kg | | | | | | | |
| 5-Nitro-o-Toluidine | µg/kg | | | | | | | |
| o-Toluidine | µg/kg | | | | | | | |
| o,o,o-Triethyl phosphorothioate | µg/kg | | | | | | | |
| 2,4-Xylenol | µg/kg | | | | | | | |
| Acetone | µg/kg | <110 U | | <110 U | | | | |
| Acetonitrile | µg/kg | <55 U | | <57 U | | | | |

Notes: 1. Printed on 05/03/00

Table 3
SUMMARY OF ANALYTICAL RESULTS - SOIL
P&W East Hartford: NK Undeveloped Land Area - Outside Storage Area

Page 230 of 536

| | Location ID | NK-SB-310 | NK-SB-310 | NK-SB-310 | NK-SB-310 | NK-SB-310 | NK-SB-311 | NK-SB-311 |
|-----------------------------------|--------------|-------------|--------------|-------------|-------------|-------------|------------|--------------|
| Sample ID | 1634660 | 1634661 | 1634661 | 1634662 | 1634663 | 1634664 | 1634664 | 1634664 |
| Sample Date | 06/05/1997 | 06/05/1997 | 06/05/1997 | 06/05/1997 | 06/05/1997 | 06/05/1997 | 06/05/1997 | 06/05/1997 |
| Sample Time | 11:15 | 11:20 | 11:20 | 11:25 | 11:30 | 11:40 | 11:40 | 11:40 |
| Sample Depth | 4' - 6' | 6' - 8' | 6' - 8' | 8' - 10' | 10' - 12' | 0' - 2' | 0' - 2' | 0' - 2' |
| Laboratory | QUAN | LEA | QUAN | LEA | LEA | LEA | QUAN | |
| Lab. Number | A7F120155004 | 35-3442-013 | A7F120155005 | 35-3443-014 | 35-3444-015 | 35-3445-016 | | A7F120155008 |
| Constituent | Units | | | | | | | |
| Acrolein | µg/kg | <55 U | | <57 U | | | | |
| Acrylonitrile | µg/kg | <110 U | | <110 U | | | | |
| Benzene | µg/kg | <5.5 U | | <5.7 U | | | | |
| Benzene (screening) | µg/xx | | <15.3 | | <15.9 | <15.6 | <15.9 | |
| 1,2,4-Trichlorobenzene | µg/kg | | | | | | | |
| o-Dichlorobenzene | µg/kg | | | | | | | |
| m-Dichlorobenzene | µg/kg | | | | | | | |
| p-Dichlorobenzene | µg/kg | | | | | | | |
| Bromobenzene | µg/kg | | | | | | | |
| Chlorobenzene | µg/kg | <5.5 U | | <5.7 U | | | | |
| Ethyl Benzene | µg/kg | <5.5 U | | <5.7 U | | | | |
| Ethyl Benzene (screening) | µg/xx | | <22.2 | | <23.1 | <22.6 | <23.1 | |
| Pentachlorobenzene | µg/kg | | | | | | | |
| Pentachloronitrobenzene | µg/kg | | | | | | | |
| beta-Chloroprene | µg/kg | <5.5 U | | <5.7 U | | | | |
| 2-Butanone | µg/kg | <110 U | | <110 U | | | | |
| Carbon Disulfide | µg/kg | <5.5 U | | <5.7 U | | | | |
| Carbon Tetrachloride | µg/kg | <5.5 U | | <5.7 U | | | | |
| Chloroform | µg/kg | <5.5 U | | <5.7 U | | | | |
| Dioxane | µg/kg | <160 U | | <170 U | | | | |
| 1,1,1,2-Tetrachloroethane | µg/kg | <5.5 U | | <5.7 U | | | | |
| 1,1,1-Trichloroethane | µg/kg | <5.5 U | | <5.7 U | | | | |
| 1,1,1-Trichloroethane (screening) | µg/xx | | <375 | | <390 | <382 | <390 | |
| 1,1,2,2-Tetrachloroethane | µg/kg | <5.5 U | | <5.7 U | | | | |
| 1,1,2-Trichloroethane | µg/kg | <5.5 U | | <5.7 U | | | | |
| 1,1-Dichloroethane | µg/kg | <5.5 U | | <5.7 U | | | | |
| Ethylene Dibromide | µg/kg | <5.5 U | | <5.7 U | | | | |
| 1,2-Dichloroethane | µg/kg | <5.5 U | | <5.7 U | | | | |

Notes: 1. Printed on 05/03/00



Table 3
SUMMARY OF ANALYTICAL RESULTS - SOIL
P&W East Hartford: NK Undeveloped Land Area - Outside Storage Area

Page 231 of 536

| | Location ID | NK-SB-310 | NK-SB-310 | NK-SB-310 | NK-SB-310 | NK-SB-310 | NK-SB-311 | NK-SB-311 |
|---------------------------------|--------------|-------------|--------------|-------------|-------------|-------------|------------|--------------|
| Sample ID | 1634660 | 1634661 | 1634661 | 1634662 | 1634663 | 1634664 | 1634664 | 1634664 |
| Sample Date | 06/05/1997 | 06/05/1997 | 06/05/1997 | 06/05/1997 | 06/05/1997 | 06/05/1997 | 06/05/1997 | 06/05/1997 |
| Sample Time | 11:15 | 11:20 | 11:20 | 11:25 | 11:30 | 11:40 | 11:40 | 11:40 |
| Sample Depth | 4' - 6' | 6' - 8' | 6' - 8' | 8' - 10' | 10' - 12' | 0' - 2' | 0' - 2' | 0' - 2' |
| Laboratory | QUAN | LEA | QUAN | LEA | LEA | LEA | QUAN | |
| Lab. Number | A7F120155004 | 35-3442-013 | A7F120155005 | 35-3443-014 | 35-3444-015 | 35-3445-016 | | A7F120155008 |
| Constituent | Units | | | | | | | |
| Chloroethane | µg/kg | <11 U | | <11 U | | | | |
| Pentachloroethane | µg/kg | | | | | | | |
| 2-Chloroethyl Vinyl ether | µg/kg | | | | | | | |
| Methyl-tert-butyl Ether | µg/kg | <5.5 U | | <5.7 U | | | | |
| 1,1-Dichloroethylene | µg/kg | <5.5 U | | <5.7 U | | | | |
| Vinyl Chloride | µg/kg | <11 U | | <11 U | | | | |
| cis-1,2-Dichloroethylene | µg/kg | <5.5 U | | <5.7 U | | | | |
| Tetrachloroethylene | µg/kg | 2.7 J | | 8.4 | | | | |
| Tetrachloroethylene (screening) | µg/xx | | 111 | | <24.3 | <23.8 | <24.3 | |
| trans-1,2-Dichloroethylene | µg/kg | <5.5 U | | <5.7 U | | | | |
| Trichloroethylene | µg/kg | <5.5 U | | <5.7 U | | | | |
| Trichloroethylene (screening) | µg/xx | | 38 | | <37.8 | <37.1 | <37.8 | |
| Ethylmethacrylate | µg/kg | <5.5 U | | <5.7 U | | | | |
| 2-Hexanone | µg/kg | <55 U | | <57 U | | | | |
| Isobutyl Alcohol | µg/kg | <55 U | | <57 U | | | | |
| Bromomethane | µg/kg | <11 U | | <11 U | | | | |
| Bromodichloromethane | µg/kg | <5.5 U | | <5.7 U | | | | |
| Chloromethane | µg/kg | <11 U | | <11 U | | | | |
| Dibromomethane | µg/kg | <5.5 U | | <5.7 U | | | | |
| Dibromochloromethane | µg/kg | <5.5 U | | <5.7 U | | | | |
| Methylene Chloride | µg/kg | <5.5 U | | 3.6 J | | | | |
| Dichlorodifluoromethane | µg/kg | <5.5 U | | <5.7 U | | | | |
| Iodomethane | µg/kg | <5.5 U | | <5.7 U | | | | |
| Bromoform | µg/kg | <5.5 U | | <5.7 U | | | | |
| Fluorotrichloromethane | µg/kg | <5.5 U | | <5.7 U | | | | |
| Methyl Methacrylate | µg/kg | <5.5 U | | <5.7 U | | | | |
| Methyl Isobutyl Ketone | µg/kg | <11 U | | <11 U | | | | |
| 1,2,3-Trichloropropane | µg/kg | <5.5 U | | <5.7 U | | | | |

Notes: 1. Printed on 03/03/00